



US010827298B2

(12) **United States Patent**  
**Lau et al.**

(10) **Patent No.:** **US 10,827,298 B2**  
(45) **Date of Patent:** **\*Nov. 3, 2020**

(54) **METHOD AND APPARATUS FOR LOCATION IDENTIFICATION AND PRESENTATION**

(71) Applicant: **IpVenture, Inc.**, Los Altos, CA (US)

(72) Inventors: **Chung Lau**, Sunnyvale, CA (US);  
**Peter P. Tong**, Mountain View, CA (US);  
**C. Douglass Thomas**, Saratoga, CA (US)

(73) Assignee: **IpVenture, Inc.**, San Jose, CA (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **14/923,882**

(22) Filed: **Oct. 27, 2015**

(65) **Prior Publication Data**

US 2016/0050533 A1 Feb. 18, 2016

**Related U.S. Application Data**

(63) Continuation of application No. 14/519,503, filed on Oct. 21, 2014, now Pat. No. 9,219,988, which is a (Continued)

(51) **Int. Cl.**  
**H04W 24/00** (2009.01)  
**H04W 4/02** (2018.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **H04W 4/02** (2013.01); **G01C 21/00** (2013.01); **G01C 21/005** (2013.01); **G01C 21/32** (2013.01);  
(Continued)

(58) **Field of Classification Search**  
CPC .... **H04W 4/02**; **H04W 64/00**; **H04M 1/72572**  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,975,941 A 8/1976 Smith  
4,719,920 A 1/1988 Alt et al.  
(Continued)

FOREIGN PATENT DOCUMENTS

EP 0 874 529 A2 10/1998  
EP 1 037 447 A2 9/2000  
(Continued)

OTHER PUBLICATIONS


Office Action for U.S. Appl. No. 10/397,472 dated Sep. 29, 2006.  
(Continued)

*Primary Examiner* — Nghi H Ly

(57) **ABSTRACT**

Method and apparatus to analyze and present location information in an easy-to-digest manner are disclosed. In one embodiment, each piece of location information can include a piece of location-designating information and a piece of location-related information. Location-designating information is primarily for identifying location. Location-related information is information related to location-designating information. The location-designating information and the location-related information can be supplied by a mobile device. With the help of location-related information, each piece of location-designating information can be more accurately transformed into a label to help identify a location. The amount of location information can be reduced. All of the location-designating information pertaining to a given area can be consolidated into one piece of location-designating information related to the label. Consolidation of some of the information may not occur if a piece of location-related information changes by more than a preset value. To better present location information in an easy-to-digest manner, location information can be compared to standards. Presentation can be on a display with respect to a reference location.

**32 Claims, 11 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 13/933,770, filed on Jul. 2, 2013, now Pat. No. 8,886,220, which is a continuation of application No. 11/705,339, filed on Feb. 10, 2007, now Pat. No. 8,611,920, which is a continuation of application No. 10/397,472, filed on Mar. 26, 2003, now Pat. No. 7,218,938, which is a continuation-in-part of application No. 09/797,517, filed on Feb. 28, 2001, now Pat. No. 7,366,522.

- (60) Provisional application No. 60/185,480, filed on Feb. 28, 2000, provisional application No. 60/444,198, filed on Jan. 30, 2003, provisional application No. 60/418,491, filed on Oct. 15, 2002, provisional application No. 60/404,645, filed on Aug. 19, 2002, provisional application No. 60/375,998, filed on Apr. 24, 2002.

(51) **Int. Cl.**

*H04W 4/029* (2018.01)  
*G01C 21/00* (2006.01)  
*G01C 21/32* (2006.01)  
*G06Q 10/10* (2012.01)  
*H04W 64/00* (2009.01)  
*G06F 3/0481* (2013.01)  
*H04L 29/08* (2006.01)  
*H04W 4/021* (2018.01)  
*G06F 3/0482* (2013.01)

(52) **U.S. Cl.**

CPC ..... *G06F 3/04817* (2013.01); *G06Q 10/10* (2013.01); *H04L 67/02* (2013.01); *H04W 4/021* (2013.01); *H04W 4/023* (2013.01); *H04W 4/025* (2013.01); *H04W 4/029* (2018.02); *H04W 64/00* (2013.01); *G06F 3/0482* (2013.01)

(58) **Field of Classification Search**

USPC ..... 455/457, 456.1, 414.1, 418  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,115,223 A 5/1992 Moody  
 5,337,579 A 8/1994 Saia, III et al.  
 5,347,274 A 9/1994 Hassett  
 5,353,034 A 10/1994 Sato et al.  
 5,389,934 A 2/1995 Kass  
 5,394,333 A 2/1995 Kao  
 5,400,020 A 3/1995 Jones et al.  
 5,422,814 A 6/1995 Sprague et al.  
 5,422,816 A 6/1995 Sprague et al.  
 5,448,773 A 9/1995 McBurney et al.  
 5,461,365 A 10/1995 Schlager et al.  
 5,470,233 A 11/1995 Fruchterman et al.  
 5,491,486 A 2/1996 Welles, II et al.  
 5,512,902 A 4/1996 Guthrie et al.  
 5,515,858 A 5/1996 Myllymaki  
 5,517,199 A 5/1996 DiMattei  
 5,528,247 A 6/1996 Nonami  
 5,528,518 A 6/1996 Bradshaw et al.  
 5,532,690 A 7/1996 Hertel  
 5,539,748 A 7/1996 Raith  
 5,541,845 A 7/1996 Klein  
 5,543,789 A 8/1996 Behr et al.  
 5,550,551 A 8/1996 Alesio  
 5,563,606 A 10/1996 Wang  
 5,568,119 A 10/1996 Schipper et al.  
 5,570,412 A 10/1996 LeBlanc  
 5,576,716 A 11/1996 Sadler  
 5,592,173 A 1/1997 Lau et al.

5,598,460 A 1/1997 Tendler  
 5,604,708 A 2/1997 Helms et al.  
 5,623,260 A 4/1997 Jones  
 5,623,418 A 4/1997 Rostoker  
 5,627,517 A 5/1997 Theimer et al.  
 5,629,678 A 5/1997 Gargano et al.  
 5,633,874 A 5/1997 Diachina et al.  
 5,650,770 A 7/1997 Schlager et al.  
 5,652,570 A 7/1997 Lepkofker  
 5,673,692 A 10/1997 Schulze et al.  
 5,686,888 A 11/1997 Welles, II et al.  
 5,710,551 A 1/1998 Ridgeway  
 5,712,619 A 1/1998 Simkin  
 5,731,757 A 3/1998 Layson, Jr.  
 5,731,788 A 3/1998 Reeds  
 5,742,233 A 4/1998 Hoffman et al.  
 5,751,245 A 5/1998 Janky et al.  
 5,771,001 A 6/1998 Cobb  
 5,771,455 A 6/1998 Kennedy, III et al.  
 5,774,876 A 6/1998 Woolley et al.  
 5,786,789 A 7/1998 Janky  
 5,797,091 A 8/1998 Clise et al.  
 5,806,018 A 9/1998 Smith et al.  
 5,808,565 A 9/1998 Matta et al.  
 RE35,920 E 10/1998 Sorden et al.  
 5,825,283 A 10/1998 Camhi  
 5,826,195 A 10/1998 Westerlage et al.  
 5,835,907 A 11/1998 Newman  
 5,841,352 A 11/1998 Prakash  
 5,844,862 A 12/1998 Cocatre-Zilgien  
 5,850,196 A 12/1998 Mowers  
 5,852,775 A 12/1998 Hidary  
 5,861,841 A 1/1999 Gildea et al.  
 5,864,315 A 1/1999 Welles, II et al.  
 5,883,594 A 3/1999 Lau  
 5,889,770 A 3/1999 Jokiahio et al.  
 5,892,454 A 4/1999 Schipper et al.  
 5,894,266 A 4/1999 Wood, Jr. et al.  
 5,902,347 A 5/1999 Backman et al.  
 5,905,461 A 5/1999 Neher  
 5,910,799 A 6/1999 Carpenter et al.  
 5,913,078 A 6/1999 Kimura et al.  
 5,917,433 A 6/1999 Keillor et al.  
 5,918,180 A 6/1999 Dimino  
 5,928,309 A 7/1999 Korver et al.  
 5,938,721 A 8/1999 Dussell et al.  
 5,940,004 A 8/1999 Fulton  
 5,948,040 A 9/1999 DeLorme et al.  
 5,948,043 A 9/1999 Mathis  
 5,949,812 A 9/1999 Turney et al.  
 5,950,125 A 9/1999 Buhrmann et al.  
 5,959,575 A 9/1999 Abbott  
 5,959,577 A 9/1999 Fan et al.  
 5,963,130 A 10/1999 Schlager et al.  
 5,982,285 A 11/1999 Bueche et al.  
 5,982,807 A 11/1999 Snell  
 5,983,108 A 11/1999 Kennedy, III et al.  
 5,983,158 A \* 11/1999 Suzuki ..... G01C 21/3461  
 340/988  
 5,991,690 A 11/1999 Murphy  
 5,995,849 A 11/1999 Williams et al.  
 6,002,363 A 12/1999 Krasner  
 6,002,982 A 12/1999 Fry  
 6,009,319 A 12/1999 Khullar et al.  
 6,013,007 A 1/2000 Root et al.  
 6,014,080 A 1/2000 Layson, Jr.  
 6,014,090 A 1/2000 Rosen et al.  
 6,018,704 A 1/2000 Kohli et al.  
 6,023,241 A 2/2000 Clapper  
 6,031,496 A 2/2000 Kuittinen  
 6,032,051 A 2/2000 Hall et al.  
 6,034,622 A 3/2000 Levine  
 6,052,646 A 4/2000 Kirkhart et al.  
 6,052,696 A 4/2000 Euler et al.  
 6,054,928 A 4/2000 Lemelson et al.  
 6,064,336 A 5/2000 Krasner  
 6,067,018 A 5/2000 Skelton et al.  
 6,067,044 A 5/2000 Whelan et al.  
 6,067,082 A 5/2000 Enmei

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,072,396	A	6/2000	Gaukel	6,362,778	B2	3/2002	Neher
6,078,290	A	6/2000	McBurney et al.	6,363,254	B1	3/2002	Jones et al.
6,083,248	A	7/2000	Thompson	6,363,323	B1	3/2002	Jones
6,083,353	A	7/2000	Alexander	6,366,871	B1	4/2002	Geva
6,085,090	A	7/2000	Yee et al.	6,373,430	B1	4/2002	Beason et al.
6,094,168	A	7/2000	Duffett-Smith et al.	6,377,810	B1	4/2002	Geiger et al.
6,100,670	A	8/2000	Levesque	6,384,724	B1	5/2002	Landais
6,100,806	A	8/2000	Gaukel	6,388,612	B1	5/2002	Neher
6,101,710	A	8/2000	Selinger et al.	6,393,346	B1	5/2002	Keith et al.
6,104,334	A	8/2000	Allport	6,404,352	B1	6/2002	Ichikawa et al.
6,111,540	A	8/2000	Krasner	6,407,698	B1	6/2002	Ayed
6,115,595	A	9/2000	Rodal et al.	6,411,892	B1	6/2002	Van Diggelen
6,121,921	A	9/2000	Ishigaki	6,411,899	B2	6/2002	Dussell et al.
6,125,325	A	9/2000	Kohli et al.	6,421,538	B1	7/2002	Byrne
6,131,067	A	10/2000	Girerd et al.	6,426,719	B1	7/2002	Nagareda et al.
6,140,863	A	10/2000	Fujisawa	6,427,120	B1	7/2002	Garin et al.
6,140,957	A	10/2000	Wilson et al.	6,430,602	B1	8/2002	Kay et al.
6,141,570	A	10/2000	O'Neill, Jr. et al.	6,433,732	B1	8/2002	Dutta et al.
6,144,303	A	11/2000	Federman	6,434,396	B1	8/2002	Rune
6,148,280	A	11/2000	Kramer	6,437,692	B1	8/2002	Petite et al.
6,154,422	A	11/2000	Shinkawa et al.	6,441,778	B1	8/2002	Durst et al.
6,163,696	A	12/2000	Bi et al.	6,442,380	B1	8/2002	Mohindra
6,169,902	B1	1/2001	Kawamoto	6,442,391	B1	8/2002	Johansson et al.
6,171,264	B1	1/2001	Bader	6,443,890	B1	9/2002	Schulze et al.
6,172,640	B1	1/2001	Durst et al.	6,445,937	B1	9/2002	daSilva
6,175,616	B1	1/2001	Light et al.	6,453,237	B1	9/2002	Fuchs et al.
6,198,390	B1	3/2001	Schlager et al.	6,463,272	B1	10/2002	Wallace et al.
6,198,431	B1	3/2001	Gibson	6,466,821	B1	10/2002	Pianca et al.
6,198,930	B1	3/2001	Schipper	6,469,639	B2	10/2002	Tanenhaus et al.
6,199,045	B1	3/2001	Giniger et al.	6,471,087	B1	10/2002	Shusterman
6,204,807	B1	3/2001	Odagiri et al.	6,478,736	B1	11/2002	Mault
6,212,133	B1	4/2001	McCoy et al.	6,484,034	B1*	11/2002	Tsunehara ..... H04W 64/00 342/450
6,226,622	B1	5/2001	Dabbiere	6,496,775	B2	12/2002	McDonald, Jr. et al.
6,231,519	B1	5/2001	Blants et al.	6,501,429	B2	12/2002	Nakamura et al.
6,232,916	B1	5/2001	Grillo et al.	6,505,048	B1	1/2003	Moles et al.
6,236,358	B1	5/2001	Durst et al.	6,505,049	B1	1/2003	Dorenbosch
6,238,337	B1	5/2001	Kambhatla et al.	6,512,456	B1	1/2003	Taylor, Jr.
6,243,039	B1	6/2001	Elliot	6,513,532	B2	2/2003	Mault et al.
6,243,660	B1	6/2001	Hsu et al.	6,522,871	B1	2/2003	Patrick et al.
6,246,376	B1	6/2001	Bork et al.	6,522,889	B1	2/2003	Aarnio
6,252,543	B1	6/2001	Camp	6,529,164	B1	3/2003	Carter
6,252,544	B1	6/2001	Hoffberg	6,529,822	B1*	3/2003	Millington ..... G01C 21/3632 340/988
6,259,944	B1	7/2001	Margulis et al.	6,544,193	B2	4/2003	Abreu
6,263,280	B1	7/2001	Stingone, Jr.	6,552,652	B2	4/2003	Beken
6,266,612	B1	7/2001	Dussell et al.	6,553,310	B1	4/2003	Lopke
6,272,457	B1	8/2001	Ford et al.	6,553,336	B1	4/2003	Johnson et al.
6,278,936	B1	8/2001	Jones	6,559,620	B2	5/2003	Zhou et al.
6,281,797	B1	8/2001	Forster	6,560,463	B1	5/2003	Santhoff
6,282,362	B1	8/2001	Murphy et al.	6,569,094	B2	5/2003	Suzuki et al.
6,282,495	B1	8/2001	Kirkhart et al.	6,571,193	B1	5/2003	Unuma et al.
6,285,314	B1	9/2001	Nagatsuma et al.	6,579,231	B1	6/2003	Phipps
6,292,687	B1	9/2001	Lowell et al.	6,579,844	B1	6/2003	Morrison et al.
6,298,306	B1	10/2001	Suarez et al.	6,611,688	B1	8/2003	Raith
6,300,875	B1	10/2001	Schafer	6,616,593	B1	9/2003	Elliott et al.
6,302,844	B1	10/2001	Walker et al.	6,625,437	B1	9/2003	Jampolsky et al.
6,304,467	B1	10/2001	Nebrigic	6,630,885	B2	10/2003	Hardman et al.
6,314,308	B1	11/2001	Sheynblat et al.	6,640,085	B1	10/2003	Chatzipetros et al.
6,315,719	B1	11/2001	Rode et al.	6,650,907	B1	11/2003	Kamperschroer et al.
6,317,049	B1	11/2001	Toubia et al.	6,661,372	B1	12/2003	Girerd et al.
6,321,091	B1	11/2001	Holland	6,679,071	B1	1/2004	Storey et al.
6,321,158	B1	11/2001	Delorme et al.	6,696,982	B2	2/2004	Yoshioka et al.
6,323,807	B1	11/2001	Golding et al.	6,697,103	B1	2/2004	Fernandez et al.
6,324,213	B1	11/2001	Harrison	6,697,730	B2	2/2004	Dickerson
6,327,533	B1	12/2001	Chou	6,714,158	B1	3/2004	Underbrink et al.
6,330,149	B1	12/2001	Burrell	6,714,791	B2	3/2004	Friedman
6,331,817	B1	12/2001	Goldberg	6,721,542	B1	4/2004	Anttila et al.
6,331,825	B1	12/2001	Ladner et al.	6,741,927	B2	5/2004	Jones
6,339,397	B1	1/2002	Baker	6,747,675	B1	6/2004	Abbott et al.
6,340,928	B1	1/2002	McCurdy	6,748,318	B1	6/2004	Jones
6,342,847	B1	1/2002	Archuleta et al.	6,788,766	B2	9/2004	Logan
6,349,257	B1	2/2002	Liu et al.	6,801,853	B2	10/2004	Workman
6,353,390	B1	3/2002	Beri et al.	6,804,606	B2	10/2004	Jones
6,353,798	B1	3/2002	Green et al.	6,825,767	B2	11/2004	Humbard
6,356,836	B1	3/2002	Adolph	6,832,093	B1	12/2004	Ranta
6,356,841	B1	3/2002	Hamrick et al.	6,847,892	B2	1/2005	Zhou et al.
				6,856,804	B1	2/2005	Ciotta
				6,856,807	B1	2/2005	Raith

(56)

References Cited

U.S. PATENT DOCUMENTS

6,865,385 B1	3/2005	Kohda et al.		2001/0053699 A1	12/2001	McCrary et al.	
6,876,862 B1*	4/2005	Tanaka .....	H04W 4/20 455/412.1	2002/0000916 A1	1/2002	Richards	
6,888,879 B1	5/2005	Lennen		2002/0000930 A1	1/2002	Crowson et al.	
6,937,900 B1	8/2005	Pianca et al.		2002/0008661 A1	1/2002	McCall et al.	
6,952,645 B1	10/2005	Jones		2002/0015439 A1	2/2002	Kohli et al.	
6,975,941 B1	12/2005	Lau et al.		2002/0016173 A1	2/2002	Hunzinger	
6,980,813 B2	12/2005	Mohi et al.		2002/0027507 A1	3/2002	Yarin et al.	
6,980,826 B2	12/2005	Yamaguchi		2002/0028988 A1	3/2002	Suzuki et al.	
6,997,882 B1	2/2006	Parker et al.		2002/0036593 A1	3/2002	Ying	
7,010,144 B1	3/2006	Davis et al.		2002/0038182 A1	3/2002	Wong et al.	
7,071,842 B1	7/2006	Brady, Jr.		2002/0049742 A1	4/2002	Chan et al.	
7,085,253 B2	8/2006	Yang		2002/0050945 A1	5/2002	Tsukishima et al.	
7,110,773 B1	9/2006	Wallace et al.		2002/0055362 A1*	5/2002	Aoyama .....	G01S 5/0072 455/456.6
7,136,832 B2	11/2006	Li et al.		2002/0057192 A1	5/2002	Eagleson et al.	
7,187,278 B2	3/2007	Biffar		2002/0063622 A1	5/2002	Armstrong et al.	
7,212,829 B1	5/2007	Lau et al.		2002/0071677 A1	6/2002	Sumanaweera	
7,218,938 B1	5/2007	Lau et al.		2002/0077080 A1	6/2002	Greene	
7,253,731 B2	8/2007	Joao		2002/0087260 A1	7/2002	Hancock et al.	
7,308,272 B1	12/2007	Wortham		2002/0087619 A1	7/2002	Tripathi	
7,321,774 B1	1/2008	Lau et al.		2002/0094067 A1	7/2002	August	
7,325,061 B2	1/2008	Haruki		2002/0099567 A1	7/2002	Joao	
7,366,522 B2	4/2008	Thomas		2002/0111171 A1	8/2002	Boesch et al.	
7,375,682 B1	5/2008	Tester et al.		2002/0111819 A1	8/2002	Li et al.	
7,403,972 B1	7/2008	Lau et al.		2002/0115450 A1*	8/2002	Muramatsu .....	H04W 64/00 455/456.3
7,482,920 B2	1/2009	Joao		2002/0115453 A1	8/2002	Poulin et al.	
7,539,557 B2	5/2009	Yamauchi		2002/0116080 A1	8/2002	Birnbach et al.	
7,809,377 B1	10/2010	Lau et al.		2002/0119770 A1	8/2002	Twitchell et al.	
7,905,832 B1	3/2011	Lau et al.		2002/0119789 A1	8/2002	Friedman	
7,953,809 B2	5/2011	Lau et al.		2002/0120394 A1	8/2002	Rayne	
8,176,135 B2	5/2012	Lau et al.		2002/0120475 A1	8/2002	Morimoto	
8,285,484 B1	10/2012	Lau et al.		2002/0120503 A1	8/2002	Iwayama et al.	
8,301,158 B1	10/2012	Thomas		2002/0123353 A1	9/2002	Savoie	
8,447,822 B2	5/2013	Lau et al.		2002/0138196 A1	9/2002	Polidi et al.	
8,611,920 B2	12/2013	Lau et al.		2002/0140081 A1	10/2002	Chou et al.	
8,620,343 B1	12/2013	Lau et al.		2002/0173910 A1	11/2002	McCall et al.	
8,700,050 B1	4/2014	Thomas		2002/0191757 A1	12/2002	Belrose	
8,725,165 B2	5/2014	Lau et al.		2002/0193121 A1	12/2002	Nowak et al.	
8,753,273 B1	6/2014	Lau et al.		2002/0193996 A1	12/2002	Squibbs et al.	
8,868,103 B2	10/2014	Thomas		2002/0198003 A1*	12/2002	Klapman .....	H04W 4/02 455/456.1 A63F 13/12 463/49
8,886,220 B2*	11/2014	Lau .....	G01C 21/00 340/539.13	2003/0003943 A1	1/2003	Bajikar	
8,975,941 B2	3/2015	Zierhofer		2003/0009410 A1	1/2003	Ramankutty et al.	
9,049,571 B2	6/2015	Lau et al.		2003/0013445 A1	1/2003	Fujiwara et al.	
9,074,903 B1	7/2015	Lau et al.		2003/0018430 A1	1/2003	Ladetto et al.	
9,182,238 B2	11/2015	Lau et al.		2003/0036389 A1	2/2003	Yen	
9,219,988 B2*	12/2015	Lau .....	G01C 21/00	2003/0036683 A1	2/2003	Kehr et al.	
9,456,350 B2	9/2016	Lau et al.		2003/0054827 A1*	3/2003	Schmidl .....	H04W 16/14 455/450
9,596,579 B2	3/2017	Lau et al.		2003/0068605 A1	4/2003	Kullok et al.	
9,706,374 B2	7/2017	Lau et al.		2003/0069759 A1	4/2003	Smith	
9,723,442 B2	8/2017	Lau et al.		2003/0083011 A1	5/2003	Haller et al.	
9,759,817 B2	9/2017	Lau et al.		2003/0083046 A1	5/2003	Mathis	
9,769,630 B2	9/2017	Lau et al.		2003/0083814 A1	5/2003	Gronemeyer	
9,930,503 B2	3/2018	Lau et al.		2003/0095540 A1	5/2003	Mulligan et al.	
9,998,886 B2	6/2018	Lau et al.		2003/0100326 A1	5/2003	Grube et al.	
10,034,150 B2	7/2018	Lau et al.		2003/0101225 A1	5/2003	Han et al.	
10,327,115 B2	6/2019	Lau et al.		2003/0107514 A1	6/2003	Syrjarinne et al.	
10,356,568 B2	7/2019	Lau et al.		2003/0114206 A1	6/2003	Timothy et al.	
10,516,975 B2	12/2019	Lau et al.		2003/0151507 A1	8/2003	Andre et al.	
10,609,516 B2	3/2020	Thomas		2003/0163287 A1	8/2003	Vock et al.	
10,614,408 B2	4/2020	Lau et al.		2003/0182052 A1*	9/2003	DeLorme .....	G01C 21/26 701/533
10,628,783 B2	4/2020	Lau et al.		2003/0204132 A1	10/2003	Suzuki et al.	
2001/0006891 A1	7/2001	Cho		2004/0034470 A1	2/2004	Workman	
2001/0020204 A1	9/2001	Runyon et al.		2004/0046637 A1	3/2004	Wesby Van Swaay	
2001/0022558 A1	9/2001	Karr, Jr. et al.		2004/0114731 A1	6/2004	Gillett et al.	
2001/0026240 A1	10/2001	Neher		2004/0117108 A1	6/2004	Nemeth	
2001/0027378 A1	10/2001	Tennison et al.		2004/0192352 A1	9/2004	Vallstrom et al.	
2001/0027384 A1	10/2001	Schulze et al.		2004/0204820 A1*	10/2004	Diaz .....	G01C 21/26 701/522
2001/0027525 A1	10/2001	Gamlin		2004/0233065 A1	11/2004	Freeman	
2001/0028304 A1	10/2001	P'Anson et al.		2005/0068169 A1	3/2005	Copley et al.	
2001/0041554 A1	11/2001	Rowell		2005/0250440 A1	11/2005	Zhou et al.	
2001/0044299 A1	11/2001	Sandegren		2005/0278063 A1	12/2005	Hersh et al.	
2001/0044332 A1	11/2001	Yamada et al.		2006/0073851 A1	4/2006	Colando et al.	
2001/0047125 A1	11/2001	Quy					
2001/0052849 A1	12/2001	Jones, Jr.					

(56) **References Cited**

U.S. PATENT DOCUMENTS

2006/0129691	A1	6/2006	Coffee et al.	
2006/0139375	A1	6/2006	Rasmussen et al.	
2006/0173444	A1	8/2006	Choy et al.	
2007/0156286	A1	7/2007	Yamauchi	
2008/0021645	A1	1/2008	Lau et al.	
2008/0261636	A1	10/2008	Lau et al.	
2009/0042540	A1	2/2009	Bodnar et al.	
2011/0022533	A1	1/2011	Lau et al.	
2011/0223884	A1	9/2011	Lau et al.	
2012/0220266	A1	8/2012	Lau et al.	
2013/0203388	A1	8/2013	Thomas et al.	
2013/0297524	A1	11/2013	Lau et al.	
2014/0011524	A1	1/2014	Lau et al.	
2014/0067708	A1	3/2014	Lau et al.	
2014/0273953	A1	9/2014	Lau et al.	
2014/0278084	A1	9/2014	Lau et al.	
2014/0296659	A1	10/2014	Lau et al.	
2015/0011243	A1	1/2015	Thomas et al.	
2015/0038168	A1	2/2015	Thomas et al.	
2015/0264576	A1	9/2015	Lau et al.	
2016/0025863	A1	1/2016	Lau et al.	
2016/0029175	A1*	1/2016	Lau .....	H04W 4/025 455/456.1
2017/0013426	A1	1/2017	Lau et al.	
2017/0094458	A1	3/2017	Thomas et al.	
2017/0111776	A1	4/2017	Lau et al.	
2017/0111777	A1	4/2017	Lau et al.	
2017/0188208	A1	6/2017	Lau et al.	
2017/0295462	A1	10/2017	Lau et al.	
2017/0353841	A1	12/2017	Lau et al.	
2018/0011201	A1	1/2018	Lau et al.	
2018/0027394	A1	1/2018	Lau et al.	
2018/0211216	A1	7/2018	Lau et al.	
2018/0213372	A1	7/2018	Lau et al.	
2018/0255439	A1	9/2018	Lau et al.	
2018/0302759	A1	10/2018	Lau et al.	
2019/0215643	A1	7/2019	Lau et al.	
2020/0064491	A1	2/2020	Lau et al.	
2020/0077236	A1	3/2020	Lau et al.	

FOREIGN PATENT DOCUMENTS

EP	1 037 447	A3	10/2001
JP	09251069	A	9/1997
JP	11-64482		3/1999
JP	11-258325		9/1999
JP	11-289574		10/1999
JP	11-306491		11/1999
JP	2001344678	A	12/2001
WO	WO 97/14054		4/1997
WO	WO 97/41654	A1	11/1997
WO	WO 98/01769	A1	1/1998
WO	WO 98/16045	A1	4/1998
WO	WO 98/40837		9/1998
WO	WO 00/51391		8/2000
WO	WO 01/50151	A1	7/2001
WO	WO 01/63318	A1	8/2001
WO	WO 01/75700	A2	10/2001
WO	WO 02/42979	A1	5/2002
WO	WO 02/084618	A1	10/2002
WO	WO 03/012720	A1	2/2003

OTHER PUBLICATIONS

Notice of Allowance for U.S. Appl. No. 10/397,472, dated Dec. 6, 2006.  
 Notice of Allowance for U.S. Appl. No. 10/397,472, dated Feb. 28, 2007.  
 Notice of Allowance for U.S. Appl. No. 11/705,339, dated Jun. 22, 2012.  
 Notice of Allowance for U.S. Appl. No. 11/705,339, dated Sep. 7, 2011.

Notice of Allowance for U.S. Appl. No. 11/705,339, dated Apr. 15, 2011.  
 Notice of Allowance for U.S. Appl. No. 11/705,339, dated Jan. 26, 2011.  
 Office Action for U.S. Appl. No. 11/705,339, dated Oct. 25, 2010.  
 Office Action for U.S. Appl. No. 11/705,339, dated Jul. 1, 2010.  
 Office Action for U.S. Appl. No. 11/705,339, dated Nov. 17, 2009.  
 Office Action for U.S. Appl. No. 11/705,339, dated Jul. 30, 2009.  
 Notice of Allowance for U.S. Appl. No. 11/705,339, dated Aug. 30, 2013.  
 Office Action for U.S. Appl. No. 13/933,770, dated Nov. 15, 2013.  
 Notice of Allowance for U.S. Appl. No. 13/933,770, dated Mar. 7, 2014.  
 Notice of Allowance for U.S. Appl. No. 13/933,770, dated Sep. 19, 2014.  
 Office Action for U.S. Appl. No. 14/519,503, dated Apr. 3, 2015.  
 Notice of Allowance for U.S. Appl. No. 14/519,503, dated Aug. 26, 2015.  
 Office Action for U.S. Appl. No. 10/397,637, dated Sep. 29, 2006.  
 Notice of Allowance for U.S. Appl. No. 10/397,637, dated Jan. 22, 2007.  
 Office Action for U.S. Appl. No. 11/732,581, dated Jan. 20, 2010.  
 Notice of Allowance for U.S. Appl. No. 11/732,581, dated Jun. 16, 2010.  
 Non-Final Office Action for U.S. Appl. No. 12/924,470, dated May 4, 2012.  
 Notice of Allowance for U.S. Appl. No. 12/924,470, dated Nov. 23, 2012.  
 Notice of Allowance for U.S. Appl. No. 12/924,470, dated Mar. 20, 2013.  
 Notice of Allowance for U.S. Appl. No. 12/924,470, dated Aug. 29, 2013.  
 Notice of Allowance for U.S. Appl. No. 12/924,470, dated Dec. 19, 2013.  
 Notice of Allowance for U.S. Appl. No. 13/802,641, dated Jan. 21, 2014.  
 Notice of Allowance for U.S. Appl. No. 13/802,641, dated Aug. 18, 2014.  
 U.S. Appl. No. 13/802,641, filed Mar. 13, 2013.  
 U.S. Appl. No. 13/802,624, filed Mar. 13, 2013.  
 Office Action for U.S. Appl. No. 13/802,624, dated Nov. 18, 2014.  
 Office Action for U.S. Appl. No. 13/802,624, dated May 26, 2015.  
 Office Action for U.S. Appl. No. 10/397,640, dated Oct. 24, 2006.  
 Notice of Allowance for U.S. Appl. No. 10/397,640, dated Nov. 13, 2007.  
 Notice of Allowance for U.S. Appl. No. 10/397,640, dated Mar. 23, 2007.  
 Office Action for U.S. Appl. No. 11/800,126, dated Sep. 29, 2011.  
 Office Action for U.S. Appl. No. 11/800,126, dated Jul. 21, 2010.  
 Office Action for U.S. Appl. No. 11/800,126, dated Mar. 18, 2010.  
 Restriction Requirement for U.S. Appl. No. 11/800,126, dated Dec. 10, 2009.  
 Final Office Action for U.S. Appl. No. 11/800,126, dated Oct. 15, 2012.  
 Notice of Allowance for U.S. Appl. No. 11/800,126, dated Aug. 29, 2013.  
 Notice of Allowance for U.S. Appl. No. 11/800,126, dated Nov. 20, 2013.  
 "352C22 Miniature Low Profile ICP Accelerometer," Precision Accelerometers, PCB Piezoelectronics Products—SVS Division, webpages, pp. 1-2 (downloaded Apr. 11, 2002: [www.pcb.com/products/sys/sys352c22.html](http://www.pcb.com/products/sys/sys352c22.html)).  
 "3G Mobile Internet Revolution, . . . only with Location Based Services!" pp. 1, (downloaded Aug. 10, 2002: <http://webhome.idirect.com/~dental/3glocator/home.htm>).  
 "Airline Cargo Containers," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: [www.rji.cc/casestudies/airlinecargocounters.html](http://www.rji.cc/casestudies/airlinecargocounters.html)).  
 "Airline Food Carts," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: [www.rji.cc/casestudies/airlinefoodcarts.html](http://www.rji.cc/casestudies/airlinefoodcarts.html)).  
 "An Introduction to SnapTrack Server-Aided GPS Technology," SnapTrack Inc., Apr. 3, 2007.

(56)

## References Cited

## OTHER PUBLICATIONS

- Archived page entitled "Money-Back Guarantee Policy" from fedex.com, archived by the Internet Archive on Aug. 17, 2000.
- "Audiovox Intros GPS, Bluetooth Phone," INT Media Group, Inc. (allNetDevices), Apr. 5, 2002. (downloaded: [www.allnetdevices.com/wireless/news/2001/1/15/audiovox\\_intros.html](http://www.allnetdevices.com/wireless/news/2001/1/15/audiovox_intros.html)).
- "Carrier and end-user applications for wireless location systems," TruePosition, Inc., [http://www.trueposition.com/spie\\_app.htm](http://www.trueposition.com/spie_app.htm), downloaded, Jul. 30, 2000, pp. 1-7.
- Capozza, P.T., et al. "A single-chip narrow-band frequency domain excisor for a Global Positioning System (GPS) receiver," IEEE Journal of Solid-State Circuits, vol. 35, Issue 3, 2000, pp. 401-411.
- "Danger—Products" and "Hiptop Communicator Brochure," Danger, Inc., downloaded Oct. 26, 2002: [www.danger.com/products.php](http://www.danger.com/products.php).
- "Developing a GPSs for the Global Supply Chain," Aberdeen Group, Inc., Executive White Paper, Jun. 2002.
- "Devices for Text Messages in Deutsche Telekom's fixed network have already found their way into many households," Deutsche Telekom AG, Press Release, Mar. 13, 2002, pp. 1-2.
- "Digital/Analog Compass Sensors" and "1655 Digital Compass Sensor," webpages, The Robson Company, Inc., pp. 1-2 (downloaded Apr. 11, 2002: [www.dinsmoresensors.com/index.html](http://www.dinsmoresensors.com/index.html)).
- "EarthTrack™ Vehicle Tracking Systems," Outfitter Satellite, Inc., 1998 (downloaded Jan. 22, 2000).
- "Enhanced Tracking," United Parcel Service of America, Inc. (UPS), webpages, pp. 1-2 (downloaded Jun. 1, 2002: [www.ups.com/myupsinfo/info/etrack?pnav=stdservice](http://www.ups.com/myupsinfo/info/etrack?pnav=stdservice)).
- "Fleet Management Systems—Asset Tracking Devices," Axiom Navigation Inc., 2000-2001 (downloaded Oct. 19, 2002: [www.axiomnav.com/Prod\\_Systems/prod\\_system.asp](http://www.axiomnav.com/Prod_Systems/prod_system.asp)).
- "Frozen Food Warehouse," Case Study, RJI Incorporated, webpages, pp. 1-3 (downloaded Mar. 16, 2002: [www.rji.cc/casestudies/frozenfoodwarehouse.html](http://www.rji.cc/casestudies/frozenfoodwarehouse.html)).
- "FunMail Launches on the NTT DoCoMo i-mode network," FunMail, Press Release, May 2001, pp. 1-2.
- "Global Cell Phone Location," Axiom Navigation Inc., 2000-2001 (downloaded Oct. 19, 2002: [www.axiomnav.com/Prod\\_Global/prod\\_global.asp](http://www.axiomnav.com/Prod_Global/prod_global.asp)).
- "Global Locating Services," SkyBitz, webpage, p. 1, (downloaded Nov. 15, 2002: [www.skybitz.com/services/gls.html](http://www.skybitz.com/services/gls.html)).
- "GLS Communicator," SkyBitz, webpages, pp. 1-2, (downloaded Nov. 15, 2002: [www.skybitz.com/gls/communicator.html](http://www.skybitz.com/gls/communicator.html)).
- "Guide to Tracking Info.," Nippon Express, website page, p. 1 (downloaded Jun. 9, 2002: [www.nittsu.co.jp/edoc/howtoe.htm](http://www.nittsu.co.jp/edoc/howtoe.htm)).
- "Introduction to SMS," by C. Tull of Anywhere YouGo.com, pp. 1-4 (downloaded: [www.devx.com/wireless/articles/SMS/SMSintro.asp](http://www.devx.com/wireless/articles/SMS/SMSintro.asp)), Aug. 10, 2002.
- "IO Data Develops GPS Adapter for I-Mode Mobile," AsiaBizTech, Sep. 17, 2002, pp. 1-2.
- "Locate Networks: Our Service," Locate Networks, webpages, pp. 1-7 (downloaded Sep. 26, 2002: [www.locatenetworks.com/](http://www.locatenetworks.com/)).
- "MMS phones: Don't believe the hype," CNN.com/SCI-TECH, Aug. 8, 2002, pp. 1-3.
- "Mobile Location Based Services: Cell Tracking Devices of People & Things . . .," pp. 1-2, (downloaded Aug. 10, 2002: <http://3glocate.com>).
- "MoniTrack," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: [www.rji.cc/technology/telematic.html](http://www.rji.cc/technology/telematic.html)).
- "My ups.com Benefits," United Parcel Service of America, Inc. (UPS), webpage, p. 1 (downloaded Apr. 13, 2002: [www.ups.com/myupsinfo/info/benefits?pnav=stdservice](http://www.ups.com/myupsinfo/info/benefits?pnav=stdservice)).
- "NavMate® Navigation System," Visteon Corporation, webpage, pp. 1-2 (downloaded Jun. 21, 2002: [www.visteon.com/technology/automotive/navmate.html](http://www.visteon.com/technology/automotive/navmate.html)).
- "News," SkyBitz, webpages, pp. 1-8, (downloaded Nov. 15, 2002: [www.skybitz.com/about/news.html](http://www.skybitz.com/about/news.html)).
- "Pakhound: Your Watchdog in the Shipping Industry," website pages, pp. 1-3 (downloaded Jun. 9, 2002: [www.pakhound.com/fact.asp](http://www.pakhound.com/fact.asp)).
- "Parkwatch and Wherenet Unveil the First Amusement Visitor Locating system," ParkWatch, Press Release, Jun. 27, 2000.
- "pulver.com's Location Based Services Report," pulver.com, Inc., Oct. 2001, pp. 1-17 (downloaded Jun. 4, 2002: [www.pulver.com/lbsreport/lastbsreport.02/oct01.txt](http://www.pulver.com/lbsreport/lastbsreport.02/oct01.txt)).
- "Radio Frequency Identification (RFID)," Case Study, RJI Incorporated, webpage, p. 1 (downloaded Mar. 16, 2002: [www.rji.cc/technology/rfid.html](http://www.rji.cc/technology/rfid.html)).
- "Real Time Location System (RTLS)," Case Study, RJI Incorporated, webpage, p. 1 (downloaded Mar. 16, 2002: [www.rji.cc/technology/rtls.html](http://www.rji.cc/technology/rtls.html)).
- "Real-Time Warehouse Tracking," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: [www.rji.cc/casestudies/rtwarehousetracking.html](http://www.rji.cc/casestudies/rtwarehousetracking.html)).
- "Savi Reusable Transport Container," Savi Technology, Inc., Apr. 30, 2002, pp. 1-2.
- "Send images to i-mode phones," Mobile Media Japan, 2001, pp. 1-3.
- "Ski Rental with Auto ID and Tracking," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: [www.rji.cc/casestudies/skirentalcompany.html](http://www.rji.cc/casestudies/skirentalcompany.html)).
- "SnapTrack and SignalSoft Corp. Team Up to Trial Location-based Information Service for GSM Test Group," Press Release, SnapTrack Inc., Dec. 6, 1999.
- "SnapTrack Awarded Additional Key Patents for Enhanced GPS System," Press Release, SnapTrack Inc., Jan. 4, 2000.
- "Start-up crams single chip with phone, GPS and Bluetooth," CNET Network, Inc. (ZDNET), Mar. 22, 2002 (downloaded: <http://news.zdnet.co.uk/story/0,t284-x2107163,00.html>).
- "Status Icons/Messages," Yahoo! Messenger Help, Yahoo! Inc., 2002, pp. 1-2.
- "Technical Applications of Our Current Technology," Aetherwire, webpages, pp. 1-4 (downloaded Mar. 16, 2002: [www.aetherwire.com/CDROM/General/appl1.html](http://www.aetherwire.com/CDROM/General/appl1.html)).
- "The Always on Network," Position Paper, Nortel Networks, 2002.
- "Theme Park Visitors & Cashless Purchasing," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: [www.rji.cc/casestudies/themepark.html](http://www.rji.cc/casestudies/themepark.html)).
- "Track Shipments—Detailed Results," FedEx, webpages, pp. 1-2 (downloaded Oct. 29, 2002: [www.fedex.com](http://www.fedex.com)).
- "Track Your FedEx Shipments via Email," FedEx, webpages, pp. 1-2 (downloaded Oct. 29, 2002: [www.fedex.com](http://www.fedex.com)).
- "Tracking Helpful Tips," United Parcel Service of America, Inc. (UPS), webpages, pp. 1-2 (downloaded Jun. 1, 2002: [www.ups.com/tracking/nm\\_help.html](http://www.ups.com/tracking/nm_help.html)).
- "Trimble and Rosum Team to Develop Universal Positioning Technology," Trimble Navigation, Inc., News Release, Feb. 27, 2003.
- "Turning Position Into Knowledge," SkyBitz, webpage, p. 1, (downloaded Nov. 15, 2002: [www.skybitz.com](http://www.skybitz.com)).
- "UPS Package Tracking," United Parcel Service of America, Inc. (UPS), webpages, pp. 1-2 (downloaded Apr. 13, 2002: [www.ups.com/tracking/tracking.html](http://www.ups.com/tracking/tracking.html)).
- "UPS Wireless Solutions," United Parcel Service of America, Inc. (UPS), webpage, p. 1 (downloaded Apr. 13, 2002: [www.ups.com/myupsinfo/info/wireless?pnav=stdservice](http://www.ups.com/myupsinfo/info/wireless?pnav=stdservice)).
- "Welcome to Iship, Inc.," iShip, Inc., webpages, pp. 1-2, (downloaded Jun. 9, 2002: [www.iship.com/](http://www.iship.com/)).
- "Welcome to Traker Systems," Traker Systems, webpages, pp. 1-2 (downloaded Jun. 9, 2002: [www.trakersystems.com](http://www.trakersystems.com)).
- "What are Instant Messages?" Yahoo! Messenger Help, Yahoo! Inc., 2002, pp. 1.
- "What is "3G" technology?," CNN.com/SCI-TECH, Oct. 22, 2001, pp. 1-3.
- "What is a Friend List?" Yahoo! Messenger Help, Yahoo! Inc., 2002, pp. 1.
- "Wherify Wireless and SiRF Team to Deliver Child Locator System," Wherify Wireless, Inc., Press Release, Mar. 19, 2001, pp. 1-2.
- "Wherify Wireless Breakthrough in Location-Based Services," Mobilemag.com, Feb. 28, 2001, p. 1.

(56)

## References Cited

## OTHER PUBLICATIONS

- "Wherify Wireless GPS Locator for Kids User Guide," Wherify Wireless, Inc., 2003, pp. 1-106.
- "Wherify Wireless Location Services," Wherify Wireless, Inc., webpages, pp. 1-5 (downloaded: Mar. 25, 2003: [www.wherifywireless.com/prod\\_watches.htm](http://www.wherifywireless.com/prod_watches.htm)).
- "X-GPS™—Hybrid GPS Location Server Solution," Axiom Navigation Inc., 2000-2001 (downloaded Oct. 19, 2002: [www.axiomnav.com/Prod\\_Global/x-gps.asp](http://www.axiomnav.com/Prod_Global/x-gps.asp)).
- "Yahoo! Messenger—Sending Messages to a Mobile Phone," Yahoo! Messenger, Yahoo! Inc., 2002, pp. 1-7 (downloaded Oct. 27, 2002: [http://messenger.yahoo.com/messenger/wireless/pc2sms/tour1.html\(through/tour7.html\)](http://messenger.yahoo.com/messenger/wireless/pc2sms/tour1.html(through/tour7.html))).
- "Yahoo! Messenger for Text Messaging," Yahoo! Messenger, Yahoo! Inc., 2002, pp. 1-10 (downloaded Oct. 27, 2002: [http://messenger.yahoo.com/messenger/wireless/smsmgr/tour1.html\(through/tour7.html\)](http://messenger.yahoo.com/messenger/wireless/smsmgr/tour1.html(through/tour7.html))).
- "Yahoo! Messenger for WAP," Yahoo Messenger, Yahoo! Inc., 2002 (tours 1-9), pp. 1-17 (downloaded Oct. 27, 2002: [www.messenger.yahoo.com/messenger/wireless/wap/tour1.html\(through/tour9.html\)](http://www.messenger.yahoo.com/messenger/wireless/wap/tour1.html(through/tour9.html))).
- Accelerometers—General Purpose, LP Series, Crossbow Technology, Inc., data sheet, pp. 1-3 (downloaded Apr. 11, 2002: [www.xbow.com/Products/Accelerometers.htm](http://www.xbow.com/Products/Accelerometers.htm)).
- Bickers, "Eyes in the sky," SafeTzone Technology Corporation, webpages, 2001, pp. 1-3 (downloaded: [www.safetzone.com/newsKiosk.asp](http://www.safetzone.com/newsKiosk.asp)).
- Chertkoff, Rachel, "Vehicle Locator Systems," Pager Technology, pp. 1-2, 1998.
- Commercial Uses for LoJack (webpage), LoJack Corporation, downloaded Jan. 22, 2000.
- Crossbow Product Guide—Accelerometers, Crossbow Technology, Inc., webpages, pp. 1-3 (downloaded Apr. 11, 2002: [www.xbow.com/Products/Accelerometers.htm](http://www.xbow.com/Products/Accelerometers.htm)).
- Culler, D. et al., "MICA: The Commercialization of Microsensor Nodes," *Sensors* (Apr. 1, 2002), pp. 1-5.
- Darabi et al., "A 2.4-GHz CMOS Transceiver for Bluetooth," *IEEE Journal of Solid-State Circuits*, vol. 36, No. 12 (Dec. 2001), pp. 2016-2024.
- Delphi and MobileAria Demonstrate True Hands Free In-Vehicle Mobile Productivity Services at CES, Press Release, Delphi Automotive Systems, Jan. 8, 2002 (downloaded Apr. 5, 2002: [www.delphiauto.com/news/pressRelease/pr6828-01082002](http://www.delphiauto.com/news/pressRelease/pr6828-01082002)).
- F. Rivera, "Special Report: Keeping Tabs on Your Teen," *7 News*, Boston, Apr. 30, 2002, pp. 1-3.
- FedEx Insight, FedEx, webpages, pp. 1-11 (downloaded Oct. 29, 2002: [www.fedex.com](http://www.fedex.com)).
- Fraden, J., *Handbook of Modern Sensors: Physics, Designs and Applications*, Second Edition, Springer-Verlag (1996), cover, pp. 310-354, 384-431, 458-493, and 513-528.
- GPS2000, Omega Research and Development, Inc., webpages, pp. 1-9 (pp. 7-9 pertain to an online tour) (downloaded Jul. 14, 2003: [www.gps2000online.com/](http://www.gps2000online.com/)).
- Grimes, et al., "Wireless Magnetoelastic Resonance Sensors: A Critical Review," *Sensors*, vol. 2 (Jul. 23, 2002), pp. 294-313.
- Helfenstein et al., *Circuits and Systems for Wireless Communications*, Kluwer Academic Publishers (2000), cover pages, pp. 3-7, 9-34, and 37-47.
- Hill et al., "System Architecture Directions for Networked Sensors," *ACM/ASPLOS-IX* (Nov. 2000), 12 pages.
- IMVironment, Yahoo! Messenger Yahoo! Inc., 2002, pp. 1-12 (downloaded (including) Oct. 27, 2002: [http://help.yahoo.com/help/us/mesg/imv/imv-01.html\(through/index5.html\)](http://help.yahoo.com/help/us/mesg/imv/imv-01.html(through/index5.html))).
- J.Wrolstad, "Chrysler Claims First With Bluetooth Mobile Phone System," *Wireless Newsfactor*, Oct. 26, 2001.
- K. Hill "Prada Uses Smart Tags to Personalize Shopping," *CRMDaily.com*, Apr. 24, 2002., pp. 1-4.
- Madou, Marc J., *Fundamentals of Microfabrication: the Science of Miniaturization*, Second Edition, CRC Press (2002) 139 pages.
- K. Miyake, "Sharp to unveil 3G PDA-type cell phone," *ITworld.com, Inc.*, Jan. 11, 2002.
- Kleinknecht, William, "Juvenile authorities want satellite tracking for felons," *The Star-Ledger of New Jersey*, Nov. 18, 1997.
- LoadTrak, pp. 1-2 (downloaded Jun. 4, 2002: [www.load-trak.com](http://www.load-trak.com)).
- Mainwaring et al., "Wireless Sensor Networks for Habitat Monitoring," *ACM* (Sep. 28, 2002) pp. 88-97.
- Marek, "The Unstoppable SnapTrack," *Wireless Week*, Dec. 18, 2000.
- Motorola Consumer Catalog: Pagers (webpage), Motorola, Inc., downloaded Jan. 19, 2000.
- My.Roadway!, Roadway Express, Inc., webpages, pp. 1-2, (downloaded Jun. 9, 2002: [www.quiktrak.roadway.com/cgi-bin/quiktrak](http://www.quiktrak.roadway.com/cgi-bin/quiktrak)).
- Package, Dictionary.com, <http://dictionary.reference.com/browse/package> (last accessed Nov. 6, 2013), 3 pgs.
- Packtrack™, PackTrack.com, webpages, pp. 1-2 (downloaded Jun. 9, 2002: [www.packtrack.com](http://www.packtrack.com)).
- Precision Accelerometers, PCB Piezoelectronics Products—SVS Division, webpages, pp. 1-2 (downloaded Apr. 11, 2002: [www.pcb.com/products/svs/index.html](http://www.pcb.com/products/svs/index.html)).
- Rabinowitz and Spilker, Jr., "A New Positioning System Using Television Synchronization Signals," Rosum Corporation, pp. 1-11 (downloaded May 21, 2003).
- Rabinowitz and Spilker, Jr., "Positioning Using the ATSC Digital Television Signal," Rosum Corporation Whitepaper, Rosum Corporation (downloaded May 21, 2003).
- Razavi, Behzad, *RF Microelectronics*, Prentice Hall (1998), cover pages, pp. 1-10, and 118-297.
- Real Time Locating System, Executive Summary, Technology Systems International, Inc., 2007.
- Rofougaran et al., "A Single-Chip 900-MHz Spread-Spectrum Wireless Transceiver in 1- $\mu$ m CMOS-Part II: Receiver Design," *IEEE Journal of Solid-State Circuits*, vol. 33, No. 4 (Apr. 1998), pp. 535-547.
- Ryan, "Catching up with Dick Tracy," *San Francisco Chronicle*, news article, Mar. 18, 2002.
- SandPiper GPS Receiver, Specification sheet by Axiom Navigation Inc. ([www.axiomnav.com](http://www.axiomnav.com)) 2006.
- Senturia, Stephen D., *Microsystem Design*, Kluwer Academic Publishers (2001), cover pages, and pp. 3-14.
- SiRF Debuts Revolutionary Architecture and Technologies to Further Drive GPS into the Mainstream, SiRF.com, Aug. 16, 1999 (archived Dec. 22, 1999), [http://web.archive.org/web/19991222194810/http://www.sirf.com/as\\_prss2\\_3.htm](http://web.archive.org/web/19991222194810/http://www.sirf.com/as_prss2_3.htm), 4 pgs.
- Smart Antenna, Specification sheet by Axiom Navigation Inc. ([www.axiomnav.com](http://www.axiomnav.com)) 2008.
- SnapTrack—Privacy Protection (webpage), SnapTrack Inc., downloaded Jan. 19, 2000.
- SnapTrack—Technology at Work (webpage), SnapTrack Inc., downloaded Jan. 19, 2000.
- SnapTrack in Action (webpage), SnapTrack Inc., downloaded Jan. 19, 2000.
- Steyaert et al., "A 2-V CMOS Cellular Transceiver Front-End," *IEEE Journal of Solid-State Circuits*, vol. 35, No. 12, Dec. 2000, pp. 1895-1907.
- Stilp, Louis A., "Examining the Coming Revolution in Location Services," pp. 1-11.
- Strom, Stephanie. "A Wild Sleigh Ride at Federal Express," *The New York Times*, Dec. 20, 1994.
- Swift A2 GPS Receiver, Specification sheet by Axiom Navigation Inc. ([www.axiomnav.com](http://www.axiomnav.com)) 2010.
- Swift B2 GPS Receiver, Specification sheet by Axiom Navigation Inc. ([www.axiomnav.com](http://www.axiomnav.com)) 2010.
- TruePosition Virtual Brochure (webpage), TruePosition, Inc.
- Wong, "Fishers, golfers join the rush to GPS," *San Jose Mercury News*, news article, Mar. 25, 2002.
- Non-Final Office Action for U.S. Appl. No. 14/874,782, dated Jan. 21, 2016.
- Notice of Allowance for U.S. Appl. No. 13/802,641, dated Nov. 9, 2015.
- Danger Product Overview, Danger, Inc., date unknown, 5 pgs.
- PCVtrak™ Installation and Operator's Manual, Trimble Navigation, 24623-00 Rev. A, May 1994, pp. 1-259.

(56)

## References Cited

## OTHER PUBLICATIONS

- "Advanced Traveler Aid Systems for Public Transportation," Final Report, Federal Transit Administration, Sep. 1994, pp. 1-131.
- Campbell, Laurel, "Security—Military satellite enlisted to thwart car crime," *The Commercial Appeal*, Sep. 26, 1996, pp. 5B.
- Law, Alex, "Week in Wheels/ . . . From a Driver's Notebook," *Newsday, Inc.*, Sep. 20, 1996, pp. C03.
- Cortez, Angela, "Springs police can track thief, vehicles," *The Denver Post*, Sep. 10, 1996, pp. B-01.
- "OnGuard Tracker Nabs Auto Burglar," *Global Positioning & Navigation News*, vol. 6, No. 16, Aug. 8, 1996.
- "OnGuard Tracker Nabs Auto Burglar," Section: Financial News, *PR Newswire*, Jul. 29, 1996.
- Nauman, Matt, "Pressing the Panic Button: Car Security Enters a New Age with Cellular Phones and Satellites that Watch Over You," *San Jose Mercury News*, Jun. 21, 1996, pp. 1G.
- "Monday Briefing" *San Antonio Express-News*, p. 1, Part B, Jun. 10, 1996.
- "OnGuard Tracker Makes Debut on 'One Lap of America'," *PR Newswire*, Jun. 7, 1996.
- "OnGuard Tracker Makes Debut on 'One Lap of America'," *Southwest Newswire*, Jun. 7, 1996.
- Dominguez, Raul, "Women get their day in sun—American Golf planning events nationwide May 18," *San Antonio Express-News*, Apr. 18, 1996, pp. 2, part B.
- "Vehicle Navigation Units Being Measured in Luxury Autos," *Global Positioning & Navigation News*, vol. 6, No. 7, Apr. 4, 1996.
- "Advanced Business Sciences, Inc. Announces Completion of Acquisition of Comguard of Illinois," *Business Wire*, Aug. 26, 1998.
- "Advanced Business Sciences, Inc. Announces Filing With Securities and Exchange Commission," *Business Wire*, Jun. 25, 1999.
- "Advanced Business Sciences, Inc. Announces Preliminary Fourth Quarter 1998 Revenue Results," *Business Wire*, Feb. 4, 1999.
- "Business People Burns's Grill Names Two," *Omaha World-Herald*, Section Business, p. 4M, Oct. 20, 1996.
- "Company Sees Prisoner Tracking and Monitoring Market Niche," *Global Positioning & Navigation News*, vol. 6, No. 10, May 16, 1996.
- GPS-Based Personal Monitoring Systems Offered to Corrections, Private Market, *Global Positioning & Navigation News*, vol. 8, No. 11, Jun. 3, 1998.
- GPS tracks parolees, probationers, *Corrections Professional*, vol. 5, No. 6, Nov. 19, 1999.
- High-Tech System Tracks Offenders—Satellites Watching Criminals, *Business Wire*, Nov. 14, 1997.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 4, Feb. 24, 1999.
- Dunkelberger, Lloyd, "Lawmakers question criminal-tracking system," *Sarasota Herald-Tribune (Florida)*, pp. 16A, Nov. 28, 1999.
- Powell, Barbara, "New gadgets help drivers find their way," *Fort Worth Star-Telegram (Texas)*, p. 1, Jan. 20, 1997.
- "New Service Lets Corrections Agencies Track Offenders by Satellite," *PR Newswire*, Jan. 11, 1999.
- "New Service Lets Corrections Agencies Track Offenders by Satellite; SecurityLink Offers 'GPS' Tracking for Offenders on Electronic Monitoring—Sandusky Municipal Court Adopts Technology for Local Offenders," *PR Newswire*, Jan. 12, 1999.
- "New Service Lets Corrections Agencies Track Offenders by Satellite; SecurityLink Offers 'GPS' Tracking for Offenders on Electronic Monitoring," *PR Newswire*, Section: Financial News, Jan. 11, 1999.
- "New Service Lets Corrections Agencies Track Offenders by Satellite," *Satellite Today*, vol. 2, No. 8, Jan. 13, 1999.
- "Prisoner Security Monitoring Company Grabs Contracts for GPS-Based System," *Global Positioning & Navigation News*, vol. 7, No. 1, Jan. 15, 1997.
- Atwater, Andi, "Proposal seeking 24-hour tracking of all sex offenders," *The News-Press (Fort Meyers, FL)*, pp. 1A, Feb. 20, 2000.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 3, Feb. 10, 1999.
- Brauer, David, "Satellite 'Big Brother' Tracks Ex-Inmates; Agencies Experiment with GPS to Monitor Parolee Whereabouts," *Chicago Tribune*, Section: News, p. 31, Dec. 18, 1998.
- "Satellite Spotlight; Eye in the Sky to Monitor Parolees," *Satellite News*, vol. 21, No. 15, Apr. 13, 1998.
- "Satellite Spotlight: Fighting Crime From Space," *Satellite News*, vol. 19, No. 20, May 13, 1996.
- Prohaska, Thomas J, "Satellite Will Keep Tabs on Convicts," *Buffalo News (New York)*, Section: Local, p. 5B, Sep. 20, 1999.
- "Sierra Wireless and Pro Tech Team Up on Monitoring Product," *Global Positioning & Navigation News*, vol. 8, No. 8, Apr. 22, 1998.
- Anderson, Larry, "Technology rules at Securing New Ground," *Access Control & Security Systems Integration*, Section: Industry Outlook; ISSN 1084-6425, Dec. 1999.
- Trimble Navigation Warns 2nd-Quarter Earnings to Miss Target, *Dow Jones Business News*, Jul. 10, 1998.
- "Trimble Navigation's Net Income Skidded 93% Amid Order Delays," *Dow Jones Business News*, Jul. 23, 1998.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 2, Jan. 27, 1999.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 14, Jul. 14, 1999.
- Dailey et al. "Automatic Transit Location System," Final Research Report, 55 pgs., Feb. 1996.
- Maguire, Jr. et al. "SmartBadges: a wearable computer and communication system," codes/CASHE '98, 47 pgs., 1998.
- Koshima et al. "Personal locator services emerge," *IEEE Spectrum*, Feb. 2000, pp. 41-48.
- Zygowicz et al. "State of the Art in Automatic Vehicle Location Systems," Center for Urban Transportation Studies, University of Wisconsin, Milwaukee, Feb. 1998.
- Ashworth, Jon. "Big brother is watching you," *The Times (London)*, Section: Features, May 7, 1999.
- "Car Thieves Take the 'Bait' in Michigan; Two Suspects Reeled in With OnGuard," *Business Wire*, Sep. 11, 1997.
- Sauer, Matthew, "Company Finds Niche by Giving Directions . . ." *Sarasota Herald-Tribune (Florida)*, Section: Business Weekly, p. 1, Jul. 7, 1997.
- "ATX Technologies Signs Nationwide Service Deal with AT&T," *Global Positioning & Navigation News*, vol. 7, No. 9, May 7, 1997.
- "Car Thieves Take the 'Bait' in Tulsa; Two Suspects Caught Off Guard with OnGuard Once Again," *PR Newswire*, Section: Financial News, Jan. 8, 1997.
- "Car Thieves Take the 'Bait' in Tulsa; Two Suspects Caught Off Guard with on Guard," *PR Newswire*, Section: Financial News, Dec. 9, 1996.
- Jackson, Terry, "Smart Cars Whether by Satellite or the Internet, High-Tech Devices and Services May Make Crumpled Road Maps a Thing of the Past," *The Miami Herald*, Section: Travel, p. 1J, Oct. 6, 1996.
- "San Antonio Personal Security Company Links Up with Senior PGA Golfer," *PR Newswire*, Section: Financial News, Apr. 1, 1996.
- "San Antonio Personal Security Company Links Up with Senior PGA Golfer," *Southwest Newswire*, Apr. 1, 1996.
- Business Briefs, *San Antonio Express-News*, Mar. 25, 1996.
- "ATX Research Signs Exclusive Sales Agreement with Arizona Company," *PR Newswire*, Mar. 21, 1996.
- "ATX Research Signs Exclusive Sales Agreement with Arizona Company," *Southwest Newswire*, Mar. 21, 1996.
- "Automotive GPS Satellite/Safety System Race Is on," *Southwest Newswire*, Feb. 20, 1996.
- "Dealerships Can Track Down New Aftermarket Revenues," *PR Newswire*, Feb. 9, 1996.
- "ATX Research Unveils New Stealthtrac Capability," *PR Newswire*, Feb. 9, 1996.
- "Dealerships Can Track Down New Aftermarket Revenues," *Southwest Newswire*, Feb. 9, 1996.
- Briefs, *Global Positioning & Navigation News Wire*, vol. 6, No. 2, Jan. 24, 1996.



(56)

**References Cited**

## OTHER PUBLICATIONS

“ATX Research Provides Police Departments With Onguard Personal Security and Vehicle Tracking System,” PR Newswire, Jan. 15, 1996.

“ATX Research Provides Police Departments With Onguard Personal Security and Vehicle Tracking System,” Southwest Newswire, Jan. 15, 1996.

“ATX Research Relocates to New Corporate Headquarters,” PR Newswire, Dec. 12, 1995.

“ATX Research Relocates to New Corporate Headquarters,” Southwest Newswire, Dec. 12, 1995.

“Texas invention tracks stolen cars, lets driver call for help,” The Vancouver Sun, Oct. 20, 1995.

“San Antonio Company Unveils Satellite/Cellular Personal Security System,” PR Newswire, Oct. 3, 1995.

“San Antonio Company Unveils Satellite/Cellular Personal Security System,” Southwest Newswire, Oct. 3, 1995.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Jan. 13, 2017.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Sep. 29, 2016.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Jun. 16, 2016.

Notice of Allowance for U.S. Appl. No. 14/874,782, dated Apr. 8, 2016.

Notice of Allowance for U.S. Appl. No. 14/874,782, dated Jul. 8, 2016.

Notice of Allowance for U.S. Appl. No. 14/874,782, dated Nov. 14, 2016.

Notice of Allowance for U.S. Appl. No. 11/705,339, dated Mar. 29, 2013.

Notice of Allowance for U.S. Appl. No. 13/933,770, dated Jun. 10, 2014.

Notice of Allowance for U.S. Appl. No. 14/519,503, dated Jun. 17, 2015.

Notice of Allowance for U.S. Appl. No. 14/874,872, dated Mar. 29, 2017.

Notice of Allowance for U.S. Appl. No. 14/874,872, dated May 11, 2017.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Apr. 27, 2017.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Mar. 3, 2016.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Jul. 8, 2015.

Office Action for U.S. Appl. No. 13/802,641, dated Mar. 27, 2014.

Office Action for U.S. Appl. No. 11/800,126, dated May 7, 2013.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Aug. 16, 2017.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Jan. 17, 2018.

Office Action for U.S. Appl. No. 15/634,019, dated Jul. 10, 2018.

Notice of Allowance for U.S. Appl. No. 14/923,882, dated Jan. 17, 2019.

Office Action for U.S. Appl. No. 13/802,641, dated Oct. 24, 2018.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Sep. 16, 2019.

Benefon Esc! Owner’s Manual, Publication No. YZ2400-4\*, © Benefon Oyj, 2002, pp. 169.

Office Action for U.S. Appl. No. 16/354,122, dated Oct. 28, 2019.

Notice of Allowance for U.S. Appl. No. 15/634,019, dated Oct. 28, 2019.

Notice of Allowance for U.S. Appl. No. 15/634,019, dated Nov. 12, 2019.

Office Action for U.S. Appl. No. 13/802,641, dated Jun. 7, 2019.

Office Action for U.S. Appl. No. 15/933,578, dated Apr. 12, 2019.

Office Action for U.S. Appl. No. 15/933,578, dated Aug. 7, 2019.

Notice of Allowance for U.S. Appl. No. 15/634,019, dated Aug. 16, 2019.

Van Diggelen et al. “Indoor GPS,” *GPS World*, Sep. 2001, vol. 12, Issue 9, p. 50. 5pgs.

Syrjarinne, J. “Keeping Time with Mobiles,” *GPS World*, Jan. 2001, vol. 12, Issue 1, p. 22, 7pgs.

LaMance et al. “Assisted GPS,” *GPS World*, Mar. 2002, vol. 13, Issue 3, p. 46-51.

Heinrichs et al. “Synergies in Handset Architecture,” *GPS World*, Mar. 2002, vol. 13, Issue 3, p. 30-39.

Hightower et al. “Location Systems for Ubiquitous Computing,” *Computer*, Aug. 2001, vol. 34, Issue 8, p. 57-66.

Bahl et al. “Radar: An in-Building RF-based User Location and Tracking System,” *Proc. of the IEEE Conf. on Comp. Comm., INFOCOM2000, 19<sup>th</sup> Annual Joint Conf. of the IEEE Computer and Communications Societies*, Mar. 2000, 10 pgs.

Palenchar, J. “E911 Update: What Major Carriers Have Planned,” *TWICE: This Week in Consumer Electronics*, Oct. 8, 2001, vol. 16, Issue 23, p. 36.

Office Action for U.S. Appl. No. 13/933,770, dated Nov. 14, 2013.

Notice of Allowance for U.S. Appl. No. 14/874,782, dated Mar. 29, 2017.

Notice of Allowance for U.S. Appl. No. 14/874,782, dated May 11, 2017.

Notice of Allowance for U.S. Appl. No. 15/634,019, dated Jan. 6, 2020.

Notice of Allowance for U.S. Appl. No. 15/634,019, dated Mar. 23, 2020.

Notice of Allowance for U.S. Appl. No. 16/354,122, dated Jan. 9, 2020.

Notice of Allowance for U.S. Appl. No. 13/802,641, dated Jan. 6, 2020.

Notice of Allowance for U.S. Appl. No. 15/933,578, dated Dec. 9, 2019.

Notice of Allowance for U.S. Appl. No. 15/933,578, dated Feb. 3, 2020.

Garmin, eTrex® Venture personal navigator<sup>TM</sup>, Owner’s Manual and Reference Guide, © 2001 Garmin, pp. 1-68.

Notice of Allowance for U.S. Appl. No. 16/354,122, dated Sep. 3, 2020.

\* cited by examiner




Figure 1(a)




Figure 1(b)




Figure 2




Figure 3(a)




Figure 3(b)




Figure 3(c)




Figure 4






Figure 5




Figure 6




Figure 7




Figure 8

**METHOD AND APPARATUS FOR LOCATION IDENTIFICATION AND PRESENTATION****CROSS REFERENCE TO RELATED APPLICATIONS**

This application is a continuation of U.S. patent application Ser. No. 14/519,503, filed Oct. 21, 2014, and entitled "METHOD AND APPARATUS FOR LOCATION IDENTIFICATION AND PRESENTATION," which is hereby incorporated herein by reference, which, in turn, is a continuation of U.S. patent application Ser. No. 13/933,770, filed Jul. 3, 2013, now U.S. Pat. No. 8,886,220, and entitled "METHOD AND APPARATUS FOR LOCATION IDENTIFICATION," which is hereby incorporated herein by reference, which, in turn, is a continuation of U.S. patent application Ser. No. 11/705,339, filed Feb. 10, 2007, now U.S. Pat. No. 8,611,920, and entitled "METHOD AND APPARATUS FOR LOCATION IDENTIFICATION," which is hereby incorporated herein by reference, which, in turn, is a continuation of U.S. patent application Ser. No. 10/397,472, filed Mar. 26, 2003, now U.S. Pat. No. 7,218,938, and entitled "METHOD AND APPARATUS TO ANALYZE AND PRESENT LOCATION INFORMATION," which is hereby incorporated herein by reference, which, in turn, is a Continuation-In-Part of U.S. patent application Ser. No. 09/797,517, filed Feb. 28, 2001, now U.S. Pat. No. 7,366,522, and entitled "METHOD AND SYSTEM FOR LOCATION TRACKING," which is hereby incorporated herein by reference, and which claims the benefit of U.S. Provisional Patent Application No. 60/185,480, filed Feb. 28, 2000, and entitled "METHOD AND SYSTEM FOR LOCATION TRACKING," which is hereby incorporated herein by reference.

The prior application Ser. No. 10/397,472 also claims benefit of: (i) U.S. Provisional Patent Application No. 60/444,198, filed Jan. 30, 2003, and entitled "SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MONITORING, DELIVERING, MANAGING AND USING STATUS INFORMATION," which is hereby incorporated herein by reference; (ii) U.S. Provisional Patent Application No. 60/418,491, filed Oct. 15, 2002, and entitled "SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MONITORING, DELIVERING, MANAGING AND USING STATUS INFORMATION," which is hereby incorporated herein by reference; (iii) U.S. Provisional Patent Application No. 60/404,645, filed Aug. 19, 2002, and entitled "SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MONITORING, DELIVERING, MANAGING AND USING POSITION AND OTHER INFORMATION," which is hereby incorporated herein by reference; and (iv) U.S. Provisional Patent Application No. 60/375,998, filed Apr. 24, 2002, and entitled "SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MANAGING AND USING POSITION INFORMATION," which is hereby incorporated herein by reference.

This application is also related to: (i) U.S. patent application Ser. No. 10/397,473, filed Mar. 26, 2003, now U.S. Pat. No. 6,975,941, and entitled "METHOD AND APPARATUS FOR INTELLIGENT ACQUISITION OF POSITION INFORMATION;" (ii) U.S. patent application Ser. No. 10/397,637, filed Mar. 26, 2003, now U.S. Pat. No. 7,212,829, and entitled "METHOD AND SYSTEM FOR PROVIDING SHIPMENT TRACKING AND NOTIFICATIONS;" (iii) U.S. patent application Ser. No. 10/397,641, filed Mar. 26, 2003, now U.S. Pat. No. 7,905,832, and

entitled "METHOD AND SYSTEM FOR PERSONALIZED MEDICAL MONITORING AND NOTIFICATIONS THEREFOR;" (iv) U.S. patent application Ser. No. 10/397,640, filed Mar. 26, 2003, now U.S. Pat. No. 7,321,774, and entitled "INEXPENSIVE POSITION SENSING DEVICE;" (v) U.S. patent application Ser. No. 10/397,474, filed Mar. 26, 2003, now U.S. Pat. No. 7,403,972, and entitled "METHOD AND SYSTEM FOR ENHANCED MESSAGING;" (vi) U.S. patent application Ser. No. 10/397,512, filed Mar. 26, 2003, and entitled "APPLICATIONS OF STATUS INFORMATION FOR INVENTORY MANAGEMENT."

**BACKGROUND OF THE INVENTION**

GPS (Global Positioning System) has been used extensively for navigation, positioning, and other research applications. It includes a group of satellites transmitting very precise signals. The nominal GPS Operational Constellation consists of 24 satellites that orbit the earth with 12-hour periods. These space vehicles (SV's) send radio signals that consist of time-tagged data bits marking the time of transmission, and information on the locations of the SV's, at the time they are transmitted. GPS receivers convert the received SV signals into the receivers' position. Four satellites are required to compute the four dimensions of X, Y, Z (position) and time. GPS receivers at precisely known reference locations can provide corrections and relative positioning data for receivers at other locations. Another use of GPS is to provide precise time and frequency standards through the use of precise clocks on-board the SV's.

For about two decades, GPS receivers have been used primarily in the outdoor environment. It is more challenging to use them indoors. The signal strengths from the SV's can be much reduced, such as by two orders of magnitude. A number of companies have been developing indoor GPS receivers. They are enticed by the US Federal Communications Commission's E911 telecommunication initiatives, which require wireless phone providers to locate any phone making a 911 emergency call.

The E911 initiative will greatly increase the proliferation of GPS devices. Telematics—the field of mobile services delivered wirelessly to in-vehicle devices—will further help GPS penetrate into different sectors of the society. One of the most visible manifestations of telematics is GPS-based navigation systems. They provide turn-by-turn directions and other information wirelessly to vehicle operators.

The amount and availability of GPS information will dramatically increase in the coming years. One challenge this will present is how to effectively use such information. There are needs for techniques to efficiently and intelligently analyze, process and present GPS information.

**SUMMARY OF THE INVENTION**

In general terms, the present invention pertains to the analysis of location information and/or the presentation of such information in an easy-to-digest manner.

Each piece of location information can include a piece of location-designating information and a piece of location-related information. Location-designating information is primarily for identifying location. In one embodiment, the location-designating information is longitudinal and latitudinal coordinates. Location-related information is information related to location-designating information. The location-designating information and the location-related

3

information can be supplied by a mobile device. Multiple pieces of location-designating information can be retrieved and processed.

In one embodiment, each piece of location-designating information can be transformed into a label to help identify a location. To better identify locations, the process of transforming location-designating information into labels can use location-related information. For example, the mobile device is very close to the boundary of a theatre and a bookstore, and is about 40 feet from the ground level. One piece of location-related information is information on the environment. It indicates that the theatre has only one floor, while the bookstore has three floors. Since only the bookstore has more than one level and the mobile device is about 40 feet from the ground level, the mobile device is in the bookstore, not the theatre.

In another embodiment, the amount of location information can be reduced. An entire area can, for example, be represented by a single label. For analysis, all of the location-designating information pertaining to a given area can be compressed (or consolidated) into one piece of location-designating information related to the label. This compression (or consolidation) process can be impacted or assisted by location-related information. For example, if a piece of location-related information changes by more than a pre-set value, the corresponding piece of location information will be retained.

To better present location information in an easy-to-digest manner, location information can be compared to standards. The standards can be related to time.

Presentation can be visually on a display with respect to a reference location. For example, the amount of detail displayed between the location of the mobile device and the reference location can dynamically change. This change can depend on the distance between the location of the mobile device and the reference location. Such an implementation is helpful particularly in situations when the size of the display is fixed.

The invention can be implemented in numerous ways, including as a method, system, device, or computer readable medium. Different embodiments of the invention will be discussed in subsequent sections.

Other aspects and advantages of the present invention will become apparent from the following detailed description, which, when taken in conjunction with the accompanying drawings, illustrates by way of examples the principles of the invention.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1(a) shows one embodiment of the present invention.

FIG. 1(b) is a flow diagram of label processing according to one embodiment of the invention.

FIG. 2 shows examples of location-related information to help identify a location in the present invention.

FIG. 3(a) shows one embodiment of compressing location information in the present invention.

FIG. 3(b) illustrates an exemplary path of movement of a location-designating device over a period of time.

FIG. 3(c) is a flow diagram of consolidation processing according to one embodiment of the invention.

FIG. 4 shows embodiments regarding retaining location information in the present information.

FIG. 5 shows embodiments of attaching location information to other information in the present invention.

4

FIG. 6 shows examples of standards compared to location information in the present information.

FIG. 7 shows embodiments related to the presentation of location information in the present invention.

FIG. 8 shows one embodiment of using location information to calibrate a compass in the present invention.

Same numerals in FIGS. 1-8 are assigned to similar elements in all the figures. Embodiments of the invention are discussed below with reference to FIGS. 1-8. However, those skilled in the art will readily appreciate that the detailed description given herein with respect to these figures is for explanatory purposes as the invention extends beyond these limited embodiments.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention pertains to the analysis of location information and/or the presentation of such information in an easy-to-digest manner. In one embodiment, there are two types of location information. One type is location-designating information, and the other is location-related information. Location-designating information is primarily for identifying locations. The location-designating information can be longitudinal and latitudinal co-ordinates, or raw measurements (or pseudo-ranges) from GPS satellites. Location-related information is additional information that is related to a location. As will be explained in detail below, the location-designating information and the location-related information can be used in analyzing and presenting location information.

There can be a number of ways to generate location-related information. Some of the information can be automatically captured by additional sensors. Other can be entered by a person. For example, a user with a mobile device is in a bookstore. The mobile device is location-aware (e.g., GPS enabled) and can capture location-designating information. One type of location-aware mobile device is a mobile device that includes a GPS device (or GPS receiver). The user can add comments about the bookstore, or enter personal information and digitized pictures into his mobile device. The URL of the bookstore can be included. The user can be next to a house with a Wi-Fi network that allows the mobile device to get online. These can all be information related to the location, and can be automatically provided, or entered by the user. Such location-related information can be coupled to location-designating information, such as for identifying the location of the bookstore.

The company or organization at the location can broadcast certain information for attachment. For example, the bookstore can broadcast the URL of its website, or of special offers using the Bluetooth standards. Assume that the mobile device has Bluetooth technologies, and is Bluetooth enabled. With authorized reception of data, the mobile device can capture the broadcast signal and attach the information as a piece of location-related information.

Other sensors can be coupled to the mobile device to capture location-related information. For example, there can be a temperature sensor, a digital compass, a humidity sensor, a pressure sensor, a wind-speed sensor, an acceleration sensor or an accelerometer, a chemical sensor detecting chemical substance, a mechanical stress sensor, and/or other sensors to provide location-related information. The sensor data can be electronically coupled to corresponding location-designating information as location-related information.

Some of these sensors can be micro-electro-mechanical systems or micromachines. These sensors can be integrated with driving, controlling and signal processing electronics, and the integration can be monolithic.

The present invention can be implemented in a computing system. The computing system can be a standalone computing apparatus, a server computer, a client computer, a server computer with one or more client computers, or a computer in a peer-to-peer network. A client computer can be a thin-client. A client computer communicates to the server computer through a communication link or computer network. In one embodiment, a server computer, which can be software and/or hardware, is capable of responding to a communication initiated by a client computer with respect to an application. Similarly, a client computer, which can be software and/or hardware, is capable of initiating communication with a server computer with respect to an application. The computing system can also be a handheld computer, a personal digital assistant or a cellular phone.

The computing system can include a bus connecting a number of components, such as a processing unit, a main memory, an I/O controller, a peripheral controller, a graphics adapter, a circuit board and a network interface adapter. The I/O controller can be connected to components, such as a hard disk drive or a floppy disk drive. The peripheral controller can be connected to one or more peripheral components, such as a keyboard or a pointing device. The graphics adapter can be connected to a monitor. The circuit board can be coupled to audio signals; and the network interface adapter can be connected to the network, which can be the Internet, an intranet, or other forms of networks. The processing unit can be an application specific chip. The computing system can include more than one processor, and can process information through parallel processing.

The present invention can also be implemented as a computer readable medium including at least computer program code for analyzing and/or presenting location information according to different embodiments described.

FIG. 1(a) shows a location resolution system 100 according to one embodiment of the present invention. The location resolution system 100 includes a retriever 102 to retrieve location information, and a transformer 104 to transform location-designating information into labels. Typically, location-designating information includes a set of numerical values. They can be raw measurements from GPS devices, or longitudinal and latitudinal coordinates, or other numerical representation of locations. It is not easy for a person to know where a location is just by looking at these numerical values.

In one embodiment of the present invention, labels are representations of locations that are easier to understand than the numerical representations. For example, instead of the set of longitudinal and latitudinal coordinates—W 122° 26' 52.9" and N 37° 48' 11.2"—its corresponding label can be the Exploratorium, the name of the place (e.g., business, home or other point of interest) with that set of coordinates. A label can be the physical address of the place. In the case of the Exploratorium, it is 3601 Lyon Street, San Francisco, Calif. 94123. Labels can help people better identify a place than a set of numbers.

In transforming location-designating information into labels, the transformer can access a location database. In one embodiment, a previously-created database maps location-designating information, such as longitudinal and latitudinal co-ordinates, to their corresponding labels. The location database can be in the mobile device or in a remote server

wirelessly coupled to the mobile device. Access to the location database can be restricted through password protection or other techniques.

The system identifies the labels corresponding to location-designating information, and retrieves such information from the database. The system can be in the mobile device or it can be in a remote server. Labels can then replace the location-designating information, and can couple to the corresponding location-related information. For example, the location-related information can be stored along with the labels in the mobile device, such as a personal-digital assistant. In another example, the location-related information is stored along with the labels in a remote computer.

In one embodiment, the location information can then be queried by a query processor. The query processor can be used by a person to query the information. As an example, one can search for the label, "Exploratorium". The following information can be retrieved in a table format:

Location	Exploratorium
Address	3601 Lyon Street, San Francisco, CA 94123
GPS co-ordinates	W 122° 26' 52.9" N 37° 48' 11.2"
Web site	www.exploratorium.edu
Miscellaneous information	...

A history of when the user was at the location can also be retrieved, as exemplified by the following table:

From	To	Date	On	Comments	Other Information
1:05 pm	3:02 pm	Feb. 2, 2002	Saturday	Lucas likes the place. Should visit more often.	A picture of Lucas we took outside: Lucas.tif
2:00 pm	3:10 pm	Mar. 2, 2002	Monday	Andy was fascinated by the anatomy of a human body.	A web site on human anatomy: http://www.bartleby.com/107/

The information can be queried in different ways. For example, one can find out where the user was on Mar. 2, 2002 at 3 pm through standard searching algorithms.

FIG. 1(b) is a flow diagram of label processing 120 according to one embodiment of the present invention. The process 120 can be performed on a server or a client.

The label processing 120 initially obtains 122 location coordinates provided by the mobile device. The mobile device is location aware and thus typically captures location coordinates. Additionally, location-related information is obtained 124. The location-related information is associated with the location coordinates. The location-related information can also be provided by the mobile device. For example, the mobile device can include one or more sensors or input devices to acquire the location-related information. Then a location label can be acquired 126 for the location coordinates based on the location coordinates and the location related information.

Through use of both the location coordinates and the location-related information, more accurate location labels are able to be acquired. The location labels are more descriptive of actual location and are more user-friendly than the location coordinates. The acquisition of location labels can also be considered as a transformation of location coordinates into location labels.

In many situations, it may not be clear where a location corresponding to a piece of location-designating information really is. The resolution of GPS devices can have errors of 15 meters or more. Based on the location-designating information, the user may be at one or more locations. For example, a multi-story bookstore is directly adjacent to a single-story theatre. The user with a mobile device, such as a cell phone having a GPS device, might be standing at a window of the bookstore, with the window facing the theatre. The cell phone can transmit the location-designating information or the corresponding labels to a remote system of the invention. Based on the accuracy of the GPS device, the system is aware that the user is in the vicinity of the bookstore and the theatre. But the system may not be able to pinpoint whether the user is in the bookstore or the theatre.

FIG. 2 shows examples of location-related information to help identify a location. One approach is to use a piece of information regarding the environment **154** where the person is located. Location-designating information from a GPS device can identify not only the longitudinal and latitudinal coordinates, but also the elevation. Assume the elevation coordinate indicates that the person is about 40 feet from the ground level. Based on information regarding the environment, only the bookstore has more than one level, the user is in the bookstore. Thus, depending on the location-related information of the bookstore having multi-story, the transformer identifies the bookstore as the correct location. In this example, the name of the bookstore can be the transformed label.

Another approach to better define a location is to use the time **152** information provided by GPS. For example, at time  $x$ , the user is close to the junction of the theatre and the bookstore. Assume at time  $(x+10)$  seconds, the person has moved to the center of the bookstore. Based on this second piece of information, the system infers that at time  $x$ , the user was in the bookstore, not the theatre. In this approach, location information at different time frames are evaluated or collected to better define a location.

Yet another approach to better define a location is to use direction **156** information. Again, assume that the user at the junction of the theatre and the bookstore. One rule can be that while the user is at the junction, the user is in the bookstore if he is moving in the direction of the bookstore. One approach to measure direction depends on taking two pieces of location information at two different time frames, such as 5 seconds apart. Based on the second location, the direction of travel at the first location can be identified.

Instead of using location information at different time frames, direction **156** can be provided by a direction sensor (e.g., digital compass) in the mobile device (e.g., cell phone). Such direction information can be coupled to the location-designating information, and transmitted to another computing apparatus to have the location information analyzed. In another embodiment, the information is not transmitted, but is analyzed in the mobile device. Based on the analysis, the mobile device can display the label on its screen.

It could also be up to the user **158** to better define the location. The mobile device can identify a few choices for the user to select. For example, a display on the mobile device can show the options of both the bookstore and the theatre. The user can select one of them by using a pointing device on a digitizer, a scrolling function to allow selection, or a voice recognition system, where the user can verbally make the selection.

Also, a history **160** of prior locations or frequently visited locations could be used to better define the location. For

example, based on the history, the user visits a bookstore at least ten times more than its adjacent theatre. Then, if the location-designating information indicates that the user can be in the bookstore or in its adjacent theatre, one rule will assume the user to be in the bookstore. The history **160** can also be used to make processing more efficient. For example, if the history **160** indicates that the current location is same or proximate to a prior location, the current location can be deemed to be the same as the prior location, typically with minimal processing.

The amount of location information can be quite large. In one embodiment, a system of the invention also includes a compressor to compress the amount of location information.

FIG. 3(a) shows one embodiment of compressing location information according to one embodiment of the present invention. In this approach, the user with a mobile device coupled to a GPS device is in an area for a duration of time **202**. During this time period, the device collects sets of location information, each at a specific time. Through analysis, it has been determined that the device is in the same area during this time period. For example, every set of longitudinal and latitudinal coordinates is mapped to the same label. The compressor will compress all of the location-designating information **204** to one set, indicating the device being in the area during that time period.

In one approach, the compressor retrieves sets of longitudinal and latitudinal co-ordinates of the GPS device, and transforms them to labels. As the compressor transforms a set of longitudinal and latitudinal coordinates of a piece of location information into a label, it also compares that label with the label from the immediately prior time. If the two labels are the same, the compressor will not store the location information of that label for additional analysis. In one embodiment, additional pieces of location-designating information in the same zone as the immediately earlier piece will not be further analyzed. If two labels are the same, they can be considered to be in the same zone; if two labels are within a certain pre-determined distance from one another, they can be considered as to be in the same zone; or if the distance between the two sets is less than a pre-set value, again, they can be considered as to be in the same zone.

In another approach, if the distance between two sets of location-designating information is less than a pre-set value (e.g., predetermined value, tolerance, range or offset), the compressor will not store the second piece of location information, which is the location information at a later time. This process can continue. For example, the compressor can determine the distance between a third set and the first set to be still less than the pre-set value. Again, the third set of location information need not be stored.

Under certain conditions, even if the device has not moved out of an area designated by a label, there might still be changes in certain information, warranting the keeping of location information, or at least some portion of it. For example, the user is transporting humidity-sensitive chemicals within a certain area of the city, and suddenly it rains heavily, significantly changing the humidity. It might be desirable to be aware of the location and time when such changes occurred.

FIG. 3(b) illustrates an exemplary path **350** of movement of a location-designating device over a period of time. Namely, the exemplary path **350** is composed of a sequence of eight (8) locations where location-designating information and location-related information were captured. A sequence of locations of a path can be processed to compress what would otherwise be large and unmanageable amounts



of information. Once compressed, the quantity of data is reduced and the information is more user-friendly. Table 1 provided below illustrates exemplary location-designating information and location-related information that have been captured for the eight (8) locations shown in FIG. 3(b).

TABLE 1

	1	2	3	4	5	6	7	8
Label	—	—	—	—	—	—	—	—
Long.	X1	X2	X3	X4	X5	X6	X7	X8
Lat.	Y1	Y2	Y2	Y4	Y5	Y6	Y7	Y8
Time	1:00 pm	1:15 pm	1:30 pm	1:45 pm	2:00 pm	2:15 pm	2:30 pm	2:45 pm
Date	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002
Temp.	90	90	90	89	89	88	88	87
Other	—	—	—	—	—	—	—	—

The data stored in the Table 1 can represent the raw data provided by the location-designating device. At this point, in this embodiment, the descriptive labels are not known, but the longitude and latitude coordinates are known (e.g., provided by GPS device). The date and time can be provided by a GPS device or by a clock within the location-designating device. Further, other sensors can provide various other location-related information. In this example, the other location-related information includes at least temperature and an "other" category to represent one or more other pieces of information.

The data stored in Table 1 can then be compressed to a more compact and manageable form. Table 2 provided below illustrates exemplary compression processing on the data within Table 1.

TABLE 2

point	1	2	3	4	5	6
Label	Exploratorium, SF	Rt. 101, So. SF	Rt. 101, Menlo Park	Rt. 101, Mountain View, CA	7Eleven, Saratoga, CA	Home, Saratoga, CA
Long.	—	—	—	—	—	—
Lat.	—	—	—	—	—	—
Time	1:00-1:30 pm	1:45 pm	2:00 pm	2:15 pm	2:30 pm	2:45 pm
Date	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002	Jan. 1, 2002
Temp.	90	89	89	88	88	87
Other	—	—	—	—	—	—

As shown, the locations 1-3 in Table 1, along the path as shown in FIG. 3(b), are very close to one another and such is reflected by the longitude and latitude coordinates for these locations. Hence, by examining the first 3 locations, the compressor determines that these location are to be treated as the same location. Here, based on information from a location database, assume that the location is the Exploratorium in San Francisco, Calif. In effect, these location points can collapse into a single location point. However, any difference between the individual location points (such as their location-related information) can be preserved if desired. The other locations 4-8 in Table 1 (now locations 2-6 in Table 2) are deemed to represent different locations and are individually processed for labels. Once a label is identified, the longitude and latitude coordinates can be eliminated if desired.

The exemplary compression processing shown with Table 2 is only one simplified example; hence, it should be understood that compression processing can be performed in a wide variety of different ways.

FIG. 3(c) is a flow diagram of consolidation processing according to one embodiment of the invention. The

consolidation processing 360 can be performed on a server or a client or a computing device in a peer-to-peer network.

The consolidation processing 360 initially obtains a series of information points 362. The series can be ordered based on the time each point is acquired. The series of information

points are, for example, obtained from storage or directly from a mobile device. Each of the information points typically has location-designating information and location-related information. Next, the location-designating information for each of the information points is examined 364. A decision 366 then determines whether any of the information points should be combined. Here, in this embodiment, the decision 366 is based on the location-designation information for the information points. For example, if two consecutive location-designation information are substantially matched, the two information points should be combined. One rule regarding matching can be that if two consecutive location-designation information are close to each other, such as within 5 meters apart, they are considered as substantially matched. Another rule can be that if two

consecutive pieces of location-designation information are in the same area, point of interest or label, they are considered substantially matched.

In another embodiment, the decision 366 can be based on not only the location-designation information but also the location-related information. If two consecutive pieces of location-designation information and location-related information are substantially matched, the two information points should be combined. Different thresholds can be set to determine if location-related information from different points are substantially matched. For example, the location-related information is the temperature of the environment. One rule can be that if the temperatures of two consecutive points are close to each other, such as setting the threshold to be 3 degrees, the location-related information from the two points are considered substantially matched. Another rule can be that if the difference between two consecutive pieces of location-related information is less than a certain percent, such as 3%, of the value of the first piece of location-related information, the two pieces of location-related information are considered substantially matched.

In any case, when the decision **366** determines that some of the information points should be combined, the two or more of the information points are combined **368**. On the other hand, the information points are not combined when the decision **366** determines that these information points should not be combined.

Once information points are combined, the resulting information point can be a normal information point (with perhaps additional data) or a compound information point (retaining some or all of the data of the information points being combined). For example, information under each of the locations in Table 1 can be considered information under an information point. Information points 1-3 under Table 1 are combined into information point 1 under Table 2. The new information 1 can be considered a compound information point because it retains some of the time information of points combined. In any case, the combining of information points operates to consolidate the series of information points such that the data is more compact and/or better organized.

FIG. 4 shows examples of location-related information **250** regarding consolidation. For example, the location-related information can include temperature **252**, humidity **254**, direction, wind speed, time, user-input, chemicals, acceleration and pressure **256**. Some of the location-related information is information regarding the environment where the location-designating device is located, such as temperature, humidity, wind speed, chemicals, and atmospheric pressure, tire pressure or other types of pressures. Other of the location-related information can pertain to the location-designating device itself, such as the acceleration of the device, or the pressure being asserted on the device. Examples of other sensors to provide related information include carbon monoxide detectors, liquid sensors, metal detectors, color sensors, scent sensors, light sensors, pattern sensors, tactile sensors, sound sensors, motion detectors, smoke sensors, particle sensors and radiation detectors, such as infrared detectors. Related information can be captured by the corresponding sensors, with the related-information coupled to location-designating information. The coupling can be achieved wirelessly. For example, a chemical sensor attached to a package can transmit the amount of certain gaseous chemicals through Bluetooth or WiFi technologies to the location-designating device, which is also coupled to the package.

The following provides additional examples of location-related information that impact consolidation or compression, and are used in determining to retain location information **256**. An administrator (e.g., user) can set a threshold for a location-related information. For example, a rule the administrator sets for the compressor can be: From position A to position B, if the temperature at any position changes by more than x degrees from that at point A, keep the location information at that position. Another rule can be: During any one-hour period, keep the location information where the humidity changes by, such as, more than 50% from that at the beginning of that hour. A third rule for a threshold can be that if time has elapsed by, such as, 1 hour, from the time when a piece of location information has been retained, keep the new location information. Another rule for a threshold can be that if a certain type of chemical exceeds a certain amount, keep the location information. Yet another rule can be that if a user has entered information at a specific location, keep the location information. In this case, the threshold can be set, for example, to zero or one character difference in user entry. If there is any changes in user entry,

such as from not entering anything to inputting something, or to inputting something different, the location information at that position can be kept.

Location information collected can be attached to other information. FIG. 6 shows a few embodiments of attaching certain location information **350** to other information. For example, labels can be attached to emails **352**, phone calls **354**, or other types of messages, when they are sent. Then, received emails not only indicate who sent them, they would also indicate the locations from where they were sent. Emails and phone calls can then be sorted **356** based on locations. In one embodiment, the sorting can be alphabetical, such as through the labels.

To help users digest location information, sometimes it is advantageous to compare them to standards. In one embodiment, a system of the invention includes a comparator for comparing location information with standards. FIG. 6 shows examples of standards for comparison. In one example, a label represents a five-mile strip (portion) of a specific highway. The average amount of time T **302** to travel through that five-mile strip is known. The user drives his car through the strip. The time he enters and exits that label is stored, and their difference is compared to T. If the difference is more than a pre-set threshold, a notification can be sent to the user. Similarly, the standard can be the speed **304** of a typical car traveling through that strip.

In another example, the amount of time can be that of an item on the shelf of a company, such as a supermarket. The location of that item is monitored.

Standard deviations, **306**, can also be tracked. This can be the standard deviation of the travel time of a specific car through the strip during the last two months. If the standard deviation is more than a pre-set threshold, the driver can be notified.

FIG. 7 shows embodiments related to the presentation **400** of location information. In one embodiment, location information can be presented chronologically on a map **402**. Location-related information can be coupled to the corresponding labels and displayed on the map **404**. For example, a piano is shipped from San Francisco to Tokyo. The map can show chronologically where the piano is at different times. Next to the shipping path, there can be two other line graphs, one showing the humidity, and the other showing the temperature at the corresponding location and time. The location-related information can also be coupled to the corresponding labels and displayed as a link or visual indicator which is selectable to cause the location-related information to be displayed.

The presentation can be in a tabulated format, such as in a spreadsheet. Presentation can be in graphical formats, such as in bar charts or pie charts, in two or more dimensions.

Location information where a mobile device enters and exits a label can be presented. Location information where there are changes exceeding thresholds in location-related information can also be shown.

The display of location-related information can be through clickable icons **404** on a web site. For example, the user was in the Exploratorium at 4 pm. A small icon representing the Exploratorium can be displayed next to the location of the chart indicating where the user was at 4 pm. Clicking the icon would lead one to the web site of the Exploratorium.

Location information can be displayed with their standards **406**. For example, a display can show the speed of a car as a function of location. Next to that, there can be another line showing standard speeds at the different locations.

In one embodiment, the display size can be modified **408**. For example, the screen on a handheld device can be small. When the user is in a car, the user can dock the device, which can electronically couple the device to a larger screen in the car for viewing.

In another embodiment, the locations of a GPS device are displayed with respect to a specific location. The amount of details displayed between the locations of the GPS device and the specific location can dynamically change **410**. This change can depend on the distances between the locations of the GPS device and the specific location. The amount of details can be defined as the density of the points of interest shown in an area. Points of interest can include the name of a street, the name of a park or other designations.

As an example, the number of labels shown between the locations of the GPS device and the specific location depends on the distances between the locations and the specific location. If the GPS device is very far away from the specific location, there will be many labels in between. With the display size being fixed, if all of the labels are shown, the display can be cluttered. So, very few labels should be shown. However, as the GPS device approaches the specific location, the ratio of labels being shown and the total number of labels between the locations increases. This can be done dynamically, depending on the separation distance. One way is to fix the number of labels to be shown on the display to be fewer than a predetermined number (e.g., 10). If there are more than the predetermined number of labels to be shown, certain labels can be skipped, such as every other one. If there are 100 labels, and only 10 can be shown, then every 10th label can be selected to be shown. In this example, even a label is in between the GPS device and the specific location, the label may not be displayed. In other words, whether a label between the location of the GPS device and the specific location is displayed or not depends on the distance between the location of the GPS device and the specific location. Note that whether a label is displayed or not can also depend on user preferences. The user can require a label to be shown if the label is between the location of the GPS device and the specific location.

In another example, the specific location is the location of another GPS device. That specific location can change as the other GPS device is moved.

Location information can be dynamically generated. As the GPS device moves, location information can be generated. So the presentation of location information can change as a function of time.

In a number of embodiments, a label identifies locations that are two-dimensional. However, a label can identify a three-dimensional volume. In other words, elevation coordinates can be included.

The present invention has described one or more GPS devices as location-designating devices to identify a location. However, the present invention is not limited to using one or more GPS devices to identify a location. In certain situations, other wireless or mobile devices can also serve as location-designating devices, such as devices based on GSM technologies or Wi-Fi technologies. Through the techniques of triangulation, these devices can also designate a location. Such triangulation techniques should be known to those skilled in the art.

Note that the process of transforming location coordinates into labels and the process of using additional information to help identify a location can be performed by two separate entities. In other words, a corporation can be responsible to transform location coordinates into labels. Then another corporation is responsible to clarify the location correspond-

ing to a piece of location-designating information, using, for example, location-related information.

A number of embodiments have been described where the process of transforming location coordinates into labels or the process of compressing depends on a piece of location-related information. Note that such processes can depend on more than one piece of location-related information. Also, the multiple pieces of location-related information can be of different types. For example, the process of transforming can depend on time and a piece of information regarding the environment.

As described above, since multiple pieces of location information from a GPS device can identify direction **450**, the GPS device can be used to calibrate a digital compass, **452**, as illustrated in FIG. 8. A GPS device can provide multiple location information as a function of time. If the person carrying the device is traveling along a certain constant direction, the multiple location information will be able to identify that direction. The direction information can then be used to calibrate a digital compass, as long as the compass is attached to, or traveling in the same direction as, the GPS device.

In one embodiment of the present invention, a mobile device can be attached to an object (e.g., a package) or a being (e.g., a person) in a number of ways. For example, the mobile device can be embedded into the object or being. A being can be a living being or a dead being, for example, a living person or a dead dog. The mobile device can be attached (directly or indirectly) to the object or being through a clip and a pin. The mobile device can be referred to as being wearable. Other attachment techniques include Velcro® and adhesive, either permanently, such as with glue, or in a non-permanent manner, such as patches that are adhered to the body. The mobile device can be attached with a band, such as an elastic band. The mobile device can be attached by having a ring or a hook. The mobile device can be worn as a necklace, bracelet or other types of fashionable item. The mobile device can be attached by a mechanism that is designed to be disposed or disposable. For example, the attachment can be through an adhesive tape that has an envelope or pocket. The mobile device can be provided in the envelope, and the envelope can be closed such as by Velcro® or adhesive. The tape can be attached to an object. After finished using the mobile device, a user can dispose of the tape, but keep the mobile device.

In another embodiment, a mobile device includes a sensor to sense information regarding a living being (e.g., a person). The device may be attached to the being or be in close proximity to the being. The information sensed by the sensor can include the being's vital parameters. For example, the sensor can measure the being's body temperature, blood attributes, spirometry, heart conditions, brain wave, sound/acoustic waves, or body fat. The blood attributes can include blood pressure, blood sugar or glucose level, or blood oxygen. Heart conditions can include ECG, heart rate, or arrhythmias.

The above-described systems, devices, methods and processes can be used together with other aspects of a monitoring system, including the various aspects described in: (i) U.S. Provisional Patent Application No. 60/444,198, filed Jan. 30, 2003, and entitled "SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MONITORING, DELIVERING, MANAGING AND USING STATUS INFORMATION," which is hereby incorporated herein by reference; (ii) U.S. Provisional Patent Application No. 60/418,491, filed Oct. 15, 2002, and entitled "SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRE-

SENTING, MONITORING, DELIVERING, MANAGING AND USING STATUS INFORMATION,” which is hereby incorporated herein by reference; (iii) U.S. Provisional Patent Application No. 60/404,645, filed Aug. 19, 2002, and entitled “SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MONITORING, DELIVERING, MANAGING AND USING POSITION AND OTHER INFORMATION,” which is hereby incorporated herein by reference; and (iv) U.S. Provisional Patent Application No. 60/375,998, filed Apr. 24, 2002, and entitled “SYSTEM, METHOD AND APPARATUS FOR ACQUIRING, PRESENTING, MANAGING AND USING POSITION INFORMATION,” which is hereby incorporated herein by reference.

The various embodiments, implementations, features and aspects of the invention noted above (including those incorporated by reference) can be combined in various ways or used separately. Those skilled in the art will understand from the description that the invention can be equally applied to or used in other various different settings with respect to various combinations, embodiments, implementations or features provided in the description herein.

The invention can be implemented in software, hardware or a combination of hardware and software. The invention, or at least certain software portions of the invention, can also be embodied as computer readable code on a computer readable medium. The computer readable medium is any data storage device that can store data which can thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, magnetic tape, optical data storage devices, and carrier waves. The computer readable medium can also be distributed over network-coupled computer systems so that the computer readable code is stored and executed in a distributed fashion.

Other embodiments of the invention will be apparent to those skilled in the art from a consideration of this specification or practice of the invention disclosed herein. It is intended that the specification and examples be considered as exemplary only, with the true scope and spirit of the invention being indicated by the following claims.

The invention claimed is:

1. A mobile apparatus comprising:

a satellite signal receiver to receive signals from a plurality of satellites, the signals received being related to a location of the mobile apparatus;

a storage device to store at least executable instructions; and

a processor electrically connected to the satellite signal receiver, and the storage device, the processor to execute at least a portion of the executable instructions, wherein the executable instructions include at least: instructions to present a geographic area on a display; and

instructions to present a symbol at a position on the geographic area,

the position corresponding to the location of the mobile apparatus, with the location based on at least data from the signals related to the location of the mobile apparatus,

wherein the position of the symbol on the geographic area is presented with respect to a location of an electronic apparatus, wherein the electronic apparatus includes a satellite signal receiver to receive signals from a plurality of satellites, with the signals received being related to the location of the electronic apparatus,

wherein the location of the mobile apparatus is not fixed by the location of the electronic apparatus because the mobile apparatus is not physically attached to the electronics apparatus,

wherein the executable instructions include at least: instructions to change position of the symbol being presented on the display due to change of location of the electronic apparatus, and instructions to change amount of details presented on the display, along with presenting at least the symbol, as the mobile apparatus is being moved towards the electronic apparatus, so as to at least accommodate for size of the display being fixed, with the amount of details including at least a point of interest.

2. A mobile apparatus as recited in claim 1, wherein the symbol being presented depends on data regarding a movement of the mobile apparatus.

3. A mobile apparatus as recited in claim 1, wherein the symbol being presented depends on data regarding a direction of movement of the mobile apparatus.

4. A mobile apparatus as recited in claim 1, wherein the symbol being presented depends on data regarding an activity of a user associated with the mobile apparatus.

5. A mobile apparatus as recited in claim 1, wherein the executable instructions include at least instructions to present certain data on the display resulting from an electronic search for data based on at least a word received via the mobile apparatus.

6. A mobile apparatus as recited in claim 5, wherein the search is for a point of interest.

7. A mobile apparatus as recited in claim 1, wherein the executable instructions include at least instructions to change a position of the point of interest being presented on the display due to a movement of the mobile apparatus.

8. A mobile apparatus as recited in claim 1, wherein there is a plurality of points of interest presented on the display, and wherein whether at least one point of interest is presented at least depends on a distance between a location of the mobile apparatus and a location of the electronic apparatus.

9. A non-transitory computer readable medium including at least computer program code tangibly stored thereon to at least facilitate electronically presenting information, the computer readable medium comprising:

computer program code for presenting a geographic area on a display regarding a mobile apparatus, wherein the mobile apparatus includes a satellite signal receiver, a storage device, and a processor, with the processor electrically connected to the satellite signal receiver and the storage device; and

computer program code for presenting a symbol at a position on the geographic area, the position corresponding to a location of the mobile apparatus, with the location based on at least data from signals related to the location, and with the satellite signal receiver to receive the signals from a plurality of satellites,

wherein the position of the symbol on the geographic area is presented with respect to a location of an electronic apparatus, wherein the electronic apparatus includes a satellite signal receiver to receive signals from a plurality of satellites, with the signals received being related to the location of the electronic apparatus,

17

wherein the location of the mobile apparatus is not fixed by the location of the electronic apparatus because the mobile apparatus is not physically attached to the electronic apparatus, and

wherein the computer readable medium further comprises:

computer program code for changing position of the symbol being presented on the display due to change of location of the electronic apparatus, and

computer program code for changing amount of details presented on the display, along with presenting at least the symbol, as the mobile apparatus is being moved towards the electronic apparatus, so as to at least accommodate for size of the display being fixed, with the amount of details including at least a point of interest.

10. A non-transitory computer readable medium as recited in claim 9, wherein the symbol being presented depends on data regarding a movement of the mobile apparatus.

11. A non-transitory computer readable medium as recited in claim 9, wherein the symbol being presented depends on data regarding a direction of movement of the mobile apparatus.

12. A non-transitory computer readable medium as recited in claim 9, wherein the symbol being presented depends on data regarding an activity of a user associated with the mobile apparatus.

13. A non-transitory computer readable medium as recited in claim 9, wherein the computer readable medium comprises computer program code for presenting certain data on the display resulting from an electronic search for data based on at least a word, from a user, received via the mobile apparatus.

14. A non-transitory computer readable medium as recited in claim 13, wherein the search is for a point of interest.

15. A non-transitory computer readable medium as recited in claim 9, wherein the computer readable medium comprises computer program code for changing a position of the point of interest being presented on the display due to a movement of the mobile apparatus.

16. A non-transitory computer readable medium as recited in claim 9,

wherein there is a plurality of points of interest presented on the display, and

wherein whether at least one point of interest is presented at least depends on a distance between a location of the mobile apparatus and a location of the electronic apparatus.

17. A non-transitory computer readable medium as recited in claim 9 further comprising computer program code to: retrieve data and present the data on the geographic area; and

retrieve additional data to be presented on the display based on clicking the presented data on the geographic area.

18. A non-transitory computer readable medium as recited in claim 9 further comprising computer program code to retrieve data related to a specific location and present the data on the geographic area.

19. A non-transitory computer readable medium as recited in claim 18, wherein the data related to the specific location is related to an activity at the specific location.

20. A non-transitory computer readable medium as recited in claim 18 further comprises computer program code to retrieve additional data to be presented on the display based on clicking the presented data on the geographic area.

18

21. A non-transitory computer readable medium as recited in claim 19,

wherein the symbol being presented depends on data regarding an activity of a user associated with the mobile apparatus, and

wherein the computer readable medium comprises computer program code for changing a position of the point of interest being presented on the display due to a movement of the mobile apparatus.

22. A computer-implemented method to at least facilitate electronically presenting information, the method comprising:

presenting a geographic area on a display regarding a mobile apparatus, wherein the mobile apparatus includes a satellite signal receiver, a storage device, and a processor, with the processor electrically connected to the satellite signal receiver and the storage device; and

presenting a symbol at a position on the geographic area, the position corresponding to a location of the mobile apparatus, with the location based on at least data from signals related to the location, and with the satellite signal receiver to receive the signals from a plurality of satellites,

wherein the position of the symbol on the geographic area is presented with respect to a location of an electronic apparatus, wherein the electronic apparatus includes a satellite signal receiver to receive signals from a plurality of satellites, with the signals received being related to the location of the electronic apparatus,

wherein the location of the mobile apparatus is not fixed by the location of the electronic apparatus because the mobile apparatus is not physically attached to the electronic apparatus, and

wherein the method further comprises:

changing position of the symbol being presented on the display due to change of location of the electronic apparatus, and

changing amount of details presented on the display, along with presenting at least the symbol, as the mobile apparatus is being moved towards the electronic apparatus, so as to at least accommodate for size of the display being fixed, with the amount of details including at least a point of interest.

23. A method as recited in claim 22, wherein the symbol being presented depends on data regarding a movement of the mobile apparatus.

24. A method as recited in claim 23, wherein the symbol being presented depends on data regarding a direction of movement of the mobile apparatus.

25. A method as recited in claim 24, wherein the symbol being presented depends on data regarding an activity of a user associated with the mobile apparatus.

26. A computer-implemented method as recited in claim 22, wherein the method comprises retrieving data related to a specific location and present the data on the geographic area.

27. A computer-implemented method as recited in claim 26, wherein the data related to the specific location is related to an activity at the specific location.

28. A computer-implemented method as recited in claim 26, wherein the presented data is configured to be clickable on the geographic area to retrieve additional data to be presented on the display.

29. A computer-implemented method as recited in claim 28,

wherein the symbol being presented depends on data regarding an activity of a user associated with the mobile apparatus, and

wherein the method comprises changing a position of the point of interest being presented on the display due to a movement of the mobile apparatus. 5

30. A computer-implemented method as recited in claim 22, wherein the method comprises presenting certain data on the display resulting from an electronic search for data based on at least a word, from a user, received via the mobile apparatus, wherein the search is for a point of interest. 10

31. A computer-implemented method as recited in claim 22, wherein the method comprises changing a position of the point of interest being presented on the display due to a movement of the mobile apparatus. 15

32. A computer-implemented method as recited in claim 22, wherein the method comprises presenting data on the geographic area, and wherein the presented data is configured to be clickable on the geographic area to retrieve additional data to be presented on the display. 20

\* \* \* \* \*