

(12) **United States Patent**
Thomas

(10) **Patent No.:** **US 10,609,516 B2**
(45) **Date of Patent:** ***Mar. 31, 2020**

(54) **AUTHORIZED LOCATION MONITORING AND NOTIFICATIONS THEREFOR**

(71) Applicant: **IpVenture, Inc.**, Los Altos, CA (US)

(72) Inventor: **C. Douglass Thomas**, Saratoga, CA (US)

(73) Assignee: **IpVenture, Inc.**, San Jose, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/375,467**

(22) Filed: **Dec. 12, 2016**

(65) **Prior Publication Data**

US 2017/0094458 A1 Mar. 30, 2017

Related U.S. Application Data

(60) Division of application No. 14/493,550, filed on Sep. 23, 2014, which is a continuation of application No. 13/831,493, filed on Mar. 14, 2013, now Pat. No. 8,868,103, which is a continuation of application No. 12/150,203, filed on Apr. 26, 2008, now Pat. No. (Continued)

(51) **Int. Cl.**
H04W 4/029 (2018.01)
H04W 8/10 (2009.01)
H04W 12/06 (2009.01)
H04W 8/08 (2009.01)

(Continued)

(52) **U.S. Cl.**
CPC **H04W 4/029** (2018.02); **H04W 8/10** (2013.01); **H04W 12/06** (2013.01); **H04W 8/08** (2013.01); **H04W 8/14** (2013.01); **H04W 92/02** (2013.01)

(58) **Field of Classification Search**

CPC H04W 4/02; H04W 8/10; H04W 12/06
USPC 455/456.2, 456.1, 404.2, 414.2, 414.1, 455/410, 411

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,975,941 A 8/1976 Smith
4,719,920 A 1/1988 Alt et al.
(Continued)

FOREIGN PATENT DOCUMENTS

EP 0 874 529 A2 10/1998
EP 1 037 447 A2 9/2000
(Continued)

OTHER PUBLICATIONS


U.S. Appl. No. 12/150,203, filed Apr. 26, 2008.
(Continued)

Primary Examiner — Nghi H Ly

(57) **ABSTRACT**

Techniques for location tracking, location utilization, and dissemination and management of location information are disclosed. As a location monitoring system, one embodiment includes at least a plurality of mobile computing devices supported by a wireless network, and a computing device coupled to a wired network (e.g., the Internet) that couples to the wireless network. Each of the mobile computing devices is associated with and proximate to an object whose location is being monitored. The computing device stores the locations of each of the mobile computing devices or the objects proximate thereto, and enables only authorized users to obtain access the locations via the wired network.

32 Claims, 8 Drawing Sheets



Related U.S. Application Data

8,700,050, which is a division of application No. 09/797,517, filed on Feb. 28, 2001, now Pat. No. 7,366,522.

(60) Provisional application No. 60/185,480, filed on Feb. 28, 2000.

(51) **Int. Cl.**

H04W 8/14 (2009.01)
H04W 92/02 (2009.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,115,223 A 5/1992 Moody
 5,337,579 A 8/1994 Saia, III et al.
 5,347,274 A 9/1994 Hassett
 5,353,034 A 10/1994 Sato et al.
 5,389,934 A 2/1995 Kass
 5,394,333 A 2/1995 Kao
 5,400,020 A 3/1995 Jones et al.
 5,422,816 A 6/1995 Sprague et al.
 5,461,365 A 10/1995 Schlager et al.
 5,470,233 A 11/1995 Fruchterman et al.
 5,491,486 A 2/1996 Welles, II et al.
 5,512,902 A 4/1996 Guthrie et al.
 5,515,858 A 5/1996 Myllymaki
 5,528,247 A 6/1996 Nonami
 5,528,518 A 6/1996 Bradshaw et al.
 5,532,690 A 7/1996 Hertel
 5,539,748 A 7/1996 Raith
 5,541,845 A 7/1996 Klein
 5,543,789 A 8/1996 Behr et al.
 5,550,551 A 8/1996 Alesio
 5,563,606 A 10/1996 Wang
 5,568,119 A 10/1996 Schipper et al.
 5,570,412 A 10/1996 LeBlanc
 5,576,716 A 11/1996 Sadler
 5,592,173 A 1/1997 Lau et al.
 5,598,460 A 1/1997 Tandler
 5,604,708 A 2/1997 Helms et al.
 5,623,260 A 4/1997 Jones
 5,623,418 A 4/1997 Rostoker
 5,627,517 A 5/1997 Theimer et al.
 5,629,678 A 5/1997 Gargano et al.
 5,633,874 A 5/1997 Diachina et al.
 5,650,770 A 7/1997 Schlager et al.
 5,652,570 A 7/1997 Lepkofker
 5,673,692 A 10/1997 Schulze et al.
 5,686,888 A 11/1997 Welles, II et al.
 5,710,551 A 1/1998 Ridgeway
 5,712,619 A 1/1998 Simkin
 5,731,757 A 3/1998 Layson, Jr.
 5,731,788 A 3/1998 Reeds
 5,742,233 A 4/1998 Hoffman et al.
 5,751,245 A 5/1998 Janky et al.
 5,771,001 A 6/1998 Cobb
 5,771,455 A 6/1998 Kennedy, III et al.
 5,774,876 A 6/1998 Woolley et al.
 5,786,789 A 7/1998 Janky
 5,797,091 A 8/1998 Clise et al.
 5,806,018 A 9/1998 Smith et al.
 5,808,565 A 9/1998 Matta et al.
 RE35,920 E 10/1998 Sorden et al.
 5,825,283 A 10/1998 Camhi
 5,826,195 A 10/1998 Westerlage et al.
 5,835,907 A 11/1998 Newman
 5,841,352 A 11/1998 Prakash
 5,844,862 A 12/1998 Cocatre-Zilgien
 5,850,196 A 12/1998 Mowers
 5,852,775 A * 12/1998 Hidary H04L 12/1859
 5,861,841 A 1/1999 Gildea et al.
 5,883,594 A 3/1999 Lau

5,889,770 A 3/1999 Jokiaho et al.
 5,892,454 A 4/1999 Schipper et al.
 5,894,266 A 4/1999 Wood, Jr. et al.
 5,902,347 A 5/1999 Backman et al.
 5,905,461 A 5/1999 Neher
 5,910,799 A 6/1999 Carpenter et al.
 5,913,078 A 6/1999 Kimura et al.
 5,917,433 A 6/1999 Keillor et al.
 5,918,180 A 6/1999 Dimino
 5,928,309 A 7/1999 Korver et al.
 5,938,721 A 8/1999 Dussell et al.
 5,948,040 A 9/1999 DeLorme et al.
 5,948,043 A 9/1999 Mathis
 5,950,125 A 9/1999 Buhrmann et al.
 5,959,575 A 9/1999 Abbott
 5,959,577 A 9/1999 Fan et al.
 5,963,130 A 10/1999 Schlager et al.
 5,970,388 A 10/1999 Will
 5,982,285 A 11/1999 Bueche et al.
 5,982,807 A 11/1999 Snell
 5,983,108 A 11/1999 Kennedy, III et al.
 5,983,158 A 11/1999 Suzuki et al.
 5,991,690 A 11/1999 Murphy
 5,995,849 A 11/1999 Williams et al.
 6,002,363 A 12/1999 Krasner
 6,002,982 A 12/1999 Fry
 6,009,319 A 12/1999 Khullar et al.
 6,013,007 A 1/2000 Root et al.
 6,014,080 A 1/2000 Layson, Jr.
 6,014,090 A 1/2000 Rosen et al.
 6,018,704 A 1/2000 Kohli et al.
 6,023,241 A 2/2000 Clapper
 6,031,496 A 2/2000 Kuittinen et al.
 6,032,051 A 2/2000 Hall et al.
 6,034,622 A 3/2000 Levine
 6,052,646 A 4/2000 Kirkhart et al.
 6,052,696 A 4/2000 Euler et al.
 6,054,928 A 4/2000 Lemelson et al.
 6,064,336 A 5/2000 Krasner
 6,067,018 A 5/2000 Skelton et al.
 6,067,044 A 5/2000 Whelan et al.
 6,072,396 A 6/2000 Gaukel
 6,078,290 A 6/2000 McBurney et al.
 6,083,248 A 7/2000 Thompson
 6,083,353 A 7/2000 Alexander, Jr.
 6,085,090 A 7/2000 Yee et al.
 6,094,168 A 7/2000 Duffett-Smith et al.
 6,100,806 A 8/2000 Gaukel
 6,101,710 A 8/2000 Selinger et al.
 6,104,334 A 8/2000 Allport
 6,111,540 A 8/2000 Krasner
 6,115,595 A 9/2000 Rodal et al.
 6,121,921 A 9/2000 Ishigaki
 6,125,325 A 9/2000 Kohli et al.
 6,131,067 A 10/2000 Girerd et al.
 6,140,863 A 10/2000 Fujisawa
 6,140,957 A 10/2000 Wilson et al.
 6,141,570 A 10/2000 O'Neill, Jr. et al.
 6,144,303 A 11/2000 Federman
 6,148,280 A 11/2000 Kramer
 6,154,422 A 11/2000 Shinkawa et al.
 6,163,696 A 12/2000 Bi et al.
 6,169,902 B1 1/2001 Kawamoto
 6,171,264 B1 1/2001 Bader
 6,172,640 B1 1/2001 Durst et al.
 6,175,616 B1 1/2001 Light et al.
 6,198,390 B1 3/2001 Schlager et al.
 6,198,431 B1 3/2001 Gibson
 6,198,930 B1 3/2001 Schipper
 6,199,045 B1 3/2001 Giniger et al.
 6,204,807 B1 3/2001 Odagiri et al.
 6,212,133 B1 4/2001 McCoy et al.
 6,226,622 B1 5/2001 Dabbieri
 6,231,519 B1 5/2001 Blants et al.
 6,232,916 B1 5/2001 Grillo et al.
 6,236,358 B1 5/2001 Durst et al.
 6,238,337 B1 5/2001 Kambhalta et al.
 6,243,039 B1 6/2001 Elliot
 6,243,660 B1 6/2001 Hsu et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,246,376 B1	6/2001	Bork et al.	6,529,164 B1	3/2003	Carter	
6,252,543 B1	6/2001	Camp	6,529,822 B1	3/2003	Millington et al.	
6,252,544 B1	6/2001	Hoffberg	6,544,193 B2	4/2003	Abreu	
6,259,944 B1	7/2001	Margulis et al.	6,552,652 B2	4/2003	Beken	
6,263,280 B1	7/2001	Stingone, Jr.	6,553,336 B1	4/2003	Johnson et al.	
6,266,612 B1	7/2001	Dussell et al.	6,559,620 B2	5/2003	Zhou et al.	
6,272,457 B1	8/2001	Ford et al.	6,560,463 B1	5/2003	Santhoff	
6,278,936 B1	8/2001	Jones	6,569,094 B2	5/2003	Suzuki et al.	
6,281,797 B1	8/2001	Forster et al.	6,571,193 B1	5/2003	Unuma et al.	
6,282,362 B1	8/2001	Murphy et al.	6,579,231 B1	6/2003	Phipps	
6,282,495 B1	8/2001	Kirkhart et al.	6,579,844 B1	6/2003	Morrison et al.	
6,285,314 B1	9/2001	Nagatsuma et al.	6,611,688 B1	8/2003	Raith	
6,292,687 B1	9/2001	Lowell et al.	6,616,593 B1	9/2003	Elliott et al.	
6,298,306 B1	10/2001	Suarez et al.	6,625,437 B1 *	9/2003	Jampolsky	H04Q 3/0029 379/221.09
6,300,875 B1	10/2001	Schafer	6,630,885 B2	10/2003	Hardman et al.	
6,302,844 B1	10/2001	Walker et al.	6,640,085 B1	10/2003	Chatzipetros et al.	
6,304,467 B1	10/2001	Nebriagic	6,650,907 B1	11/2003	Kamperschroer et al.	
6,314,308 B1	11/2001	Sheynblat et al.	6,661,372 B1	12/2003	Girerd et al.	
6,315,719 B1	11/2001	Rode et al.	6,665,534 B1	12/2003	Conklin et al.	
6,317,049 B1	11/2001	Toubia et al.	6,679,071 B1	1/2004	Storey et al.	
6,321,091 B1	11/2001	Holland	6,696,982 B2	2/2004	Yoshioka et al.	
6,323,807 B1	11/2001	Golding et al.	6,697,103 B1	2/2004	Fernandez et al.	
6,324,213 B1	11/2001	Harrison	6,697,730 B2	2/2004	Dickerson	
6,327,533 B1	12/2001	Chou	6,714,158 B1	3/2004	Underbrink et al.	
6,330,149 B1	12/2001	Burrell	6,714,791 B2	3/2004	Friedman	
6,331,817 B1	12/2001	Goldberg	6,721,542 B1	4/2004	Anttila et al.	
6,331,825 B1	12/2001	Ladner et al.	6,741,927 B2	5/2004	Jones	
6,339,397 B1	1/2002	Baker	6,747,675 B1	6/2004	Abbott et al.	
6,340,928 B1	1/2002	McCurdy	6,748,318 B1	6/2004	Jones	
6,342,847 B1	1/2002	Archuleta et al.	6,788,766 B2	9/2004	Logan	
6,349,257 B1	2/2002	Liu et al.	6,801,853 B2	10/2004	Workman	
6,353,390 B1	3/2002	Beri et al.	6,804,606 B2	10/2004	Jones	
6,353,798 B1	3/2002	Green et al.	6,825,767 B2	11/2004	Humbard	
6,356,836 B1	3/2002	Adolph	6,832,093 B1	12/2004	Ranta	
6,356,841 B1	3/2002	Hamrick et al.	6,847,892 B2	1/2005	Zhou et al.	
6,362,778 B2	3/2002	Neher	6,856,804 B1	2/2005	Ciotta	
6,363,254 B1	3/2002	Jones et al.	6,856,807 B1	2/2005	Raith	
6,363,323 B1	3/2002	Jones	6,865,385 B1	3/2005	Kohda et al.	
6,366,871 B1	4/2002	Geva	6,876,862 B1	4/2005	Tanaka	
6,373,430 B1	4/2002	Beason et al.	6,888,879 B1	5/2005	Lennen	
6,377,810 B1	4/2002	Geiger et al.	6,937,900 B1	8/2005	Pianca et al.	
6,384,724 B1	5/2002	Landais	6,952,645 B1 *	10/2005	Jones	G07C 5/008 340/989
6,388,612 B1	5/2002	Neher	6,975,941 B1	12/2005	Lau et al.	
6,393,346 B1	5/2002	Keith et al.	6,980,813 B2	12/2005	Mohi et al.	
6,404,352 B1	6/2002	Ichikawa et al.	6,980,826 B2	12/2005	Yamaguchi	
6,407,698 B1	6/2002	Ayed	6,997,882 B1	2/2006	Parker et al.	
6,411,892 B1	6/2002	Van Diggelen	7,010,144 B1	3/2006	Davis et al.	
6,411,899 B2	6/2002	Dussell et al.	7,071,842 B1	7/2006	Brady, Jr.	
6,421,538 B1	7/2002	Byrne	7,085,253 B2	8/2006	Yang	
6,426,719 B1	7/2002	Nagareda et al.	7,110,773 B1	9/2006	Wallace et al.	
6,427,120 B1	7/2002	Garin et al.	7,136,832 B2	11/2006	Li et al.	
6,430,602 B1	8/2002	Kay et al.	7,187,278 B2	3/2007	Biffar	
6,433,732 B1	8/2002	Dutta et al.	7,212,829 B1	5/2007	Lau et al.	
6,434,396 B1	8/2002	Rune	7,218,938 B1	5/2007	Lau et al.	
6,437,692 B1	8/2002	Petite et al.	7,253,731 B2	8/2007	Joao	
6,441,778 B1	8/2002	Durst et al.	7,308,272 B1	12/2007	Wortham	
6,442,380 B1	8/2002	Mohindra	7,321,774 B1	1/2008	Lau et al.	
6,442,391 B1	8/2002	Johansson et al.	7,325,061 B2	1/2008	Haruki	
6,443,890 B1	9/2002	Schulze et al.	7,366,522 B2 *	4/2008	Thomas	H04W 4/02 340/539.13
6,445,937 B1	9/2002	daSilva	7,375,682 B1	5/2008	Tester et al.	
6,453,237 B1	9/2002	Fuchs et al.	7,403,972 B1	7/2008	Lau et al.	
6,463,272 B1	10/2002	Wallace et al.	7,482,920 B2	1/2009	Joao	
6,466,821 B1	10/2002	Pianca et al.	7,539,557 B2	5/2009	Yamauchi	
6,469,639 B2	10/2002	Tanenhaus et al.	7,809,377 B1	10/2010	Lau et al.	
6,471,087 B1	10/2002	Shusterman	7,905,832 B1	3/2011	Lau et al.	
6,478,736 B1	11/2002	Mault	7,953,809 B2	5/2011	Lau et al.	
6,484,034 B1	11/2002	Tsunehara et al.	8,176,135 B2	5/2012	Lau et al.	
6,496,775 B2	12/2002	McDonald, Jr. et al.	8,285,484 B1	10/2012	Lau et al.	
6,501,429 B2	12/2002	Nakamura et al.	8,301,158 B1 *	10/2012	Thomas	H04W 4/02 340/539.13
6,505,048 B1	1/2003	Moles et al.	8,447,822 B2	5/2013	Lau et al.	
6,505,049 B1	1/2003	Dorenbosch	8,611,920 B2	5/2013	Lau et al.	
6,512,456 B1	1/2003	Taylor, Jr.	8,620,343 B1	12/2013	Lau et al.	
6,513,532 B2	2/2003	Mault et al.	8,700,050 B1 *	4/2014	Thomas	H04W 4/02 455/404.2
6,522,871 B1	2/2003	Patrick et al.	8,725,165 B2	5/2014	Lau et al.	
6,522,889 B1	2/2003	Aarnio				

(56)

References Cited

U.S. PATENT DOCUMENTS

8,753,273 B1 6/2014 Lau et al.
 8,868,103 B2* 10/2014 Thomas H04W 4/02
 455/404.2
 8,886,220 B2 11/2014 Lau et al.
 8,975,941 B2 3/2015 Zierhofer
 9,049,571 B2 6/2015 Lau et al.
 9,074,903 B1 7/2015 Lau et al.
 9,182,238 B2 11/2015 Lau et al.
 9,219,988 B2 12/2015 Lau et al.
 9,456,350 B2 9/2016 Lau et al.
 9,596,579 B2 3/2017 Lau et al.
 9,706,374 B2 7/2017 Lau et al.
 9,723,442 B2 8/2017 Lau et al.
 9,759,817 B2 9/2017 Lau et al.
 9,769,630 B2 9/2017 Lau et al.
 9,930,503 B2 3/2018 Lau et al.
 9,998,886 B2 6/2018 Lau et al.
 10,034,150 B2 7/2018 Lau et al.
 10,327,115 B2 6/2019 Lau et al.
 10,356,568 B2 7/2019 Lau et al.
 2001/0006891 A1 7/2001 Cho
 2001/0020204 A1 9/2001 Runyon et al.
 2001/0027378 A1 10/2001 Tennison et al.
 2001/0027384 A1 10/2001 Schulze et al.
 2001/0027525 A1 10/2001 Gamlin
 2001/0028304 A1 10/2001 l'Anson et al.
 2001/0041554 A1 11/2001 Rowell
 2001/0044299 A1 11/2001 Sandegren
 2001/0044332 A1 11/2001 Yamada et al.
 2001/0047125 A1 11/2001 Quy
 2001/0052849 A1 12/2001 Jones, Jr.
 2002/0000916 A1 1/2002 Richards
 2002/0000930 A1 1/2002 Crowson et al.
 2002/0008661 A1 1/2002 McCall et al.
 2002/0015439 A1 2/2002 Kohli et al.
 2002/0016173 A1 2/2002 Hunzinger
 2002/0027507 A1 3/2002 Yarin et al.
 2002/0028988 A1 3/2002 Suzuki et al.
 2002/0036593 A1 3/2002 Ying
 2002/0038182 A1 3/2002 Wong et al.
 2002/0049742 A1 4/2002 Chan et al.
 2002/0050945 A1 5/2002 Tsukishima et al.
 2002/0055362 A1 5/2002 Aoyama
 2002/0057192 A1 5/2002 Eagleson et al.
 2002/0063622 A1 5/2002 Armstrong et al.
 2002/0071677 A1 6/2002 Sumanaweera
 2002/0077080 A1 6/2002 Greene
 2002/0087260 A1 7/2002 Hancock et al.
 2002/0087619 A1 7/2002 Tripathi
 2002/0094067 A1 7/2002 August
 2002/0099567 A1 7/2002 Joao
 2002/0111171 A1 8/2002 Boesch et al.
 2002/0111819 A1 8/2002 Li et al.
 2002/0115450 A1 8/2002 Muramatsu
 2002/0115453 A1 8/2002 Poulin et al.
 2002/0116080 A1 8/2002 Birnbach et al.
 2002/0119770 A1 8/2002 Twitchell et al.
 2002/0119789 A1 8/2002 Friedman
 2002/0120475 A1 8/2002 Morimoto
 2002/0140081 A1 10/2002 Chou et al.
 2002/0173910 A1 11/2002 McCall et al.
 2002/0191757 A1 12/2002 Belrose
 2002/0193121 A1 12/2002 Nowak et al.
 2002/0193996 A1 12/2002 Squibbs et al.
 2002/0198003 A1 12/2002 Klapman
 2002/0198055 A1 12/2002 Bull et al.
 2003/0003943 A1 1/2003 Bajikar
 2003/0009410 A1 1/2003 Ramankutty et al.
 2003/0013445 A1 1/2003 Fujiwara et al.
 2003/0018430 A1 1/2003 Ladetto et al.
 2003/0036389 A1 2/2003 Yen
 2003/0036683 A1 2/2003 Kehr et al.
 2003/0054827 A1 3/2003 Schmidl et al.
 2003/0068605 A1 4/2003 Kullok et al.
 2003/0069759 A1 4/2003 Smith

2003/0083046 A1 5/2003 Mathis
 2003/0083814 A1 5/2003 Gronemeyer
 2003/0095540 A1 5/2003 Mulligan et al.
 2003/0100326 A1 5/2003 Grube et al.
 2003/0107514 A1 6/2003 Syrjarinne et al.
 2003/0114206 A1 6/2003 Timothy et al.
 2003/0151507 A1 8/2003 Andre et al.
 2003/0163287 A1 8/2003 Vock et al.
 2003/0182052 A1 9/2003 DeLorme
 2003/0204132 A1 10/2003 Suzuki et al.
 2004/0034470 A1 2/2004 Workman
 2004/0046637 A1 3/2004 Wesby Van Swaay
 2004/0114731 A1 6/2004 Gillett et al.
 2004/0117108 A1 6/2004 Nemeth
 2004/0192352 A1 9/2004 Vallstrom et al.
 2004/0204820 A1 10/2004 Diaz
 2004/0233065 A1 11/2004 Freeman
 2005/0250440 A1 11/2005 Zhou et al.
 2006/0173444 A1 8/2006 Choy et al.
 2007/0156286 A1 7/2007 Yamauchi
 2008/0021645 A1 1/2008 Lau et al.
 2008/0261636 A1 10/2008 Lau et al.
 2009/0042540 A1 2/2009 Bodnar et al.
 2011/0022533 A1 1/2011 Lau et al.
 2011/0223884 A1 9/2011 Lau et al.
 2012/0220266 A1 8/2012 Lau et al.
 2013/0203388 A1 8/2013 Thomas et al.
 2013/0297524 A1 11/2013 Lau et al.
 2014/0011524 A1 1/2014 Lau et al.
 2014/0067708 A1 3/2014 Lau et al.
 2014/0273953 A1 9/2014 Lau et al.
 2014/0278084 A1 9/2014 Lau et al.
 2014/0296659 A1 10/2014 Lau et al.
 2015/0011243 A1* 1/2015 Thomas H04W 4/02
 455/456.2
 2015/0038168 A1 2/2015 Thomas et al.
 2015/0264576 A1 9/2015 Lau et al.
 2016/0025863 A1 1/2016 Lau et al.
 2016/0029175 A1 1/2016 Lau et al.
 2016/0050533 A1 2/2016 Lau et al.
 2017/0013426 A1 1/2017 Lau et al.
 2017/0111776 A1 4/2017 Lau et al.
 2017/0111777 A1 4/2017 Lau et al.
 2017/0188208 A1 6/2017 Lau et al.
 2017/0295462 A1 10/2017 Lau et al.
 2017/0353841 A1 12/2017 Lau et al.
 2018/0011201 A1 1/2018 Lau et al.
 2018/0027394 A1 1/2018 Lau et al.
 2018/0211216 A1 7/2018 Lau et al.
 2018/0213372 A1 7/2018 Lau et al.
 2018/0255439 A1 9/2018 Lau et al.
 2018/0302759 A1 10/2018 Lau et al.
 2019/0215643 A1 7/2019 Lau et al.

FOREIGN PATENT DOCUMENTS

EP 1 037 447 A3 10/2001
 JP 09251069 A 9/1997
 JP 11-64482 3/1999
 JP 11-258325 9/1999
 JP 11-289574 10/1999
 JP 11-306491 11/1999
 JP 2001344678 A 12/2001
 WO WO 97/14054 4/1997
 WO WO 97/41654 A1 11/1997
 WO WO 98/01769 A1 1/1998
 WO WO 98/16045 A1 4/1998
 WO WO 98/40837 9/1998
 WO WO 00/51391 8/2000
 WO WO 01/45343 A2 6/2001
 WO WO 01/50151 A1 7/2001
 WO WO 01/63318 A1 8/2001
 WO WO 01/75700 A2 10/2001
 WO WO 02/42979 A1 5/2002

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO WO 02/084618 A1 10/2002
 WO WO 03/012720 A1 2/2003

OTHER PUBLICATIONS

U.S. Appl. No. 12/150,126, filed Apr. 26, 2008.
 Office Action for U.S. Appl. No. 09/797,517, dated Jul. 31, 2003.
 Office Action for U.S. Appl. No. 09/797,517, dated Jan. 28, 2004.
 Office Action for U.S. Appl. No. 09/797,517, dated Jun. 4, 2004.
 Office Action for U.S. Appl. No. 09/797,517, dated Feb. 18, 2005.
 Office Action for U.S. Appl. No. 09/797,517, dated Sep. 12, 2005.
 Advisory Action for U.S. Appl. No. 09/797,517, dated Dec. 16, 2005.
 Advisory Action for U.S. Appl. No. 09/797,517, dated Mar. 20, 2006.
 Office Action for U.S. Appl. No. 09/797,517, dated Jun. 5, 2006.
 Office Action for U.S. Appl. No. 09/797,517, dated Dec. 20, 2006.
 Office Action for U.S. Appl. No. 09/797,517, dated Jul. 17, 2007.
 Office Action for U.S. Appl. No. 09/797,517, dated Oct. 11, 2007.
 Notice of Allowance for U.S. Appl. No. 09/797,517, dated Jan. 14, 2008.
 Office Action for U.S. Appl. No. 12/150,126, dated Jan. 13, 2009.
 Office Action for U.S. Appl. No. 12/150,126, dated Jul. 21, 2009.
 Office Action for U.S. Appl. No. 12/150,126, dated Jan. 25, 2010.
 Notice of Allowance for U.S. Appl. No. 12/150,126, dated Apr. 14, 2010.
 Notice of Allowance for U.S. Appl. No. 12/150,126, dated Apr. 27, 2011.
 Notice of Allowance for U.S. Appl. No. 12/150,126, dated Jul. 10, 2012.
 Office Action for U.S. Appl. No. 12/150,203 dated May 6, 2010.
 Office Action for U.S. Appl. No. 12/150,203, dated Nov. 12, 2010.
 Final Office Action for U.S. Appl. No. 12/150,203, dated Apr. 25, 2011.
 Notice of Allowance for U.S. Appl. No. 12/150,203, dated Nov. 7, 2013.
 U.S. Appl. No. 13/831,493, filed Mar. 14, 2013.
 Office Action for U.S. Appl. No. 13/831,493, dated Jun. 12, 2013.
 Notice of Allowance for U.S. Appl. No. 13/831,493, dated Jan. 15, 2014.
 Office Action for U.S. Appl. No. 14/493,550, dated Apr. 12, 2016.
 Office Action for U.S. Appl. No. 14/493,550, dated Sep. 22, 2016.
 First Amended Complaint for Patent Infringement, EDTX, Case 1:10-cv-00547-RC, filed Sep. 24, 2010, pp. 1-29.
 Complaint for Patent Infringement, NDCA, Case cv10-04755V HRL, filed Oct. 20, 2010, pp. 1-22, including Exhibit 17 (60 pgs.), Exhibit 27 (57 pgs.), and Exhibit 38 (54 pgs.) [total 193 pgs.].
 Amended Complaint for Patent Infringement NDCA, Case No. cv10-4755 JSW, filed Feb. 4, 2011, pp. 1-23.
 Answer to Amended Complain (AT&T), NDCA, Case No. cv10-4755 JSW, filed Feb. 18, 2011, pp. 1-15.
 Answer to Amended Complain (Sprint), NDCA, Case No. cv10-4755 JSW, filed Feb. 18, 2011, pp. 1-15.
 Answer to Amended Complain (Verizon), NDCA, Case No. cv10-4755 JSW, filed Feb. 18, 2011, pp. 1-22.
 Preliminary Claim Constructions and Supporting Evidence for U.S. Pat. No. 7,366,522 Pursuant to Patent L.R. 4-2, NDCA, Case CV 10-04755 JSW, filed Jun. 3, 2011, pp. 1-29, including Exhibit A. Defendants Invalidity Contentions, NDCA, Case 3:10-cv-04755-Jsw, Filed May 3, 2011, pp. 1-1249, including Exhibit A (60 pgs.), Exhibit B (59 pgs.), Exhibit C (27 pgs.), Exhibit D (26 pgs.), Exhibit E (35 pgs.), Exhibit F (40 pgs.), Exhibit G (31 pgs.), Exhibit H (34 pgs.), Exhibit I (43 pgs.), Exhibit J (44 pgs.), Exhibit K-1 (49 pgs.), Exhibit K-2 (54 pgs.), Exhibit L-1 (50 pgs.), Exhibit L-2 (57 pgs.), Exhibit M1 (45 pgs.), Exhibit M-2 (54 pgs.), Exhibit N-1 (35 pgs.), Exhibit N-2 (51 pgs.), Exhibit 0-1 (51 pgs.), Exhibit 0-2 (36 pgs.), Exhibit P-1 (40 pgs.), Exhibit P-2 (39 pgs.), Exhibit Q-1 (36 pgs.),

Exhibit Q-2 (42 pgs.), Exhibit R-1 (40 pgs.), Exhibit R-2 (43 pgs.), Exhibit S-1 (44 pgs.), Exhibit S-2 (41 pgs.).
 Celco Partnership's Proposed Terms for Construction, NDCA, Case 3:10-cv-04755-JSW, filed May 13, 2011, pp. 1-4.
 Celco Partnership's Preliminary Claim Constructions, NDCA, Case 3:10-cv-04755-JSW, filed Jun. 3, 2011, pp. 1-9.
 Amended Final Joint Claim Construction Statement, NDCA, Case 3:10-cv-04755-JSW, filed Sep. 13, 2011, pp. 1-34.
 Defendant AT&T Mobility, LLC's and Spring Spectrum and Nextel Operations' Proposed Terms and Claim Elements for Construction, NDCA, Case 3:10-cv-04755-JSW, filed May 13, 2011, pp. 1-4.
 Defendant AT&T Mobility, LLC's and Sprint Spectrum and Nextel Operations' Exchange of Preliminary Claim Constructions and Extrinsic Evidence, NDCA, Case 3:10-cv-04755, filed Jun. 3, 2011, pp. 1-15.
 Defendant AT&T Mobility LLC's, Sprint Spectrum LP's and Nextel Operations' Responsive Claim Construction Brief, NDCA, Case 3:10-cv-04755-JSW, filed Sep. 2, 2011, pp. 1-210, including Exhibit 1 (13 pgs.), Exhibit 2 (15 pgs.), Exhibit 3 (16 pgs.), Exhibit 4 (14 pgs.), Exhibit 5 (13 pgs.), Exhibit 6 (15 pgs.), Exhibit 7 (12 pgs.), Exhibit 8 (5 pgs.), Exhibit 9 (9 pgs.), Exhibit 10 (2 pgs.), Exhibit 11 (12 pgs.), Exhibit 12 (13 pgs.), Exhibit 13 (12 pgs.), Exhibit 14 (3 pgs.), Exhibit 15 (3 pgs.), Exhibit 16 (4 pgs.).
 Defendants' Objections to IpVenture's Claim Construction Reply Brief Evidence, NDCA, Case 3:10-cv-04755-JSW, filed Sep. 20, 2011, pp. 1-22.
 Plaintiff IpVenture, Inc.'s Reply Claim Construction Brief, NDCA, Case 3:10-cv-04755-JSW, filed Sep. 13, 2011, pp. 1-36.
 Plaintiff IpVenture, Inc.'s First Amended Responses to Defendant AT&T Mobility LLC's Second Set of Interrogatories to Plaintiff (No. 7), NDCA, Case 3:10-cv-04755 JSW, filed Aug. 29, 2011, pp. 1-8.
 Plaintiff IpVenture, Inc.'s Answers to Defendant AT&T Mobility LLC's Third Set of Interrogatories to Plaintiff (No. 10), NDCA, Case 3:10-cv-04755 JSW, filed Aug. 12, 2011, pp. 1-15.
 Plaintiff IpVenture, Inc.'s Answers to Defendant AT&T Mobility, LLC's Second Set of Interrogatories (Nos. 7-9), NDCA, Case 3:10-cv-04755 JSW, filed Jun. 7, 2011, pp. 1-10.
 Plaintiff IpVenture, Inc.'s Responses to Defendant Celco Partnership's First Set of Interrogatories (Nos. 1-14), NDCA, Case 3:10-cv-04755 JSW, filed Apr. 18, 2011, pp. 1-49.
 Plaintiff IpVenture, Inc.'s Opening Claim Construction Brief, NDCA, Case No. C 10-04755 JSW, filed Aug. 12, 2011, pp. 1-24.
 Docket Listing, NDCA, Case 3:10-cv-04755-JSW, printed Jan. 6, 2012, pp. 1-12.
 "352C22 Miniature Low Profile ICP Accelerometer," Precision Accelerometers, PCB Piezoelectronics Products—SVS Division, webpages, pp. 1-2 (downloaded Apr. 11, 2002: www.pcb.com/products/svs/svs352c22.html).
 "3G Mobile Internet Revolution, . . . only with Location Based Services!" pp. 1, (downloaded Aug. 10, 2002: <http://webhome.idirect.com/~dental/3glocator/home.htm>).
 "Airline Cargo Containers," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: www.rji.cc/casestudies/airlinecargocounters.html).
 "Airline Food Carts," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: www.rji.cc/casestudies/airlinefoodcarts.html).
 "An Introduction to SnapTrack Server-Aided GPS Technology," SnapTrack Inc., Apr. 3, 2007.
 Archived page entitled "Money-Back Guarantee Policy" from fedex.com, archived by the Internet Archive on Aug. 17, 2000.
 "Audiovox Intros GPS, Bluetooth Phone," INT Media Group, Inc. (allNetDevices), Apr. 5, 2002. (downloaded: www.allnetdevices.com/wireless/news/2001/1/15/audiovox_intros.html).
 "Carrier and end-user applications for wireless location systems," TruePosition, Inc., http://www.trueposition.com/spie_app.htm, downloaded, Jul. 30, 2000, pp. 1-7.
 Capozza, P.T., et al. "A single-chip narrow-band frequency domain excisor for a Global Positioning System (GPS) receiver," IEEE Journal of Solid-State Circuits, vol. 35, Issue 3, Mar. 2000, pp. 401-411.

(56)

References Cited

OTHER PUBLICATIONS

- "Danger—Products" and "Hiptop Communicator Brochure," Danger, Inc., downloaded Oct. 26, 2002: www.danger.com/products.php.
- "Developing a GPSs for the Global Supply Chain," Aberdeen Group, Inc., Executive White Paper, Jun. 2002.
- "Devices for Text Messages in Deutsche Telekom's fixed network have already found their way into many households," Deutsche Telekom AG, Press Release, Mar. 13, 2002, pp. 1-2.
- "Digital/Analog Compass Sensors" and "1655 Digital Compass Sensor," webpages, The Robson Company, Inc., pp. 1-2 (downloaded Apr. 11, 2002: www.dinsmoresensors.com/index.html).
- "EarthTrack™ Vehicle Tracking Systems," Outfitter Satellite, Inc., 1998 (downloaded Jan. 22, 2000).
- "Enhanced Tracking," United Parcel Service of America, Inc. (UPS), webpages, pp. 1-2 (downloaded Jun. 1, 2002: www.ups.com/myupsinfo/info/etrack?pnav=stdservice).
- "Fleet Management Systems—Asset Tracking Devices," Axiom Navigation Inc., 2000-2001 (downloaded Oct. 19, 2002: www.axiomnav.com/Prod_Systems/prod_system.asp).
- "Frozen Food Warehouse," Case Study, RJI Incorporated, webpages, pp. 1-3 (downloaded Mar. 16, 2002: www.rji.cc/casestudies/frozenfoodwarehouse.html).
- "FunMail Launches on the NTT DoCoMo i-mode network," FunMail, Press Release, May 1, 2001, pp. 1-2.
- "Global Cell Phone Location," Axiom Navigation Inc., 2000-2001 (downloaded Oct. 19, 2002: www.axiomnav.com/Prod_Global/prod_global.asp).
- "Global Locating Services," SkyBitz, webpage, p. 1, (downloaded Nov. 15, 2002: www.skybitz.com/services/gls.html).
- "GLS Communicator," SkyBitz, webpages, pp. 1-2, (downloaded Nov. 15, 2002: www.skybitz.com/gls/communicator.html).
- "Guide to Tracking Info.," Nippon Express, website page, p. 1 (downloaded Jun. 9, 2002: www.nittsu.co.jp/edoc/howtoe.htm).
- "Introduction to SMS," by C. Tull of Anywhere YouGo.com, pp. 1-4 (downloaded: www.devx.com/wireless/articles/SMS/SMSintro.asp), Aug. 10, 2002.
- "IO Data Develops GPS Adapter for I-Mode Mobile," AsiaBizTech, Sep. 17, 2002, pp. 1-2.
- "Locate Networks: Our Service," Locate Networks, webpages, pp. 1-7 (downloaded Sep. 26, 2002: www.locatenetworks.com).
- "MMS phones: Don't believe the hype," CNN.com/SCI-TECH, Aug. 8, 2002, pp. 1-3.
- "Mobile Location Based Services: Cell Tracking Devices of People & Things . . .," pp. 1-2, (downloaded Aug. 10, 2002: <http://3glocate.com>).
- "MoniTrack," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: www.rji.cc/technology/telematic.html).
- "My UPS.com Benefits," United Parcel Service of America, Inc. (UPS), webpage, p. 1 (downloaded Apr. 13, 2002: www.ups.com/myupsinfo/info/benefits?pnav=stdservice).
- "NavMate® Navigation System," Visteon Corporation, webpage, pp. 1-2 (downloaded Jun. 21, 2002: www.visteon.com/technology/automotive/navmate.html).
- "News," SkyBitz, webpages, pp. 1-8, (downloaded Nov. 15, 2002: www.skybitz.com/about/news.html).
- "Pakhound: Your Watchdog in the Shipping Industry," website pages, pp. 1-3 (downloaded Jun. 9, 2002: www.pakhound.com/fact.asp).
- "Parkwatch and Wherenet Unveil the First Amusement Visitor Locating system," ParkWatch, Press Release, Jun. 27, 2000.
- "pulver.com's Location Based Services Report," pulver.com, Inc., Oct. 2001, pp. 1-17 (downloaded Jun. 4, 2002: www.pulver.com/lbsreport/lastbsreport.02/oct01.txt).
- "Radio Frequency Identification (RFID)," Case Study, RJI Incorporated, webpage, p. 1 (downloaded Mar. 16, 2002: www.rji.cc/technology/rfid.html).
- "Real Time Location System (RTLS)," Case Study, RJI Incorporated, webpage, p. 1 (downloaded Mar. 16, 2002: www.rji.cc/technology/rtls.html).
- "Real-Time Warehouse Tracking," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: www.rji.cc/casestudies/rtwarehousetracking.html).
- "Savi Reusable Transport Container," Savi Technology, Inc., Apr. 30, 2002, pp. 1-2.
- "Send images to i-mode phones," Mobile Media Japan, 2001, pp. 1-3.
- "Ski Rental with Auto ID and Tracking," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: www.rji.cc/casestudies/skirentalcompany.html).
- "SnapTrack and SignalSoft Corp. Team Up to Trial Location-based Information Service for GSM Test Group," Press Release, SnapTrack Inc., Dec. 6, 1999.
- "SnapTrack Awarded Additional Key Patents for Enhanced GPS System," Press Release, SnapTrack Inc., Jan. 4, 2000.
- "Start-up crams single chip with phone, GPS and Bluetooth," CNET Network, Inc. (ZDNET), Mar. 22, 2002 (downloaded: <http://news.zdnet.co.uk/story/0,t284-x2107163,00.html>).
- "Status Icons/Messages," Yahoo! Messenger Help, Yahoo! Inc., 2002, pp. 1-2.
- "Technical Applications of Our Current Technology," Aetherwire, webpages, pp. 1-4 (downloaded Mar. 16, 2002: www.aetherwire.com/CDROM/General/appl1.html).
- "The Always on Network," Position Paper, Nortel Networks, 2002.
- "Theme Park Visitors & Cashless Purchasing," Case Study, RJI Incorporated, webpages, pp. 1-2 (downloaded Mar. 16, 2002: www.rji.cc/casestudies/themepark.html).
- "Track Shipments—Detailed Results," FedEx, webpages, pp. 1-2 (downloaded Oct. 29, 2002: www.fedex.com).
- "Track Your FedEx Shipments via Email," FedEx, webpages, pp. 1-2 (downloaded Oct. 29, 2002: www.fedex.com).
- "Tracking Helpful Tips," United Parcel Service of America, Inc. (UPS), webpages, pp. 1-2 (downloaded Jun. 1, 2002: www.ups.com/tracking/nm_help.html).
- "Trimble and Rosum Team to Develop Universal Positioning Technology," Trimble Navigation, Inc., News Release, Feb. 27, 2003.
- "Turning Position Into Knowledge," SkyBitz, webpage, p. 1, (downloaded Nov. 15, 2002: www.skybitz.com).
- "UPS Package Tracking," United Parcel Service of America, Inc. (UPS), webpages, pp. 1-2 (downloaded Apr. 13, 2002: www.ups.com/tracking/tracking.html).
- "UPS Wireless Solutions," United Parcel Service of America, Inc. (UPS), webpage, p. 1 (downloaded Apr. 13, 2002: www.ups.com/myupsinfo/info/wireless?pnav=stdservice).
- "Welcome to Iship, Inc.," iShip, Inc., webpages, pp. 1-2, (downloaded Jun. 9, 2002: www.iship.com).
- "Welcome to Traker Systems," Tracker Systems, webpages, pp. 1-2 (downloaded Jun. 9, 2002: www.trakersystems.com).
- "What are Instant Messages?" Yahoo! Messenger Help, Yahoo! Inc., 2002, pp. 1.
- "What is '3G' technology?" CNN.com/SCI-TECH, Oct. 22, 2001, pp. 1-3.
- "What is a Friend List?" Yahoo! Messenger Help, Yahoo! Inc., 2002, pp. 1.
- "Wherify Wireless and SiRF Team to Deliver Child Locator System," Wherify Wireless, Inc., Press Release, Mar. 19, 2001, pp. 1-2.
- "Wherify Wireless Breakthrough in Location-Based Services," Mobilemag.com, Feb. 28, 2001, p. 1.
- "Wherify Wireless GPS Locator for Kids User Guide," Wherify Wireless, Inc., 2003, pp. 1-106.
- "Wherify Wireless Location Services," Wherify Wireless, Inc., webpages, pp. 1-5 (downloaded: Mar. 25, 2003: www.wherifywireless.com/prod_watches.htm).
- "X-GPS™—Hybrid GPS Location Server Solution," Axiom Navigation Inc., 2000-2001 (downloaded Oct. 19, 2002: www.axiomnav.com/Prod_Global/x-gps.asp).
- "Yahoo! Messenger—Sending Messages to a Mobile Phone," Yahoo! Messenger, Yahoo! Inc., 2002, pp. 1-7 (downloaded Oct. 27, 2002: [http://messenger.yahoo.com/messenger/wireless/pc2sms/tour1.html\(through/tour7.html\)](http://messenger.yahoo.com/messenger/wireless/pc2sms/tour1.html(through/tour7.html))).

(56)

References Cited

OTHER PUBLICATIONS

- "Yahoo! Messenger for Text Messaging," Yahoo! Messenger, Yahoo! Inc., 2002, pp. 1-10 (downloaded Oct. 27, 2002: <http://messenger.yahoo.com/messenger/wireless/smsmsgtour1.html> (through /tour7.html)).
- "Yahoo! Messenger for WAP," Yahoo Messenger, Yahoo! Inc., 2002 (tours 1-9), pp. 1-17 (downloaded Oct. 27, 2002: [www.messenger.yahoo.com/messenger/wireless/wap/tour1.html](http://messenger.yahoo.com/messenger/wireless/wap/tour1.html) (through /tour9.html)).
- Accelerometers—General Purpose, LP Series, Crossbow Technology, Inc., data sheet, pp. 1-3 (downloaded Apr. 11, 2002: www.xbow.com/Products/Accelerometers.htm).
- Bickers, "Eyes in the sky," SafeTzone Technology Corporation, webpages, 2001, pp. 1-3 (downloaded: www.safetzone.com/newsKiosk.asp).
- Chertkoff, Rachel, "Vehicle Locator Systems," Pager Technology, pp. 1-2, 1998.
- Commercial Uses for LoJack (webpage), LoJack Corporation, downloaded Jan. 22, 2000.
- Crossbow Product Guide—Accelerometers, Crossbow Technology, Inc., webpages, pp. 1-3 (downloaded Apr. 11, 2002: www.xbow.com/Products/Accelerometers.htm).
- Culler, D. et al., "MICA: The Commercialization of Microsensor Motes," Sensors (Apr. 1, 2002), pp. 1-5.
- Darabi et al., "A 2.4-GHz CMOS Transceiver for Bluetooth," IEEE Journal of Solid-State Circuits, vol. 36, No. 12 (Dec. 2001), pp. 2016-2024.
- Delphi and MobileAria Demonstrate True Hands Free In-Vehicle Mobile Productivity Services at CES, Press Release, Delphi Automotive Systems, Jan. 8, 2002 (downloaded Apr. 5, 2002: www.delphiauto.com/news/pressRelease/pr6828-01082002).
- F. Rivera, "Special Report: Keeping Tabs on Your Teen," 7 News, Boston, Apr. 30, 2002, pp. 1-3.
- FedEx Insight, FedEx, webpages, pp. 1-11 (downloaded Oct. 29, 2002: www.fedex.com).
- Fraden, J., Handbook of Modern Sensors: Physics, Designs and Applications, Second Edition, Springer-Verlag (1996), cover, pp. 310-354, 384-431, 458-493, and 513-528.
- GPS2000, Omega Research and Development, Inc., webpages, pp. 1-9 (pp. 7-9 pertain to an online tour) (downloaded Jul. 14, 2003: www.gps2000online.com/).
- Grimes, et al., "Wireless Magnetoelastic Resonance Sensors: A Critical Review," Sensors, vol. 2 (Jul. 23, 2002), pp. 294-313.
- Helfenstein et al. Circuits and Systems for Wireless Communications, Kluwer Academic Publishers (2000), cover pages, pp. 3-7, 9-34, and 37-47.
- Hill et al. "System Architecture Directions for Networked Sensors," ACM/ASPLOS-IX (Nov. 2000), 12 pages.
- IMVironment, Yahoo! Messenger Yahoo! Inc., 2002, pp. 1-12 (downloaded (including) Oct. 27, 2002: <http://help.yahoo.com/help/us/mesg/imv/imv-01.html> (through /index5.html)).
- J.Wrolstad, "Chrysler Claims First With Bluetooth Mobile Phone System," Wireless Newsfactor, Oct. 26, 2001.
- K. Hill, "Prada Uses Smart Tags to Personalize Shopping," CRMDaily.com, Apr. 24, 2002., pp. 1-4.
- Madou, Marc J., Fundamentals of Microfabrication: the Science of Miniaturization, Second Edition, CRC Press (2002) 139 pages.
- K. Miyake, "Sharp to unveil 3G PDA-type cell phone," ITworld.com, Inc., Jan. 11, 2002.
- Kleinknecht, William, "Juvenile authorities want satellite tracking for felons," The Star-Ledger of New Jersey, Nov. 18, 1997.
- LoadTrak, pp. 1-2 (downloaded Jun. 4, 2002: www.load-trak.com).
- Mainwaring et al., "Wireless Sensor Networks for Habitat Monitoring," ACM (Sep. 28, 2002) pp. 88-97.
- Marek, "The Unstoppable SnapTrack," Wireless Week, Dec. 18, 2000.
- Motorola Consumer Catalog: Pagers (webpage), Motorola, Inc., downloaded Jan. 19, 2000.
- My.Roadway! Roadway Express, Inc., webpages, pp. 1-2, (downloaded Jun. 9, 2002: www.quiktrak.roadway.com/cgi-bin/quiktrak).
- Package, Dictionary.com, <http://dictionary.reference.com/browse/package> (last accessed Nov. 6, 2013), 3 pgs.
- Packtrack™, PackTrack.com, webpages, pp. 1-2 (downloaded Jun. 9, 2002: www.packtrack.com).
- Precision Accelerometers, PCB Piezoelectronics Products—SVS Division, webpages, pp. 1-2 (downloaded Apr. 11, 2002: www.pcb.com/products/svs/index.html).
- Rabinowitz and Spilker, Jr., "A New Positioning System Using Television Synchronization Signals," Rosum Corporation, pp. 1-11 (downloaded May 21, 2003).
- Rabinowitz and Spilker, Jr., "Positioning Using the ATSC Digital Television Signal," Rosum Corporation Whitepaper, Rosum Corporation (downloaded May 21, 2003).
- Razavi, Behzad, RF Microelectronics, Prentice Hall (1998), cover pages, pp. 1-10, and 118-297.
- Real Time Locating System, Executive Summary, Technology Systems International, Inc., 2007.
- Rofougaran et al. "A Single-Chip 900-MHz Spread-Spectrum Wireless Transceiver in 1- μ m CMOS-Part II: Receiver Design," IEEE Journal of Solid-State Circuits, vol. 33, No. 4 (Apr. 1998), pp. 535-547.
- Ryan, "Catching up with Dick Tracy," San Francisco Chronicle, news article, Mar. 18, 2002.
- SandPiper GPS Receiver, Specification sheet by Axiom Navigation Inc. (www.axiomnav.com) 2006.
- Senturia, Stephen D., Microsystem Design, Kluwer Academic Publishers (2001), cover pages, and pp. 3-14.
- SiRF Debuts Revolutionary Architecture and Technologies to Further Drive GPS into the Mainstream, SiRF.com, Aug. 16, 1999 (archived Dec. 22, 1999), http://web.archive.org/web/19991222194810/http://www.sirf.com/as_prss2_3.htm, 4 pgs.
- Smart Antenna, Specification sheet by Axiom Navigation Inc. (www.axiomnav.com) 2008.
- SnapTrack—Privacy Protection (webpage), SnapTrack Inc., downloaded Jan. 19, 2000.
- SnapTrack—Technology at Work (webpage), SnapTrack Inc., downloaded Jan. 19, 2000.
- SnapTrack in Action (webpage), SnapTrack Inc., downloaded Jan. 19, 2000.
- Steyaert et al., "A 2-V CMOS Cellular Transceiver Front-End," IEEE Journal of Solid-State Circuits, vol. 35, No. 12, Dec. 2000, pp. 1895-1907.
- Stilp, Louis A., "Examining the Coming Revolution in Location Services," pp. 1-11.
- Strom, Stephanie. "A Wild Sleigh Ride at Federal Express," The New York Times, Dec. 20, 1994.
- Swift A2 GPS Receiver, Specification sheet by Axiom Navigation Inc. (www.axiomnav.com) 2010.
- Swift B2 GPS Receiver, Specification sheet by Axiom Navigation Inc. (www.axiomnav.com) 2010.
- TruePosition Virtual Brochure (webpage), TruePosition, Inc.
- Wong, "Fishers, golfers join the rush to GPS," San Jose Mercury News, news article, Mar. 25, 2002.
- Appenzeller, et al., "The Mobile People Architecture", Technical Report: CSL-TR-00000, Computer Systems Laboratory, Departments of Electrical Engineering and Computer Science, Stanford University, Jan. 1999, pp. 1-13.
- Calsyn, Martin and Desseault, Lisa, "Presence Information Protocol Requirements," Internet Draft, Feb. 9, 1998, pp. 1-27.
- J. Rosenberg, H. Schulzrinne, Internet Draft, "SIP for Presence," <http://www.alternic.org/drafts/drafts-r-s/draft-rosenberg=sip-pip-00.txt>, Nov. 13, 1998, Bell Laboratories, Columbia, pp. 1-31.
- Advisory Action for U.S. Appl. No. 14/493,550, dated Dec. 27, 2016.
- Office Action for U.S. Appl. No. 14/493,550, dated Apr. 20, 2017.
- Danger Product Overview, Danger, Inc., date unknown, 5 pgs.
- PCVtrak™ Installation and Operator's Manual, Trimble Navigation, 24623-00 Rev. A, May 1994, pp. 1-259.
- "Advanced Traveler Aid Systems for Public Transportation," Final Report, Federal Transit Administration, Sep. 1994, pp. 1-131.
- Campbell, Laurel, "SECURITY—Military satellite enlisted to thwart car crime," The Commercial Appeal, Sep. 26, 1996, p. 5B.

(56)

References Cited

OTHER PUBLICATIONS

- Law, Alex, "Week in Wheels/ . . . From a Driver's Notebook," *Newsday, Inc.*, Sep. 20, 1996, pp. C03.
- Cortez, Angela, "Springs police can track thief, vehicles," *The Denver Post*, Sep. 10, 1996, pp. B-01.
- "OnGuard Tracker Nabs Auto Burglar," *Global Positioning & Navigation News*, vol. 6, No. 16, Aug. 8, 1996.
- "OnGuard Tracker Nabs Auto Burglar," Section: Financial News, *PR Newswire*, Jul. 29, 1996.
- Nauman, Matt, "Pressing the Panic Button: Car Security Enters a New Age with Cellular Phones and Satellites that Watch Over You," *San Jose Mercury News*, Jun. 21, 1996, pp. 1G.
- "Monday Briefing" *San Antonio Express—News*, p. 1, Part B, Jun. 10, 1996.
- "OnGuard Tracker Makes Debut on 'One Lap of America'," *PR Newswire*, Jun. 7, 1996.
- "OnGuard Tracker Makes Debut on 'One Lap of America'," *Southwest Newswire*, Jun. 7, 1996.
- Dominguez, Raul, "Women get their day in sun—American Golf planning events nationwide May 18," *San Antonio Express—News*, Apr. 18, 1996, pp. 2, part B.
- "Vehicle Navigation Units Being Measured in Luxury Autos," *Global Positioning & Navigation News*, vol. 6, No. 7, Apr. 4, 1996.
- "Advanced Business Sciences, Inc. Announces Completion of Acquisition of Comguard of Illinois," *Business Wire*, Aug. 26, 1998.
- "Advanced Business Sciences, Inc. Announces Filing With Securities and Exchange Commission," *Business Wire*, Jun. 25, 1999.
- "Advanced Business Sciences, Inc. Announces Preliminary Fourth Quarter 1998 Revenue Results," *Business Wire*, Feb. 4, 1999.
- "Business People Burnsy's Grill Names Two," *Omaha World-Herald*, Section Business, p. 4M, Oct. 20, 1996.
- "Company Sees Prisoner Tracking and Monitoring Market Niche," *Global Positioning & Navigation News*, vol. 6, No. 10, May 16, 1996.
- GPS-Based Personal Monitoring Systems Offered to Corrections, Private Market, *Global Positioning & Navigation News*, vol. 8, No. 11, Jun. 3, 1998.
- GPS tracks parolees, probationers, *Corrections Professional*, vol. 5, No. 6, Nov. 19, 1999.
- High-Tech System Tracks Offenders—Satellites Watching Criminals, *Business Wire*, Nov. 14, 1997.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 4, Feb. 24, 1999.
- Dunkelberger, Lloyd, "Lawmakers question criminal-tracking system," *Sarasota Herald-Tribune (Florida)*, pp. 16A, Nov. 28, 1999.
- Powell, Barbara, "New gadgets help drivers find their way," *Fort Worth Star-Telegram (Texas)*, p. 1, Jan. 20, 1997.
- "New Service Lets Corrections Agencies Track Offenders by Satellite," *PR Newswire*, Jan. 11, 1999.
- "New Service Lets Corrections Agencies Track Offenders by Satellite; SecurityLink Offers 'GPS' Tracking for Offenders on Electronic Monitoring—Sandusky Municipal Court Adopts Technology for Local Offenders," *PR Newswire*, Jan. 12, 1999.
- "New Service Lets Corrections Agencies Track Offenders by Satellite; SecurityLink Offers 'GPS' Tracking for Offenders on Electronic Monitoring," *PR Newswire*, Section: Financial News, Jan. 11, 1999.
- "New Service Lets Corrections Agencies Track Offenders by Satellite," *Satellite Today*, vol. 2, No. 8, Jan. 13, 1999.
- "Prisoner Security Monitoring Company Grabs Contracts for GPS-Based System," *Global Positioning & Navigation News*, vol. 7, No. 1, Jan. 15, 1997.
- Atwater, Andi, "Proposal seeking 24-hour tracking of all sex offenders," *The News-Press (Fort Meyers, FL)*, pp. 1A, Feb. 20, 2000.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 3, Feb. 10, 1999.
- Brauer, David, "Satellite 'Big Brother' Tracks Ex-Inmates; Agencies Experiment with GPS to Monitor Parolee Whereabouts," *Chicago Tribune*, Section: News, p. 31, Dec. 18, 1998.
- "Satellite Spotlight; Eye in the Sky to Monitor Parolees," *Satellite News*, vol. 21, No. 15, Apr. 13, 1998.
- "Satellite Spotlight: Fighting Crime From Space," *Satellite News*, vol. 19, No. 20, May 13, 1996.
- Prohaska, Thomas J, "Satellite Will Keep Tabs on Convicts," *Buffalo News (New York)*, Section: Local, p. 5B, Sep. 20, 1999.
- "Sierra Wireless and Pro Tech Team Up on Monitoring Product," *Global Positioning & Navigation News*, vol. 8, No. 8, Apr. 22, 1998.
- Anderson, Larry, "Technology rules at Securing New Ground," *Access Control & Security Systems Integration*, Section: Industry Outlook; ISSN 1084-6425, Dec. 1999.
- Trimble Navigation Warns 2nd-Quarter Earnings to Miss Target, *Dow Jones Business News*, Jul. 10, 1998.
- "Trimble Navigation's Net Income Skidded 93% Amid Order Delays," *Dow Jones Business News*, Jul. 23, 1998.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 2, Jan. 27, 1999.
- Briefs, *Global Positioning & Navigation News*, vol. 9, No. 14, Jul. 14, 1999.
- Dailey et al. "Automatic Transit Location System," *Final Research Report*, 55 pgs., Feb. 1996.
- Maguire, Jr. et al. "SmartBadges: a wearable computer and communication system," *codes/CASHE '98*, 47 pgs., 1998.
- Koshima et al. "Personal locator services emerge," *IEEE Spectrum*, Feb. 2000, pp. 41-48.
- Zygowicz et al. "State of the Art in Automatic Vehicle Location Systems," *Center for Urban Transportation Studies, University of Wisconsin, Milwaukee*, Feb. 1998.
- Ashworth, Jon. "Big brother is watching you," *The Times (London)*, Section: Features, May 7, 1999.
- "Car Thieves Take the 'Bait' in Michigan; Two Suspects Reeled in With OnGuard," *Business Wire*, Sep. 11, 1997.
- Sauer, Matthew, "Company Finds Niche by Giving Directions . . ." *Sarasota Herald-Tribune (Florida)*, Section: Business Weekly, p. 1, Jul. 7, 1997.
- "ATX Technologies Signs Nationwide Service Deal with AT&T," *Global Positioning & Navigation News*, vol. 7, No. 9, May 7, 1997.
- "Car Thieves Take the 'Bait' in Tulsa; Two Suspects Caught Off Guard with OnGuard Once Again," *PR Newswire*, Section: Financial News, Jan. 8, 1997.
- "Car Thieves Take the 'Bait' in Tulsa; Two Suspects Caught Off Guard with on Guard," *PR Newswire*, Section: Financial News, Dec. 9, 1996.
- Jackson, Terry, "Smart Cars Whether by Satellite or the Internet, High-Tech Devices and Services May Make Crumpled Road Maps a Thing of the Past," *The Miami Herald*, Section: Travel, p. 1J, Oct. 6, 1996.
- "San Antonio Personal Security Company Links Up with Senior PGA Golfer," *PR Newswire*, Section: Financial News, Apr. 1, 1996.
- "San Antonio Personal Security Company Links Up with Senior PGA Golfer," *Southwest Newswire*, Apr. 1, 1996.
- Business Briefs, *San Antonio Express—News*, Mar. 25, 1996.
- "ATX Research Signs Exclusive Sales Agreement with Arizona Company," *PR Newswire*, Mar. 21, 1996.
- "ATX Research Signs Exclusive Sales Agreement with Arizona Company," *Southwest Newswire*, Mar. 21, 1996.
- "Automotive GPS Satellite/Safety System Race Is on," *Southwest Newswire*, Feb. 20, 1996.
- "Dealerships Can Track Down New Aftermarket Revenues," *PR Newswire*, Feb. 9, 1996.
- "ATX Research Unveils New Stealthtrac Capability," *PR Newswire*, Feb. 9, 1996.
- "Dealerships Can Track Down New Aftermarket Revenues," *Southwest Newswire*, Feb. 9, 1996.
- Briefs, *Global Positioning & Navigation News Wire*, vol. 6, No. 2, Jan. 24, 1996.
- "ATX Research Provides Police Departments With OnGuard Personal Security and Vehicle Tracking System," *PR Newswire*, Jan. 15, 1996.
- "ATX Research Provides Police Departments With OnGuard Personal Security and Vehicle Tracking System," *Southwest Newswire*, Jan. 15, 1996.

(56)

References Cited

OTHER PUBLICATIONS

"ATX Research Relocates to New Corporate Headquarters," PR Newswire, Dec. 12, 1995.

"ATX Research Relocates to New Corporate Headquarters," Southwest Newswire, Dec. 12, 1995.

"Texas invention tracks stolen cars, lets driver call for help," The Vancouver Sun, Oct. 20, 1995.

"San Antonio Company Unveils Satellite/Cellular Personal Security System," PR Newswire, Oct. 3, 1995.

"San Antonio Company Unveils Satellite/Cellular Personal Security System," Southwest Newswire, Oct. 3, 1995.

Office Action for U.S. Appl. No. 14/493,550, dated Sep. 29, 2017.
Advisory Action for U.S. Appl. No. 14/493,550, dated Jan. 24, 2018.

Office Action for U.S. Appl. No. 14/493,550, dated Jul. 17, 2018.

Office Action for U.S. Appl. No. 14/493,550, dated Apr. 8, 2019.

Bahl et al. "Radar: An In-Building RF-based User Location and Tracking System," *Proc. of the IEEE Conf. on Comp. Comm., INFOCOM2000, 19th Annual Joint Conf. Of the IEEE Computer and Communications Societies*, Mar. 2000, 10 pgs.

Heinrichs et al. "Synergies in Handset Architecture," *GPS World*, Mar. 2002, vol. 13, Issue 3, pp. 30-39.

Hightower et al. "Location Systems for Ubiquitous Computing," *Computer*, Aug. 2001, vol. 34, Issue 8, p. 57-66.

LaMance et al. "Assisted GPS," *GPS World*, Mar. 2002, vol. 13, Issue 3, pp. 46-51.

Palenchar, J. "E911 Update: What Major Carriers Have Planned," *TWICE: This Week in Consumer Electronics*, Oct. 8, 2001, vol. 16, Issue 23, p. 36.

Syrjarinne, J. "Keeping Time with Mobiles," *GPS World*, Jan. 2001, vol. 12, Issue 1, p. 22, 7pgs.

Van Diggelen et al. "Indoor GPS," *GPS World*, Sep. 2001, vol. 12, Issue 9, p. 50. 5pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

500

MD	USER	SUPERVISOR	PASSWORD	LOGGED_IN
1	John	Barb	1234	1
2	Jane	Bill	5678	0

FIG. 5A

550

MD	CURRENT LOCATION	PREVIOUS LOCATION
1	XXX	YYY
2	WWW	ZZZ

FIG. 5B




FIG. 6




FIG. 7A




FIG. 7B

AUTHORIZED LOCATION MONITORING AND NOTIFICATIONS THEREFOR

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a divisional of U.S. patent application Ser. No. 14/493,550, filed Sep. 23, 2014, and entitled "METHOD AND SYSTEM FOR AUTHORIZED LOCATION MONITORING", which is hereby incorporated by reference herein, which in turn is a continuation application of U.S. patent application Ser. No. 13/831,493, filed Mar. 14, 2013, and entitled "METHOD AND SYSTEM FOR AUTHORIZED LOCATION MONITORING", now U.S. Pat. No. 8,868,103, which is hereby incorporated by reference herein, which in turn is a continuation application of U.S. patent application Ser. No. 12/150,203, filed Apr. 26, 2008, and entitled "METHOD AND SYSTEM FOR AUTHORIZING LOCATION MONITORING", now U.S. Pat. No. 8,700,050, which is hereby incorporated by reference herein, which in turn is a divisional application of U.S. patent application Ser. No. 09/797,517, filed Feb. 28, 2001, and entitled "METHOD AND SYSTEM FOR LOCATION TRACKING", now U.S. Pat. No. 7,366,522, which is hereby incorporated by reference herein, and which application claims the benefit of U.S. Provisional Patent Application No. 60/185,480, filed Feb. 28, 2000, and entitled "METHOD AND SYSTEM FOR LOCATION TRACKING", which is hereby incorporated by reference herein.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to computing or communication devices and, more particularly, to location tracking of computing or communication devices.

2. Description of the Related Art

Today, various types of or computing devices having communication capabilities (e.g., wireless communication devices) are available. Examples of computing devices having communication capabilities include pagers, mobile phones, personal digital assistants (PDAs), palm-top computers, and electronic schedulers.

Recently, computing devices have been able to detect their location through Global Positioning Satellites (GPS) or with the assistance of a network (e.g., cellular network). As an example, U.S. Pat. No. 5,959,557 describes a system in which a GPS receiver is used to measure a position of a mobile unit (i.e., vehicle), and reports the position on a map. However, such conventional approaches do not allow for control and general utilization of the position information.

Thus, there is a need for ways to utilize position information of mobile computing devices.

SUMMARY

Broadly speaking, the invention relates to techniques for location tracking, location utilization, and dissemination and management of location information.

Techniques for location tracking, location utilization, and dissemination and management of location information are disclosed. As a location monitoring system, one embodiment includes at least a plurality of mobile computing devices supported by a wireless network, and a computing device coupled to a wired network (e.g., the Internet) that couples to the wireless network. Each of the mobile computing devices is associated with and proximate to an object

whose location is being monitored. The computing device stores the locations of each of the mobile computing devices or the objects proximate thereto, and enables only authorized users to obtain access the locations via the wired network.

The invention can be implemented in numerous ways including, a method, system, device, and a computer readable medium. Several embodiments of the invention are discussed below.

As a method for monitoring position of a plurality of objects, each of the objects being or having a mobile computing device proximate thereto, one embodiment includes at least the acts of: obtaining locations for the mobile computing devices and thus the objects proximate thereto; receiving a request to view the location pertaining to a particular one or more of the objects; and delivering a response to the request, the response including the location pertaining to the particular one or more of the objects.

As a method for monitoring position of a plurality of objects, each of the objects being or having a mobile computing device proximate thereto, one embodiment includes at least the acts of: obtaining locations for the mobile computing devices and thus the objects proximate thereto; comparing the locations against at least one predetermined location criteria; and sending an electronic notification to a predetermined destination based on the comparing.

Other aspects and advantages of the invention will become apparent from the following detailed description taken in conjunction with the accompanying drawings which illustrate, by way of example, the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be readily understood by the following detailed description in conjunction with the accompanying drawings, wherein like reference numerals designate like structural elements, and in which:

FIG. 1 is a block diagram of location monitoring system according to one embodiment of the invention;

FIG. 2 is a flow diagram of client-side location processing according to one embodiment of the invention;

FIG. 3 is a flow diagram of server-side location management processing according to one embodiment of the invention;

FIG. 4 is a flow diagram of server-side location processing according to one embodiment of the invention;

FIG. 5A is a diagram of an exemplary authorization table in a location database;

FIG. 5B is a diagram of an exemplary location table in a location database;

FIG. 6 is a flow diagram of server-side location monitoring processing; and

FIGS. 7A and 7B are flow diagrams of server-side registration processing.

DETAILED DESCRIPTION OF THE INVENTION

The invention pertains to techniques for location tracking, location utilization, and dissemination and management of location information.

Embodiments of this aspect of the invention are discussed below with reference to FIGS. 1-7B. However, those skilled in the art will readily appreciate that the detailed description

given herein with respect to these figures is for explanatory purposes as the invention extends beyond these limited embodiments.

FIG. 1 is a block diagram of location monitoring system 100 according to one embodiment of the invention. A location monitoring server 102 manages location information pertaining to a plurality of mobile units 104. The mobile units are typically attached to objects, such as people, vehicles, or containers. A wireless network 106 enables the mobile units 104 to communicate with the location monitoring server 102. In one embodiment, the wireless network 106 couples to the Internet 108 (or other data network). The location monitoring server 102 also couples to the Internet 108. Location information associated with the mobile units 104 is thus able to be delivered to the location monitoring server 102 through the wireless network 106 and the Internet 108. A location database 110 coupled to the location monitoring server 102 can store the location information for the mobile units 104. The location monitoring server 102 is then able to utilize the location information by accessing the data stored in the location database 110. The location database 110 can reside on the location monitoring server or a separate local or remote computer.

The location monitoring system 100 can also include remote computers 112 and 114 that can couple to the Internet 108 through various means. Once coupled to the Internet 108, the remote computers 112 and 114 can access the location monitoring server 102 to receive location related services or to otherwise make use of the location information.

Each mobile unit can obtain location information on its location and forward the location information to the location monitoring server (web server). The location information can be forwarded to the location monitoring server by a variety of ways. One way is through use of a Short Message Service (SMS) message. The location information can also be obtained by a variety of methods. One method is to provide a Global Positioning Satellite (GPS) device within the mobile units. With GPS, the location information obtained can be distances to a plurality of global positioning satellites or can be a determined location from processing of the distances. When only the distances are provided, then the mobile unit merely sends the distances and need not perform processing to determine the location from the distances (instead a server can do so). Another method is to use location information obtained from a wireless network. With this method, the wireless network can provide location information on some or all of said mobile computing devices to the location monitoring server. In this case, the mobile units need not participate in obtaining the location information. As yet another method, a combination of these or other methods can be used to gather an accurate location for the mobile devices. For example, the location monitoring server could be provided with location information provided from the wireless network as well as location information provided by the mobile units themselves. By using the location information from both sources, more accurate and reliable location determination is able to be performed.

FIG. 2 is a flow diagram of client-side location processing 200 according to one embodiment of the invention. The client-side location processing 200 is performed on a client device, such as the mobile units 104 illustrated in FIG. 1.

The client-side location processing 200 initially powers-up 204 the location detection hardware within the client device. Next, the current location of the mobile communication device (client device) is determined 206. A decision 208 then determines whether the current location (CL) is

greater than the previous location (PL) by more than a delta amount (Δ). When the decision 208 determines that the current location is not greater than the previous location by more than the delta amount, the current location is sent 208 to the location monitoring server. Here, the current location can be sent to the location monitoring server in a variety of different electronic ways. These ways include email, file transfer, etc. Then, the previous location is set 210 equal to the current location. Following the operation 210, as well as directly following the decision 208 when the current location does not exceed the previous location by more than the delta amount, the location detection hardware within the mobile communication devices is powered-down 212. Following the operation 212 the client-side location processing 200 is complete and ends.

According to this embodiment, the client device powers up to send its current location to a location monitoring server and then powers down to conserve power usage. In the embodiment shown in FIG. 2, the current location is sent to the location monitoring server only when it differs from the previous location by more than a predetermined amount. This conserves not only network bandwidth but also power usage at the client device.

Alternatively, the new location could be determined and/or sent only after a sensor internal to the client device (mobile unit) indicates that it has undergone significant movement since the previous location was obtained. A wide variety of sensors can be used. For example, motion sensors are readily available that indicate distances walked or run. Using such a sensor would reduce the frequency with which the new location should be determined and/or transmitted, thus saving network bandwidth and conserving power consumption. Such a motion sensor can be built into the client device, then if minimal motion detected, then no location detection need be triggered (or triggered less frequently). This provides automatic shut down of circuitry within the client device when the client device is not moving, in the evening (e.g., user sleeping), in a meeting, in one's office at work, etc.

As another alternative, invoking of the client-side location processing 200 can be performed periodically in accordance with a predetermined period. The predetermined period for the periodic location determination can vary with time of day and day of week. For example, the location determination can be made more frequently during the day and less frequently in the evening. As a further example, different predetermined period can be assigned for different days of the week.

As still another alternative, the client-side location processing 200 can be invoked only when a thermal sensor provided with the client device indicates that the mobile device is being worn by its user. Here, the thermal sensor could be utilized to effectively turn off the location monitoring or transmission circuitry and thus conserve power when the client device is not being worn by its user.

As yet still another alternative, the location monitoring server or some other server could send a request for location information to a client device and thus invoke the acquisition of the current location on the client device. In this regard, the request for the location information could be sent to the client devices only when such information is being remotely monitored by another. Such techniques would also facilitate conservation of power utilization on the client device as well as network bandwidth.

The determination of the location of the client device can thus be triggered or invoked by the client device itself or a location monitoring server (or other remote server) using

5

any of a variety of ways (used separately or in combination). The location of the client device (mobile device) can be determined by the client device itself (e.g., using GPS), by a wireless network infrastructure, or through a combination of both.

FIG. 3 is a flow diagram of server-side location management processing 300 according to one embodiment of the invention. The server-side location management processing 300 begins with a decision 302 that determines whether a location update message has been received. Here, the location update message is a message being sent to the location monitoring server by a particular one of the mobile units. When the decision 302 determines that a location update message has been received, then server-side location processing is performed 304. The server-side location processing is able to determine the location of the mobile unit (mobile communication device) and store the location into a location database, such as the location database 110 as illustrated in FIG. 1. Additionally, the server-side location processing can notify interested registered viewers. Additional information on the server-side location processing is discussed below with respect to FIG. 4.

On the other hand, when the decision 302 determines that a location update message has not been received, then a decision 306 determines whether a location monitoring request has been received. When the decision 306 determines that a location monitoring request has been received, server-side location monitoring processing is performed 308. As an example, a location monitoring request is received by remote computer, such as one of the computers 112 and 114 illustrated in FIG. 1. The server-side location monitoring processing is able to provide viewers (e.g., registered viewers at the remote computers) with location or position of the one or more mobile units (or associated objects) of interest. The server-side location monitoring processing is further discussed below with respect to FIG. 6.

Alternatively, when the decision 306 determines that a location monitoring request has not been received, then a decision 310 determines whether a registration request has been received. Typically, the registration request would be received at the location monitoring server and would have been sent by one of the remote computers 112 or 114 (or their users). In any case, when the decision determines that a registration request has been received, server-side registration processing is performed 312. The server-side registration processing generally operates to register a user, or the user's computer, for use with the location monitoring system such that location information is able to be accessed and viewed on the viewer's computer. In this regard, various features provide for the mobile users to control who is able to view their location, as well as to send alerts or notifications to authorized registered viewers when certain location-based events occur. Additional details on the server-side registration processing are discussed below with respect to FIGS. 7A and 7B.

Following the operations 304, 308 and 312, the server-side location management processing 300 is complete and ends. However, the server-side location management processing 300 is effectively invoked when an incoming message or request is received at the location monitoring server.

Although not shown in FIG. 3, when a location monitoring request is received from a monitoring party, prior to performing the server-side location monitoring processing, the monitoring party must login with an appropriate user name and/or password. This allows restricted access to the location information. In one embodiment, the users of the

6

mobile units can control whether monitoring parties are given access to their location information by authorizing certain monitoring parties.

FIG. 4 is a flow diagram of server-side location processing 400 according to one embodiment of the invention.

The server-side location processing 400 is, for example, performed by a location monitoring server, such as the location monitoring server 102 illustrated in FIG. 1. The server-side location processing 400 initially receives 402 location information. Typically, the location information is received from a mobile communication device (mobile unit) and/or a carrier network (e.g., wireless network). Next, the location of the mobile communication device is determined 404 based on at least the location information. Here, the location information could itself be sufficient to enable the determination of the location of the mobile communication device. Alternatively, the location information could be combined with other information in order to determine the location of the mobile communication device (or to more accurately determine the location of the mobile communication device). In another embodiment, the location information could actually indicate the location. In any case, once the location of the mobile communication device has been determined 404, the location is stored 406 in a location database. As an example, the location database can be the location database 110 illustrated in FIG. 1.

Next, a decision 408 determines whether a notification is needed. Here, the server-side location processing 400 is able to send notifications to registered viewers as appropriate. The decision 408 determines whether a notification is needed to inform one or more registered viewers about the location information that has just been received and processed. Hence, when the decision 408 determines that a notification is needed, a notification message is prepared 410. Then, the notification message is sent 412 to the one or more appropriate registered viewers. Following the operation 412, as well as directly following the decision 408 when no notifications are needed, the server-side location processing 400 is complete and ends.

As noted above, the server-side location processing 400 includes the decision 408 that determines whether any notification is needed. Here, based on the location of the mobile communication device, various notifications can be initiated. The various notifications can, for example, alert of a predetermined location, alert of an unauthorized region, alert of change in location, etc. The notification can be sent to the monitoring party through an email message (including two-way pager message), an instant response web-based message, through a web page provided at the mobile communication device, telephone message, and the like.

FIG. 5A is a diagram of an exemplary authorization table 500 in a location database. The exemplary authorization table 500 includes a row of information for each mobile device being monitored. Each row contains information on: mobile device identifier, user, supervisor (monitoring party), password, and whether logged in.

FIG. 5B is a diagram of an exemplary location table 550 in a location database. The exemplary location table 550 includes a row of location information for each of the mobile devices being monitored. Each row contains information on: mobile device identifier, current location, and previous location. The location can include much more historical information to keep a log of the locations of the mobile device over an extended period of time (e.g., day, week, month, year).

FIG. 6 is a flow diagram of server-side location monitoring processing 600 according to one embodiment of the

invention. The server-side location monitoring processing **600** begins with a decision **602** that determines whether a requesting viewer (monitoring party) has logged-in. Here, typically a request is received from a requesting viewing that seeks to either to log-in or to receive a location page. Hence, the decision **602** initially determines whether the requesting viewer is logged-in. When the decision **602** determines that the requesting viewer is not yet logged-in, then a log-in page is sent **604** to the requesting viewer. Then, a decision **606** waits for a log-in response. When the decision **606** determines that a log-in response has not yet been received, the server-side location monitoring processing **600** effectively awaits a log-in response (or a suitable time-out). Once the decision **606** determines that a log-in response has been received, then a decision **608** determines whether the log-in is successful. When the decision **608** determines that the log-in is not successful, then the server-side location monitoring processing **600** is complete and ends with the requesting viewer being denied access to the location related information. On the other hand, when the decision **608** determines that the log-in has been successful, as well as directly following the decision **602** when the requesting viewer is already logged-in, the location for the associated mobile communication device (mobile unit) is retrieved **610**. As an example, the location can be retrieved from the location database **110** by the location monitoring server **102** illustrated in FIG. 1. Then, a location page using the retrieved information can be formed **612**. Here, the location page represents the formatting of the location information into a suitable format, such as a document, that can be delivered to the requesting viewer. As an example, the location page can be a marked-up language document such as HTML, XML, HDML, or other markup language. The location page can also be customized for the type of computing device being utilized by the requesting viewer. Then, the location page is sent **614** to the requesting user. Following the operation **614**, the server-side location monitoring processing **600** is complete and ends with the requesting viewer having received the requested location information.

Following successful login by a requesting viewer (monitoring party), the location for the mobile communication device that the requesting viewer has been authorized to receive is able to be retrieved. Then, the location is provided (i.e., sent) to the requesting viewer. In one embodiment, the location is part of a web page that is sent to the requesting viewer.

A server-side registration processing allows a viewer (requesting viewer) to request to view the location of a particular mobile communication device or it associated object. Access is denied if the viewer is not authorized. In one embodiment, the authorization can be controlled by the owner or user of the particular mobile communication device. The server-side registration processing also allows the viewer to set options. The options that can be set are numerous. Examples of the options include notifications or alerts, type of alert or notification (phone, pager, email, etc.), unauthorized or authorized locations, save history or not, labels for different locations (e.g., home, school, work, etc.). By saving the history (i.e., location history), the viewer is able to subsequently examine a history of movement. The history of movement can be presented to the viewer in textual or graphical formats.

FIGS. 7A and 7B are flow diagrams of server-side registration processing **700** according to one embodiment of the invention. The server-side registration processing is, for example, performed by the location monitoring server **102** illustrated in FIG. 1.

The server-side registration processing **700** initially sends **702** a viewer registration form to a user attempting to register with the location monitoring server. As an example, the viewer registration form can be delivered to a computer associated with the user over the Internet and be displayed in a browser application associated with the user's computer. After the viewer registration form has been sent **702** to the viewer, a decision **704** determines whether the registration form has been submitted. Here, the server-side registration processing **700** is awaiting the return of the viewer registration form. When the decision **704** determines that the viewer registration form has not been returned, then the server-side registration processing **700** awaits its submission. On the other hand, when the decision **704** determines that the viewer registration form has been submitted (or times-out), then the mobile communication device to be monitored is identified **706**. The mobile communication device to be monitored can be identified **706** from the information provided in the viewer registration form or from other information obtained from the viewer (e.g., from a separate page or form submitted by the viewer).

Next, a decision **708** determines whether monitoring of the particular mobile communication device has been pre-authorized. When the decision **708** determines that the monitoring for the particular mobile communication device has not been pre-authorized, then a monitoring request message is prepared **710**. The monitoring request message is then sent **712** to the particular mobile communication device identified **706**. At this point, the server-side registration processing **700** is effectively waiting for a reply from the particular mobile communication device or its user as to whether or not the requested monitoring is authorized. When a decision **714** receives a reply to the request for authorization, then a decision **716** determines whether the reply has authorized monitoring. When the decision **716** determines that monitoring has not been authorized (i.e., monitoring has been denied) then a monitoring denied message/page is sent **718** to the viewer. Thereafter, a server-side registration processing **700** is complete and ends.

Following the decision **716** when the monitoring has been authorized, as well as directly following the decision **708** when the monitoring has been pre-authorized, a monitoring authorized message/page is sent **720** to the viewer. The monitoring authorized message/page informs the viewer that the requested monitoring of the particular mobile communication device or its associated object has been approved. Then, registration information for the registered viewer is stored **722**.

Thereafter, whenever a registered user desires to set options with respect to the manner in which they monitor location of mobile communication devices or its associated object, such registered viewers can complete and submit an options form. Hence, a decision **724** determines whether an options form request has been received. When the decision **724** determines that an options form request has not been received, then a decision **726** determines whether the server-side registration processing **700** is complete. When the decision **726** determines that the registration is complete (done), then the server-side registration processing **700** is complete and ends. On the other hand, when the decision **726** determines that the server-side registration processing **700** is not complete, then the server-side registration processing **700** returns to repeat the operations following the operation **722**.

Alternatively, when the decision **724** determines that an options form request has been received, then an options form is sent **728** to the registered viewer. Then, a decision **730**

determines whether the options form has been submitted. When the decision 730 determines that the options form has not yet been submitted, then the server-side registration processing 700 awaits submission of such a form. When a decision 730 determines that the options form has been submitted, then the options information provided by the options form is stored 732 for the registered viewer. Following the operation 732, the server-side registration processing 700 returns to repeat the operations following the operation 722.

It should be noted that the server-side registration processing 700 need not wait for the form submission at operations 704 or 730, or the reply message at operation 714, but can instead utilize a database or other data store to store state information such that the server-side registration processing 700 can proceed efficiently without being blocked or held-up while waiting for feedback from viewers or users of mobile communication devices. Such is well known in the programming fields, particularly with Internet programming.

Still further the invention is suitable for tracking delivery or maintenance personnel or vehicles. When a delivery or service appointment is made, you can receive a code for the truck or person that is going to perform the delivery or service. Then, on the delivery day (days) when the truck or person is to deliver to or service one's home or business, an alert message or notification can be sent to the requestor (e.g., home owner or office manager). As examples, the message or notification is electronic and include a page, email or telephone type messages or notifications. Hence, if the homeowner is impatiently waiting for the delivery, they can access the location of the truck or person that is to perform the delivery or service. Still further, the requestor may also obtain schedule information on the person or vehicle, and thus determine how many other are scheduled before you. The schedule could also be updated by the truck or person (or their business) to reflect an up-to-date version throughout their day. Hence, the requestor is able to obtain additional information over the Internet without having to wait impatiently or having to phone the associated business for information.

The mobile unit (client device, mobile communications device or mobile computing device) is, for example, one of a pager, mobile phone, personal digital assistant, or reduced size portable computing device.

U.S. Pat. No. 5,959,557 is hereby incorporated herein by reference.

The invention can, at least partly, be embodied as computer readable code (computer readable program code) on a computer readable medium. The computer readable medium is any data storage device that can store data which can be thereafter be read by a computer system. Examples of the computer readable medium include read-only memory, random-access memory, CD-ROMs, magnetic tape, and optical data storage devices. The computer readable medium can also be distributed over a network coupled computer systems so that the computer readable code is stored and executed in a distributed fashion.

The advantages of the invention are numerous. Different embodiments or implementations may yield one or more of the following advantages. One advantage of the invention is that location of objects can be tracked via the Internet. Another advantage of the invention is that objects, such as persons, can control the dissemination of their location information. Another advantage of the invention is that alerts or notification can be triggered based on locations of objects. Another advantage of the invention is that mobile

computing devices providing location monitoring capabilities are small (e.g., wearable) and offer low power consumption (e.g., long battery life). Another advantage of the invention is that embodiments can operate without user input or actions.

The many features and advantages of the present invention are apparent from the written description and, thus, it is intended by the appended claims to cover all such features and advantages of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation as illustrated and described. Hence, all suitable modifications and equivalents may be resorted to as falling within the scope of the invention.

The invention claimed is:

1. A location monitoring system for managing location information pertaining to a plurality of mobile computing devices supported by a wireless network, each of the mobile computing devices being associated with and proximate to a corresponding object, said location monitoring system comprising:

a computer configured to access locations of each of the plurality of mobile computing devices, and said computer enabling authorized users to access the locations of the mobile computing devices,

wherein said computer is configured to enable setting a plurality of user-specified predetermined notification locations for each of the plurality of mobile computing devices,

wherein said computer determines whether notification should be sent to an authorized user based on the location of the mobile computing device corresponding to an object and based on at least one of the plurality of user-specified predetermined notification locations for the mobile computing device corresponding to the object,

wherein said computer sends an electronic notification to the authorized user when it has been determined that notification should be sent to the authorized user,

wherein said computer determines whether the location of the mobile computing device corresponding to the object corresponds to at least one of the plurality of user-specified predetermined notification locations for the mobile computing device corresponding to the object, and generates the electronic notification when it is determined that the location of the mobile computing device corresponding to the object corresponds to at least one of the plurality of user-specified predetermined notification locations for the mobile computing device corresponding to the object,

wherein said computer is configured to store a user-specific identifier for each of the plurality of user-specified predetermined notification locations for the mobile computing device corresponding to the object, and

wherein the electronic notification generated concerning the mobile computing device corresponding to the object is customized to include at least the user-specified identifier for at least one of the plurality of user-specified predetermined notification locations for the mobile computing device corresponding to the object, the included user-specified identifier being the user-specified identifier from the stored user-specified identifiers that corresponds to the location of the mobile computing device corresponding to the object.

2. A location monitoring system as recited in claim 1, wherein one or more of the plurality of user-specified

11

predetermined notification locations and the user-specified identifiers therefor are defined through interaction with said computer.

3. A location monitoring system as recited in claim 1, wherein one or more of the plurality of user-specified predetermined notification locations and the user-specified identifiers therefor are defined through interaction with a graphical user interface provided by said computer.

4. A location monitoring system as recited in claim 3, wherein said computer comprises a web server, and wherein some or all of the plurality of the mobile computing devices are mobile communication devices having location detection capabilities.

5. A location monitoring system as recited in claim 1, wherein one or more of the plurality of user-specified predetermined notification locations and the user-specified identifiers therefor are defined by the authorized user interaction with a graphical user interface provided by said computer.

6. A location monitoring system as recited in claim 5, wherein said computer comprises a web server, and wherein some or all of the plurality of the mobile computing devices are mobile communication devices having location detection capabilities.

7. A location monitoring system as recited in claim 1, wherein the electronic notification is an instant message.

8. A location monitoring system for managing location information pertaining to a plurality of mobile computing devices supported by a wireless network, each of the mobile computing devices being associated with and proximate to a corresponding object, said location monitoring system comprising:

a computer configured to access locations of each of the plurality of mobile computing devices, and said computer enabling authorized users to access data associated with the locations of the mobile computing devices,

wherein said computer is configured to enable storage of a plurality of user-specified predetermined notification locations,

wherein said computer determines whether notification should be sent to an authorized user based on the location of the mobile computing device corresponding to the object is at at least one of the plurality of stored user-specified predetermined notification locations, wherein said computer sends an electronic notification to the authorized user when it has been determined that notification should be sent to the authorized user,

wherein said computer determines whether the location of the mobile computing device corresponding to the object corresponds to at least one of the plurality of stored user-specified predetermined notification locations, and generates the electronic notification when it is determined that the location of the mobile computing device corresponding to the object corresponds to at least one of the plurality of stored user-specified predetermined notification locations,

wherein said computer is configured to store user-specified data for each of the plurality of stored user-specified predetermined notification locations,

wherein the electronic notification generated is customized to include at least the user-specified data corresponding to at least one of the plurality of stored user-specified predetermined notification locations, the included user-specified data being the stored user-

12

specified data that corresponds to the location of the mobile computing device corresponding to the object, and

wherein the user-specified data being included in the electronic notification includes at least a user-specified identifier for the at least one of the plurality of stored user-specified predetermined notification locations.

9. A location monitoring system as recited in claim 8, wherein one or more of the plurality of stored user-specified predetermined notification locations and the user-specified identifiers therefor are defined through interaction with said computer.

10. A location monitoring system as recited in claim 8, wherein one or more of the plurality of stored user-specified predetermined notification locations and the user-specified identifiers therefor are defined through interaction with a graphical user interface provided by said computer.

11. A location monitoring system as recited in claim 10, wherein said computer comprises a web server, and wherein some or all of the plurality of the mobile computing devices are mobile communication devices having location detection capabilities.

12. A location monitoring system as recited in claim 8, wherein one or more of the plurality of stored user-specified predetermined notification locations and the user-specified identifiers therefor are defined by the authorized user interaction with a graphical user interface provided by said computer.

13. A location monitoring system as recited in claim 12, wherein said computer comprises a web server, and wherein some or all of the plurality of the mobile computing devices are mobile communication devices having location detection capabilities.

14. A location monitoring system as recited in claim 8, wherein object is a vehicle.

15. A location monitoring system as recited in claim 8, wherein object is a person.

16. A location monitoring system as recited in claim 8, wherein the mobile computing device corresponding to the object is battery powered.

17. A location monitoring system as recited in claim 8, wherein the mobile computing device corresponding to the object is wearable.

18. A location monitoring system as recited in claim 17, wherein one or more of the plurality of stored user-specified predetermined notification locations and the user-specified identifiers therefor are defined by the authorized user interaction with a graphical user interface provided by said computer.

19. A location monitoring system as recited in claim 18, wherein the electronic notification is an instant message.

20. A location monitoring system as recited in claim 8, wherein the electronic notification is an instant message.

21. A location monitoring system for managing location information pertaining to a plurality of mobile electronic devices supported by a wireless network, said location monitoring system comprising:

a computer configured to access locations of each of the plurality of mobile electronic devices;

a database operatively connected to the computer, said database including stored locations for each of the plurality of mobile electronic devices, the stored locations for each given one of the mobile electronic devices being based on location data acquired at the respective given one of the plurality of mobile electronic devices; and

13

data storage device operatively connected to the computer, said data storage including storage of the location data acquired at each given one of the plurality of mobile electronic devices, storage of a plurality of user-specified predetermined notification locations, and storage of sensor data for each given one of the plurality of mobile electronic devices, the stored sensor data being provided by at least one sensor internal to the respective given one of the plurality of mobile electronic devices,

wherein said computer determines whether notification should be sent to an authorized user based on the location of the respective given one of the plurality of mobile electronic devices being at at least one of the plurality of stored user-specified predetermined notification locations associated with the respective given one of the plurality of mobile electronic devices,

wherein said computer sends an electronic notification to the authorized user when it has been determined that notification should be sent to the authorized user,

wherein said computer determines whether the location of the respective given one of the plurality of mobile electronic devices corresponds to at least one of the plurality of stored user-specified predetermined notification locations, and generates the electronic notification when it is determined that the location of the respective given one of the plurality of mobile electronic devices corresponds to at least one of the plurality of stored user-specified predetermined notification locations,

wherein said computer is configured to store data for each of the plurality of stored user-specified predetermined notification locations associated with the respective given one of the plurality of mobile electronic devices,

wherein the electronic notification generated is customized to include at least a portion of the data corresponding to at least one of the plurality of stored user-specified predetermined notification locations,

wherein the at least a portion of the data being included in the electronic notification includes at least a user-specified identifier for the at least one of the plurality of stored user-specified predetermined notification locations, and

wherein each of the mobile electronic devices is associated with and proximate to a corresponding object.

14

22. A location monitoring system as recited in claim 21, wherein the location data is acquired on a periodic basis.

23. A location monitoring system as recited in claim 21, wherein the stored location being acquired for the given one of the plurality of mobile electronic devices is acquired using location data acquired from a combination of the GPS device and the accessible wireless network.

24. A location monitoring system as recited in claim 21, wherein the sensor data and the location data are used to determine a location of the respective given one of the plurality of mobile electronic devices.

25. A location monitoring system as recited in claim 21, wherein the location data is acquired at the given one of the plurality of mobile electronic devices via a GPS device internal to the given one of the plurality of mobile electronic devices, or via an accessible wireless network that is accessible to the given one of the plurality of mobile electronic devices.

26. A location monitoring system as recited in claim 21, wherein the at least one internal sensor is a motion sensor, and wherein the sensor data is motion data.

27. A location monitoring system as recited in claim 21, wherein said database stores a series of locations for each of the plurality of mobile electronic devices over a period of time.

28. A location monitoring system as recited in claim 27, wherein the location data is acquired at the given one of the plurality of mobile electronic devices via a GPS device internal to the given one of the plurality of mobile electronic devices, or via an accessible wireless network that is accessible to the given one of the plurality of mobile electronic devices.

29. A location monitoring system as recited in claim 28, wherein the at least one internal sensor is a motion sensor, and wherein the sensor data is motion data.

30. A location monitoring system as recited in claim 28, wherein the location data is acquired on a periodic basis.

31. A location monitoring system as recited in claim 30, wherein the at least one internal sensor is a motion sensor, and wherein the sensor data is motion data.

32. A location monitoring system as recited in claim 31, wherein the sensor data and the location data are used to determine a location of the respective given one of the plurality of mobile electronic devices.

* * * * *